## Canada warbler Cardellina canadensis

#### FEATURES

This bird is about five and one-fourth inches in length. It has a "necklace" of short, black streaks on the throat that are darker in the male than in the female and the immature bird. All Canada warblers have a white eye ring and a yellow stripe from the bill to the eye. The feathers in the belly section below the tail are white. There are no white feathers in the wings or tail. The breeding male has gray feathers on the back and tail. His belly and throat are bright yellow. The female and immatures have a similar pattern of coloration, but it is duller.


#### BEHAVIORS

The Canada warbler is a common migrant statewide and a rare summer resident in northern Illinois. It eats mainly insects, although fruits may become part of the diet in fall and winter. It winters in South America. Spring migrants began passing through Illinois in April. Fall migrants start arriving in late July and August.

#### TAXONOMY

Kingdom: Animalia Phylum: Chordata Class: Aves Order: Passeriformes Family: Parulidae ILLINOIS STATUS common, native

### **ILLINOIS RANGE**



© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.

© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



Aquatic Habitats bottomland forest

# Woodland Habitats

coniferous forests; bottomland forests

Prairie and Edge Habitats edge