Cyrano darner

Nasiaeschna pentacantha

FEATURES

The male and female Cyrano darners have a similar color pattern. The eyes are blue. The face is green to blue-green at the top and green-yellow to yellow in front. The thorax is green with brown stripes, the upper ones jagged. The abdomen is mainly green in the middle with brown on the back and sides and green ventrally. Its body appears to be thicker overall than the body of other darners. The total body length is about two and one-third to two and three-fourths inches.

BEHAVIORS

Adults of this species are active in June and July. Males fly at about three to six feet above the water's surface. The Cyrano darner may also fly in woodlands. The abdomen is usually seen as curving downward when this insect flies. Both males and females feed by catching insects and other small invertebrates from plants. They regularly eat other dragonflies. Their prey is taken to a perch and eaten. Eggs are deposited in wet logs or stumps in or near a water body. Nymphs eat insects and a variety of other small animals.

TAXONOMY

Kingdom: Animalia Phylum: Arthropoda

Class: Insecta Order: Odonata Family: Aeshnidae


ILLINOIS STATUS

common, native

ILLINOIS RANGE







Aquatic Habitats

bottomland forests; peatlands; rivers and streams; swamps; lakes, ponds and reservoirs

Woodland Habitats

bottomland forests; southern Illinois lowlands

Prairie and Edge Habitats

none