

greater white-fronted goose

Anser albifrons

FEATURES

Also known as the speckled-belly goose, the greater white-fronted goose is about 28 inches long (tail tip to bill tip in preserved specimen). It has gray-brown feathers except under its tail, where the feathers are white. Some black bars are present on the belly feathers. There is a patch of white feathers at the base of the bill. The bill is pink, and the feet are yellow or orange. Immature individuals are similar to the adult in appearance but do not have the white feathers at the base of the bill.

BEHAVIORS

The greater white-fronted goose can be seen at marshes, prairies, lakes and farm fields. It eats grasses, seeds, grains and aquatic plants. Its call sounds like a high-pitched laugh. Most individuals of this species winter from the coast of Louisiana and Texas south to Mexico, although some do live in Illinois in winter. This species nests in the Arctic.

TAXONOMY

Kingdom: Animalia

Phylum: Chordata

Class: Aves

Order: Anseriformes

Family: Anatidae

ILLINOIS STATUS

common, native

ILLINOIS RANGE



© David W. Brewer



© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*.
Unless otherwise noted, photos and images © Illinois Department of Natural Resources.

© David W. Brewer



© David W. Brewer



Aquatic Habitats

marshes; lakes, ponds and reservoirs; wet prairies and fens

Woodland Habitats

none

Prairie and Edge Habitats

edge