pearl crescent *Phyciodes tharos*

FEATURES

The pearl crescent is a small, brown butterfly with many black marks on the wings. The wingspan is about one and one-fourth to one and five-eighths inches. Males have a black knob at the tip of each antenna. The upper side of the wings is orange-brown with dark brown or black markings. The lower side of the wings is yellow-orange. There is a crescent in the dark marginal patch of the hind wings. The caterpillar is dark brown with brown spines and white head patches.

BEHAVIORS

The pearl crescent butterfly may be found statewide in Illinois in open weedy areas, roadsides, pastures and fields. It is active April through November. Two to four broods are produced each year. The larvae feed primarily on asters. The species overwinters in the larval stage.

TAXONOMY


Kingdom: Animalia Phylum: Arthropoda Class: Insecta Order: Lepidoptera Family: Nymphalida ILLINOIS STATUS common, native


ILLINOIS RANGE





© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.





Aquatic Habitats wet prairies and fens

Woodland Habitats upland deciduous forests

Prairie and Edge Habitats

black soil prairie; dolomite prairie; edge; gravel prairie; hill prairie; sand prairie; shrub prairie

© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.