

# rainbow bluet

## *Enallagma antennatum*

### FEATURES

The most colorful and distinct damselfly in its genus, the rainbow bluet is aptly named. They have orange face and a narrow bright blue line on the top of their head behind their eyes. Males have a kaleidoscope-eyes, orange in front, green behind, and yellow below; while females' eyes are brown above and yellow below. The thorax bears yellow legs and is dark metallic green on top with a yellow stripe, and blueish green below. The abdomen is dark metallic green on top and the underside is blue green, ending in a blue tip. They can be mistaken for the stream (*Enallagma exulans*) and turquoise bluets (*Enallagma divagans*) but are distinguished by their orange face and differences in the ratio of metallic green to blue on the abdomen. They are about one inch long.

### BEHAVIORS

They occupy the skies near ponds, and slow streams and rivers with abundant emergent vegetation. They can be seen in all but the southeast quarter of the state from May to August. Males are often seen perching on stems of plants near the water. The male joins the female while depositing their eggs, which are either laid on grass at the waters' surface or up to a foot below the surface of the water.

### TAXONOMY

Kingdom: Animalia  
Phylum: Arthropoda  
Class: Insecta  
Order: Odonata  
Family: Coenagrionidae

### ILLINOIS STATUS

common, native

### ILLINOIS RANGE



© Mary Kay Rubey

female



male



© Mary Kay Rubey

## **Aquatic Habitats**

lakes, ponds and reservoirs; rivers and streams

## **Woodland Habitats**

none

## **Prairie and Edge Habitats**

none