### red cedar

### Juniperus virginiana

#### **FEATURES**

Red cedar is also known as juniper or eastern red cedar. This evergreen tree may grow to 90 feet tall, although it is usually much smaller. Trunk diameter may be as much as three feet. The tree's bark is red-brown and splits into long shreds. Leaves are of two types: flat and triangular, up to one-sixteenth inch long; or short and needlelike, up to three-fourths inch long. Leaves may be blue-green, green or yellow-green. Male and female cones are produced on separate trees. Pollen is produced in small, yellow spikes. Female cones develop in small, purple clusters. The mature female cones are berrylike, spherical, up to one-fourth inch in diameter. These dark blue cones have a white coating and contain one or two seeds.

#### **BEHAVIORS**

Red cedar may be found throughout Illinois. It grows in fields, dry woods and on cliffs. Wind is the primary pollinating agent for this plant. Birds often aid the dispersal of red cedar by eating the mature cones and passing the undigested seeds out with their waste products. Leaves, stems and cones all provide food for wildlife. The wood is used in clothing chests, pencils and fence posts.

#### **TAXONOMY**

Kingdom: Plantae

Phylum: Coniferophyta

Class: Pinopsida Order: Pinales


Family: Cupressaceae

#### **ILLINOIS STATUS**

common, native

#### **ILLINOIS RANGE**







© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



leaves



female cones



trees

## **Aquatic Habitats** none

# **Woodland Habitats** upland deciduous forests

## **Prairie and Edge Habitats** none