

# silvery checkerspot

## *Chlosyne nycteis*

Kingdom: Animalia  
Phylum: Arthropoda  
Class: Insecta  
Order: Lepidoptera  
Family: Nymphalidae

### ILLINOIS STATUS

common, native

### FEATURES

The silvery checkerspot has a wingspan of 1.5 to 2.0 inches. The upperside of the wings is orange with black lines, patches and spots. The tip of the forewing is dark. There is a dark border on both wing edges. A row of spots on the upperside of the hindwing usually has one or two spots with a white center. The underside has orange, ivory and tan colors with brown lines and black spots. The underside of the hindwing has a row of ivory cells with brown borders near the center and one or more white spots near the edge.

### BEHAVIORS

The silvery checkerspot lives statewide in open areas such as forest openings, stream banks, roadsides, meadows and bottomland forests. The adults eat nectar. The larvae eat daisies. The species overwinters in the larval stage. Two generations are produced per year. Adults are active from April to mid-September.

### ILLINOIS RANGE



© Mary Kay Rubey



adult





adult

**Aquatic Habitats**

bottomland forests; rivers and streams

**Woodland Habitats**

bottomland forests; upland deciduous forests

**Prairie and Edge Habitats**

black soil prairie; dolomite prairie; edge; gravel prairie; hill prairie; sand prairie; shrub prairie