SPRINGS IN ILLINOIS

A REPORT TO THE ILLINOIS NATURE PRESERVES COMMISSION

Donald W. Webb Center for Biodiversity Illinois Natural History Survey Champaign, IL 61820

Philip C. Reed Geophysics Unit Illinois State Geological Survey Champaign, IL 61820

Mark J. Wetzel Center for Biogeographic Information Illinois Natural History Survey Champaign, IL 61820

October 23, 1992

Unnamed Spring #90 [Saline Spring].

Location: Gallatin County: 2.86 mi (4.6 km) SE Equality, Shawnee National Forest, Third Principal Meridian, Township 9S, Range 8E, Section 27, SW/4, SW/4, NE/4, SE/4. U.T.M. Zone 16, 385060 mE 4173865 mN. Equality, IL., 7.5'l, 1959 edition, photorevised 1990.

Elevation: 370' (MSL).

Hydrogeology: This saline spring is located within the Shawnee National Forest Boundary west of Saline Springs National Register Site near the Saline River. Water from the spring flows at two prominent locations from the base of a semi-circular stone structure 4 feet high and 6 feet wide, 200 feet to the juncture of an intermittent stream. The juncture is at a stone arch bridge beneath a gravel road paralleling the Saline River with the Shawneetown Fault a major fault system in southeastern Illinois. Water from the two spring openings inside the semi-circular stone structure appear to discharge from a collective group of joint and bedding plane openings probably in the Golconda Limestone of Mississippian age.

Extending away from the semicircular stone structure is a rock flow consisting of blocks of sandstone and limestone two inches in diameter, about three feet wide, and six to eight inches high. The gradient in the spring area to a large cypress tree about 90 feet from the head is 3.4 feet and from the cypress tree to the spring discharge measuring point near the confluence with the intermittent stream is 0.6 feet. Overall, the gradient to the measuring point is 4.0 feet or about 2.5

feet per 10 feet.

Physical and chemical measurements given in Appendix I

Fauna: Spring Head: Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (uncommon). Insecta: Diptera: Dixidae: Dixa sp. (uncommon), Stratiomyidae: Odontomyia sp. (rare), Tipulidae: Antocha sp. (rare), Tipula sp. (uncommon); Heteroptera: Mesoveliidae: Mesovelia mulsanti (common); Crustacea: Amphipoda: Gammaridae: Gammarus minus (common), G. pseudolimnaeus (common); Isopoda: Asellidae: Caecidotea brevicauda (common); Decapoda: Cambaridae: Cambarus diogenes (rare); Ostrocoda: Candona nr. albicans (rare). Flatworms: Turbellaria: Planariidae: Phagocata gracilis (common).

Spring Outflow: Crustacea: Amphipoda: Gammaridae: Gammarus minus (common), G. pseudolimnaeus (common); Isopoda: Asellidae: Caecidotea brevicauda (uncommon); Ostrocoda:

Ilyocypris bradyi (rare, typical of permanent springs). .

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. This saline Spring is the source of a stream that begins from the base of a wooded slope. The water immediately fans out over shallow fragmented rocks and then quickly forms a narrow channel through the woods. The dominant trees associated with this saline spring are Celtis laevigata Willd. (sugarberry), Fraxinus pennsylvanica Marsh (green ash) and Ulmus rubra Muhl. (slippery elm). Morus rubra L. (red mulberry) is the dominant shrub and Leersia virginica Willd. (white grass), Aster lateriflorus (L.) Britt. (side-flowered aster), and Boehmeria cylindrica (L.) Sw. (false nettle) are the dominant herbs. Parthenocissus quinquefolia (L.) Planch (Virginia creeper) is the dominant vine.

Other trees associated with this saline spring are Diospyros virginiana L. (common persimmon), Liquidambar styraciflua L. (sweet gum), Quercus rubra L. (red oak), and Taxodium distichum (L.) Rich (bald cypress).

Other shrubs associated with this saline spring are Cephalanthus occidentalis L. (buttonbush), Cercis canadensis L. (redbud), Hydrangea arborescens L. (wild hydrangea), Ilex decidua Walt. (swamp holly), Lindera benzoin (L.) Blume (spicebush), Rubus sp. (blackberry), and

Symphoricarpos orbiculatus Moench. (coralberry).

Other herbs associated with this saline spring are Acalypha rhomboidea Raf. (three-seeded mercury), Bidens vulgata Greene (tall beggar-ticks), Carex lacustris Willd. (sedge), Carex muskingumensis Schwein (sedge), Cassia marilandica L. (Maryland senna), Chasmanthium latifolium (Michx.) Yates (sea oats), Cryptotaenia canadensis (L.) DC. (honewort), Desmodium paniculatum (L.) DC. (panicled tick trefoil), Elymus virginicus L. (Virginia wild rye), Eupatorium coelestinum L. (mistflower), Geum canadense Jacq. (white avens), Nasturtium officinale R. Br. (water cress), Pilea pumila (L.) Gray (clearweed), Poinsetta dentata (Michx.) Kl. & Garcke. (wild

poinsetta), Polygonum punctatum Ell. (smartweed), Ruellia strepens L. (smooth ruellia), Samolus valerandii L. (brookweed), Scutellaria incana Biehler (downy skullcap), Senecio glabellus Poir.

(butterweed), Spigelia marilandica L. (Indian pink), and Viola sp. (violet).

Other vines associated with this saline spring are Campsis radicans (L.) Seem. (trumpet creeper), Cocculus carolinus (L.) DC. (snailseed), Dioscorea sp. (wild yam), Lonicera japonica Thunb. (Japanese honeysuckle), Toxicodendron radicans (L.) Kuntze (poison ivy), and Vitis sp. (grape).

This is a basic water spring with a modest flow and a high salinity level for Illinois streams. The spring head is dominated by two species of amphipods and one species of isopod. No fish or amphibians were collected from the spring. To-date, no distinctively unique organisms were collected at this spring.

	Water Rade	Ilew the	2.1.						
	matel Dody	spring	spring	spring	sall well	salt well	salt well	salt well	
APPENDIX 1.		at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	-
Water quality parameters measured									
for the Springs of Illinois project:	County	Gallatin	Gallatin	Gallatin	Gallatin	Gallatin	Gallatin	Gallatin	
salt well spring, April 1991-	Location	SE Equality	SE Equality	SE Equality	SE Equality	SE Equality	SE Equality	SE Equality	
April 1992.	Station #	119	36 a	48	dw 91-65	dw 91-71	dw 92-42	dw 92-93	
	Sample Date	15 Apr 1991	10 Jun 1991	12 Aug 1991	07 Oct 1991	05 Dec 1991	1992	06 Apr 1992	
PARAMETERS *	Standard**	٠,			000000000000000000000000000000000000000	077770777077777777777777777777777777777			***************************************
Field Measurements									
Air Temperature (° C)	-	17.0	23.0	25.7	=	=	2	0622	
Water Temperature (° C)	•	12.5	14.0	13.5	13.0	13	=	120	
Dissolved Oxygen	never < 5.0	2.5	8.6	8.3	8.5	10.8	80	96	
Hydrogen Ion Concentration (pH)	6.5 to 9.0	7.46	7.5	7.3	7.8	7.5	80	60	
Alkalinity, as CaCO3	•	116	308.	292	278	265	300	270	
Field Conductivity (µmhos/cm)		297	1600	2290	2160	920	2150	950	
Specific Conductivity (µmhos/cm)	,	386	2010	2908	2778	1183	2898	1250	
(corrected to 25° C)									
Laboratory Measurements									
Total Carbon	4	35.9	151	122.4	1 69.1	160.7	170 8	1742	
Total Inorganic Carbon		30.8	75.2	73.2	66.3	86.7	69.3	67.0	
Total Organic Carbon	1	5.1	75.8	49.1	93	102.6	110.6	107.3	
Dissolved Organic Carbon		3.9	75.5	33.5	92.7	102.5	107.4	99.2	
Particulate Organic Carbon [0.9]	•	1.2	23	15.6	0.3	0.1	3.2	8.1	
Total Fluoride [0.01]	1.4	ĝ.	1.33	1.79	1.87	0.65	1.3	<dl< td=""><td></td></dl<>	
Sulfur as Sulfate	500.	20.97	87.08	118.4	113.	50.21	94.7	45.94	
Total Bromide [0.01]	•	0.07	3.93	5.19	8.84	3.22	4.1	0.60	
Ammonia Nitrogen [0.005]	1.5 **	0.27	ĝĮ.	∠DL	0.14	0.06	0.06	0.05	
Nitrite Nitrogen [0.005]	•	\$DL	ê	₽L	<u>Ş</u>	JQ}	<dl< th=""><th><dl< th=""><th></th></dl<></th></dl<>	<dl< th=""><th></th></dl<>	
Nitrate Nitrogen [0.005]	•	0.05	0.56	0.59	0.66	<dl< th=""><th>0.46</th><th>0.15</th><th></th></dl<>	0.46	0.15	
Total Phosphorus	0.05**	ADL	<u>J</u>	0.03	<u>1</u>	0.084	0.05	0.09	
Orthophosphate P [0.005]		<u>1</u>	ģ	7JQ	JQ>	<dl< th=""><th><dl< th=""><th>10</th><th></th></dl<></th></dl<>	<dl< th=""><th>10</th><th></th></dl<>	10	
Hardness (EDTA)	•	122	\$	488	528	331	477.0	340	
Chlorides	500.	56.46	706	1264	1010.	368.3	623.7	111.17	
Total Nitrogen		1.31	0.33	0.75	0.31	0.45	0.14	0.24	
Total Kjeldahl Nitrogen	1	1.26	-JQ	0.16	<dl< th=""><th>0.45</th><th>9</th><th>0.09</th><th></th></dl<>	0.45	9	0.09	
Total Solids		368	1680	2228	2156	924	1928	888	
Total Dissolved Solids	1000.	285	1453	2101	2008.	859	2088	907	
Turbidity (JTU)	-	7	7	18	ω	9	43	5	
Total Aluminum [0.045]		0.218	ĝ	TQ>	<dl< th=""><th><dl< th=""><th>70</th><th>70</th><th></th></dl<></th></dl<>	<dl< th=""><th>70</th><th>70</th><th></th></dl<>	70	70	
Total Arsenic [0.030]	1.0	∠DL	ΔL	ΔĮ	<dl< td=""><td><dl< td=""><td><dl< td=""><td>-DL</td><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>-DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td></td></dl<>	-DL	
Total Boron [0.005]	1.0	<dl< td=""><td><dl< td=""><td>0.045</td><td>£D£</td><td>-DL</td><td>-{DL</td><td><dl< td=""><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td>0.045</td><td>£D£</td><td>-DL</td><td>-{DL</td><td><dl< td=""><td></td></dl<></td></dl<>	0.045	£D£	-DL	-{DL	<dl< td=""><td></td></dl<>	
			(Appendix 1	(Appendix 1 concluded on following page)	ollowing page)				

	Water Body	salt well spring at outflow	salt well spring at outflow	salt well spring at outflow	salt well spring at outflow	salt well spring at outflow	salt well spring at outflow	salt well spring at outflow
APPENDIX 1 (concluded).	County	Gallatin	Gallatin	Gallatin	Gallarin	C	Callaria	7-11-1
	Location	SB Equality	SE Equality	SE Equality	SE Equality	SE Equality	SE Equality	SE Equality
	Station #	11a	36a	48	dw 91-65	dw 91-71	dw 92-42	dw 92-93
	Sample Date	15 Apr 1991	10 Jun 1991	12 Aug 1991	07 Oct 1991	05 Dec 1991	10 Feb 1992	06 Apr 1992
PARAMETERS *	Standard**				PRODUCTION (000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000
Laboratory Measurements								
Total Barium [0.001]	5.0	0.03	6:00	0.032	0.033	0.032	0.040	0.032
Total Beryllium [0.001]	•	<dl< td=""><td>JQ></td><td>ĝ</td><td>ĝ</td><td><u>SP</u></td><td>ĝ.</td><td>ΔQ</td></dl<>	JQ>	ĝ	ĝ	<u>SP</u>	ĝ.	ΔQ
Total Calcium [0.004]	•	37	137	143	155	116	140.0	107.0
Total Cadmium [0.002]	0.05	<dl< td=""><td><dl< td=""><td>√DL</td><td>JQ></td><td><u>3</u></td><td><u>\$</u></td><td>ADL</td></dl<></td></dl<>	<dl< td=""><td>√DL</td><td>JQ></td><td><u>3</u></td><td><u>\$</u></td><td>ADL</td></dl<>	√DL	JQ>	<u>3</u>	<u>\$</u>	ADL
Total Cobalt [0.002]		√DL.	<dl< td=""><td><dl< td=""><td>JQ</td><td>JG</td><td><dl< td=""><td>JQ\$</td></dl<></td></dl<></td></dl<>	<dl< td=""><td>JQ</td><td>JG</td><td><dl< td=""><td>JQ\$</td></dl<></td></dl<>	JQ	JG	<dl< td=""><td>JQ\$</td></dl<>	JQ\$
Total Chromium [0.007]	*	0.014	√ DL	JQ>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>-DL</td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>-DL</td></dl<></td></dl<>	<dl< td=""><td>-DL</td></dl<>	-DL
Total Copper [0.004]	0.02	<u>1</u>	ΔL	£DL	√DL	<dl< td=""><td><dl< td=""><td><dl< td=""></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""></dl<></td></dl<>	<dl< td=""></dl<>
Total Iron [0.025]	1.0	0.078	JQ2	0.162	фL	ADL	0.086	-DL
Total Magnesium [0.003]	•	6.74	29.7	31.8	34.3	18.4	30.80	1760
Total Manganese [0.009]	1.0	0.038	DL	0.039	<dl< td=""><td>JG></td><td>0.041</td><td>70</td></dl<>	JG>	0.041	70
Total Molybdenum [0.006]	-	Ą	ΔĮ	<dl< td=""><td>√DL</td><td>JQ.</td><td><dl< td=""><td><dl< td=""></dl<></td></dl<></td></dl<>	√DL	JQ.	<dl< td=""><td><dl< td=""></dl<></td></dl<>	<dl< td=""></dl<>
Total Sodium [1.34]	,	37.8	358.0	498.0	560.0	194.0	476.0	156.0
Total Nickel [0.008]	1.0	ΔĮ	ΔL	Д <u>С</u>	ΔĹ	ĄĻ	<dl< td=""><td>-DL</td></dl<>	-DL
Total Lead [0.015]	0.1	<u>ê</u> L	₽ J	£	ģ	ģ	₽ DL	<dl< td=""></dl<>
Total Antimony [0.013]	,	βŗ.	ĝ.	Ą	ĄĮ	ΔL	<dl< td=""><td><dl< td=""></dl<></td></dl<>	<dl< td=""></dl<>
Total Selenium [0.031]	1.0	£DL	£DL	- DL	<dl< td=""><td>£DL.</td><td>ΔL,</td><td>JQ></td></dl<>	£DL.	ΔL,	JQ>
Total Silicon [0.011]	,	9.7	11.4	6.51	7.05	7.79	6.19	8.57
Total lin [0.033]	,	LOL.	10	<u>ê</u>	Ą	-DL	DL	ΔL.
Total Vanadium [0.007]	5	ĝ ĝ	0.01	į (ģ	<u>P</u>	Ą	Đ	JQ
Total Zane [0.007]	1.0	0.017	0.012	ΔĐ	ÐĮ.	0.016	4DL	ДL
Total Mercury [0.00005]	0.0005	0.000414	0.000065	70	<u>1</u>	-1 <u>1</u>	ĝ.	<u>1</u>
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters. **Surface water mailty standards are taken from: Illinois Environmental Properties Asserts 1080 Title 35. Environmental Properties 1080	irements expresse	d in mg/l. Dete	ction limits an	e listed in brack	rials after applic	able paramete		C W - D-II
Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 through 302.212.	- Water Quality St	andards. Subp	art B: General	Use Water Qu	ality Standards	Sections 302		ough 302.212.
Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	umonia: a) Ammo	nia nitrogen si	all in no case	exceed 15 mg/l	; b) if ammoni	nitrogen is les		15 mg/l and greater than or equal to 1.5 mg/l,
then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regardless of unionized ammonia concentration.	Il not exceed 0.04	mg/l; c) Amm	ionia nitrogen	concentrations	of less than 1.5	mg/l are lawfu	ıl regardless of	unionized amr
Ill total ammonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and	n calculations mus	d be made to di	etermine the ur	uonized ammo	nia concentrati	on based upon	pH and temperature.]	ature.]
rnosphorus as r small not exceed 0.03 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream any such reservoir or lake.	mg/i un any reser	oir or lake with	h a surface area	of 8.1 hectare	s (20 acres) or	more, or in any		at the point where it enters
Although no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for	chromium has bee	n established	the current star	dard for total h	exavalent chro	mium is 0.05 r	ng/l: the currer	at standard for
total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.	; the sum of these	two constituen	ts would infer	that the total ch	nomium standa	ard is 1.05 mg/		

Kaskaskia Spring.

Location: Hardin County: 2.5 mi (4.05 km) SSE Karbers Ridge. Third Principal Meridian, Township 11S, Range 8E, Section 21, NW/4, NE/4, SW/4, SE/4, 1150' N, 1900' W of SE corner. U.T.M. Zone 16, 382830 mE 4155840 mN. Quandrangle: Karbers Ridge, Ill.. 7.5',

1959 edition, photorevised 1979.

Hydrogeology: Kaskaskia Spring and waterway are located in the Shawnee National Forest near the Kaskaskia Experimental Forest. Spring water flows rapidly from three prominent locations at the base of a 30-foot limestone bluff near floodplain elevation into Big Creek 70 feet away. The discharge points appear to emerge along a common bedding plane in the St. Louis Limestone of Mississippian Age. A series of fracture alignments with directions of N 20° E are present in the bluff above the spring. Fifteen feet from the spring opening water cascades 0.8 feet through limestone rubble measuring 5-6 feet in length and 10 feet wide. The blocks of the limestone rubble measure 0.5-1.0 feet along the long axis. Beyond the rubble zone is a side channel reservoir excavated in Cahokia Alluvium sand and gravel of Recent Age. The spring water way forms a pool beyond this point downcutting sand and gravel before crossing a little used road and merging with the intermittent stream. The gradient from the spring head to the intersection with the intermittent creek is 1.8 feet or about 0.25 feet per 10 feet of distance.

Physical and chemical measurements given in Appendix 6.

Elevation: 410' (MSL).

Fauna: Black snails and minnows (Meents 1975).

Fauna: Spring Head: Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (uncommon). Insecta: Megaloptera: Sialidae, Sialis sp. (rare); Diptera: Tipulidae: Tipula sp. (uncommon). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common) Flatworms: Turbellaria: Planariidae: Phagocata gracilis (common).

Flora: At least two varieties of moss, grass (Meents 1975).

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. Kaskaskia Springs is located at the base of a small wooded limestone hill. The stream formed from this sprin flows a short distance and then joins Big Creek. This site is dominated by *Platanus occidentalis* L. (sycamore) and *Acer saccharum* Marsh (sugar maple). The dominant shrub is *Rosa multiflora* Thumb. (multiflora rose) and the dominant herbs are *Leersia virginica* Willd. (white grass), *Sanicula gregaria* Bickn. (common snakeroot) and *Pilea fontana* (Lunell) Rydb. (clearweed). The dominant vine id *Lonicera japonica* Thunb. (Japanese honeysuckle). The abundance of multiflora rose and Japanese honeysuckle suggest that this site has been heavily disturbed.

Other trees associated with Kaskaskia Springs are Acer negundo L. (box elder), Asimina triloba (L.) Dunal (pawpaw), Carpinus caroliniana Walt. (blue beech), Carya cordiformis (Wang.) K. Koch (bitternut hickory), Celtis laevigata Willd. (sugarberry), Celtis occidentalis L. (hackberry), Fraxinus pennsylvanica Marsh (green ash), Juniperus virginiana L. (red cedar), Gleditsia triacanthos L. (honey locust), Juglans nigra L. (black walnut), Prunus serotina Ehrh. (wild black cherry), Quercus muhlenbergia Engelm. (Chinkapin oak), and Ulmus rubra Muhl.

(slippery elm).

Other shrubs associated with Kaskaskia Springs are Cornus stricta Lam. (stiff dogwood), Lindera benzoin (L.) Blume (spicebush), Sambucus canadensis L. (elderberry), and

Symphoricarpos orbiculatus Moench. (coralberry).

Other herbs associated with Kaskaskia Springs are Agrimonia parviflora Ait. (swamp agrimony), Agrimonia rostellata Wallr. (woodland agrimony), Agrostis perennans (Walt.) Tuckerm. (upland bent grass), Asplenium platyneuron (L.) Oakes (ebony spleenwort), Aster lateriflorus (L.) Britt. (side-flowered aster), Boehmeria cylindrica (L.) Sw. (false nettle), Campanula americana L. (American bellflower), Carex spp. (sedge), Chasmanthium latifolium (Michx.) Yates (sea oats), Cinna arundinacea L. (stout wood reed), Conyza canadensis (L.) Cronq. (horseweed), Cryptotaenia canadensis (L.) DC. (honewort), Desmodium sp. (tick trefoil), Dichanthelium dichotomum (L.) Gould (panic grass), Elephantopus carolinianus Raeusch (elephant's foot), Elymus virginicus L. (Virginia wild rye), Eupatorium rugosum Houtt. (white snakeroot), Galium aparine L. (goosegrass), Galium triflorum Michx. (sweet-scented bedstraw),

Geum canadense Jacq. (white avens), Glyceria striata (Lam.) Hitchcock (fowl manna grass), Juncus tenuis Willd. (path rush), Lactuca floridana (L.) Gaertn. (woodland lettuce), Laportea canadensis (L.) Wedd. (wood nettle), Lobelia siphilitica L. (blue cardinal-flower), Mimulus alatus Ait. (winged monkey-flower), Passiflora lutea L. (small passion-flower), Phlox sp. (phlox), Phryma leptostachya L. (lopseed), Ranunculus sp. (buttercup), Ruellia strepens L. (smooth ruellia), Rumex sp. (dock), Plantago rugelii Dcne (Rugel's plantain), Polygonum cespitosum Blum. (creeping smartweed), Polystichum acrostichoides (Michx.) Schott. (Christmas fern), Sanicula canadensis L. (Canadian black snakeroot), Senecio aureus L. (golden ragwort), Solidago canadensis L. (tall goldenrod), Solidago gigantea Ait. (late goldenrod), Verbesina alternifolia (L.) Britt. (yellow ironweed), and Viola sp. (violet).

References: Meents (1975). Ownership: U.S. Forest Service.

This is basic water spring with moderate flow. The fauna is dominated by one species of amphipod and one species of flatworm. The remaining fauna was rather limited and to-date, no distinctively unique organisms were collected at this spring.

Chlorides Total Nitrogen
Total Kjeldahl Nitrogen Field Conductivity (umhos/cm)
Specific Conductivity (umhos/cm) Water Temperature (° C) Field Measurements Turbidity (JTU) Hardness (EDTA) [otal Arsenic [0.030] otal Aluminum [0.045] Orthophosphate P [0.005] APPENDIX 6. otal Dissolved Solids otal Phosphorus Hydrogen Ion Concentration (pH) Dissolved Oxygen Air Temperature (° C) otal Boron [0.005] otal Solids Vitrate Nitrogen [0.005] litrite Nitrogen [0.005] ummonia Nitrogen [0,005] otal Bromide [0.01] ulfur as Sulfate otal Fluoride [0.01] articulate Organic Carbon [0.9] Dissolved Organic Carbon otal Organic Carbon otal Inorganic Carbon Alkalinity, as CaCO3 aboratory Measurements Water quality parameters measured (corrected to 25° C) Kaskaskia Spring, April-October for the Springs of Illinois project: PARAMETERS • Sample Date Water Body Kaskaskia Standard** never < 5.0 Station # 6.5 to 9.0 0.05** Location County 1.5 ** . 8 500. 500. 1.0 1.4 5 S Karbers R 17 Apr 1991 Spring at outflow Hardin 99 0.7 0.2 14.68 è 25.0 346 7.2 15.0 S Karbers R 07 Oct 1991 Kaskaskia dw 91-70 at outflow Appendix 6 concluded on following page) Spring Hardin 273 28 0.13 89 22 6 6 6 6 6 10 16.44 0.25 114.4 43.9 370 7.5 192 2.4 16

	Water Body	Kaskashia	Kadradia							
		Spring	Spring							
		at outflow	at outflow							
ALLENDIA o (concluded).	1	:	:	-						
	County	Hardin	Hardin							
	Classic #	O Maiocia W	National V							
	Sample Date	17 Apr 1991	07 Oct 1991		-					
PARAMETERS •	Standardes		•				000000000000000000000000000000000000000	000000000000000000000000000000000000000	90	******************
Laboratory Measurements										
Total Barium [0.001]	5.0	0.027	0.026							
Total Beryllium [0.001]	-	7Q}	70,		_					
Total Calcium [0.004]	-	හ	68.2				·			
Total Cadmium [0.002]	0.05	<dl< th=""><th><dl< th=""><th>_</th><th></th><th></th><th></th><th></th><th></th><th></th></dl<></th></dl<>	<dl< th=""><th>_</th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>	_						
Total Cobalt [0.002]	,	4DL	-DL							
Total Chromium [0.007]	•	<u>1</u>	JQ>							
Total Copper [0.004]	0.02	£DL	<dl< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>							
Total Iron [0.025]	1.0	£DL	<u>1</u>							
Total Potassium [0.629]	1	0.738	<u>1</u>							
Total Magnesium [0.003]		8.67	12.1							
Total Manganese [0.009]	1.0	4DL	4DL							
Total Molybdenum [0.005]		Ą.	ДĜ							
Total Sodium [1.34]	-	5.9	8.61							
Total Nickel [0.008]	1.0	^DL	1 ₫							
Total Lead [0.015]	0.1	ZDL	<u>1</u>							
Total Antimony [0.013]		-DL	14							
Total Selenium [0.031]	1.0	Ĵĝ.	ĐĽ					-		
Total Silicon [0.011]		5.7	4.63							
Total Tin [0.033]		JQ.	76							
Total Vanadium [0.007]		<dl< th=""><th>-JG</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>	-JG							
Total Zinc [0.007]	1.0	0.05	JQ\$							
Total Mercury [0.00005]	0.0005	0.000105	ÐĮ.							
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters.	ements expresse	dinmg∕l.Dete	ction limits are	listed in brackets	after applica	ble parametes	3.			
**Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989. Title 35: Environmental Protection.	ken from: Illino	is Environmen	al Protection A	gency. 1989. Tit	le 35: Envir	nmental Prot		: C: Water Poll	Subtitle C: Water Pollution. Chapter L	L
Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards.	Water Quality St	andards. Subp	ert B: General I	lse Water Quality	Standards.	Sections 302.201 th		2.212.		
Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	nonia: a) Ammo	mia mitrogen sh	all in no case e	(ceed 15 mg/l; b)	if ammonua	nitrogen is les		and greater tha	15 mg/l and greater than or equal to 1.5 mg/l,	5 mg/l,
then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia mitrogen concentrations of less than 1.5 mg/l are lawful regardless of unionized ammonia concentration.	not exceed 0.04	mg/l; c) Amm	onia nitrogen c	oncentrations of I	ess than 1.5 r	ng/l are lawfu	il regardless of	unionized arrun	nonia concentral	tion.
[If total ammonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and temperature.]	calculations mu	st be made to de	termine the un	onized ammonia	concentration	n based upon	pH and temper	nture.]		
Phosphorus as P shall not exceed 0.05 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream at the point where it enters	ng/1 in any reserv	oir or lake with	1 & surface area	of 8.1 hectares (2	0 acres) or m	ore, or in any	stream at the p	oint where it e	nters	
any such reservoir or lake.										
Authorign no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for	the arm of these	n established,	he current stan	lard for total hexa	valent chron	nium is 0.05 n	ng/l; the curren	ne current standard for		
total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.	the sum of these	two constituen	is would infer t	nat the total chron	nium standar	d is 1.05 mg/				

Old Driver Spring.

Location: Hardin County: 3.63 miles (5.85 km) S Karbers Ridge. Third Principal Meridian, Township 11S, Range 8E, Section 28, NW/4, SE/4, SW/4, SW/4, 550' N, 1110' E of SW corner. U.T.M. Zone 16, $^{3}82^{005}$ m^E $^{41}53^{940}$ m^N. Quadrangle: Karbers Ridge, IL., 7.5', 1959 edition, photorevised 1976.

Elevation: 382' (MSL).

Hydrogeology: Old Driver Spring and waterway is on private property adjacent to the Shawnee National Forest. Water from this spring flows into Big Creek from a collective group of bedding plane openings and joints at two readily discernable locations within the Lower Salem or Upper Ullin Limestones of Mississippian age. The Salem and Ullin are light brown, coarsely crystalline, crinodial limestones at this location.

The primary spring discharge point is at the head of the spring, situated at floodplain level at the base of a bluff on the west side of the Big Creek floodplain. Discontinuous ledges of limestone 2-3 feet thick occur 20-30 feet above the spring head on a leaf-covered hill slope. The ledges intersect Cahokia Alluvium of Recent age and consist of 3-5 feet of clayey, sandy silt underlain by at least 3 feet of sand and gravel. A large circular opening constructed from 3-4 levels of cemented cobbles and boulders 2 feet high, 1 foot wide, and 10 feet in diameter encloses rising water from the spring head. The circular opening is filled with sand and gravel and contains 1 foot of water with several small boils. Water collected in the circular area discharges from a single rectangular clay tile into the main water course.

A second joint spring is present in a collapsed area 640 feet downstream from the primary opening. Water issues from several locations at the base of a large group of randomly orientated rectangular limestone blocks ranging from 6-24 inches in long direction and occupying an area 10-15 feet wide and 15 feet high. At this location, near vertical joints in the limestone bedrock appear oriented N 80° W and N 10° W.

The linear correlation coefficient between the water discharged at the spring head and in the waterway near the confluence of Big Creek is r = 0.91210. This indicates that the spring head discharge is directly related to the open discharge near Big Creek. One gallon of discharge at the spring head is equivalent to about 1.7 gallons downstream near Big Creek confluence. The stream gradient from the spring head to the secondary discharge point was 7.8 inches per 100 feet, and from the secondary spring discharge point to the confluence at Big Creek was 8.7 inches per 100 feet. The overall gradient for the outflow distance of 1040 feet is 8.3 inches per 100 feet.

Meents (1981) reported the water temperature at 59° F, discharge 100 gpm.

Physical and chemical measurements given for the spring head in Appendix 3 and for the

spring outflow 920 feet downstream in Appendix 2.

Fauna: Spring Head: Fishes: Forbesichthys agassizi (spring cavefish, rare); Lythrurus umbrutilis (red fin shiner, rare); Cottus carolinae (banded sculpin, uncommon). Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (common). Insecta: Diptera: Ceratopogonidae: Bezzia sp. (rare); Dixidae: Dixa sp. (uncommon); Tipulidae: Tipula sp. (rare). Heteroptera: Mesovelidae: Mesovelia mulsanti (common), Notonectidae: Buenoa sp. (rare); Megaloptera: Sialidae: Sialis sp. (rare). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common), G. pseudolimnaeus (common); Isopoda: Asellidae: Caecidotea brevicauda (uncommon); Decapoda: Cambaridae: Cambarus tenebrosus (rare); Ostrocoda: Potamocypris granulosa (common). Flatworms: Turbellaria: Planariidae: Phagocata gracilis (common).

Spring Outflow: Fishes: Etheostoma squamiceps (spottail darter, rare); E. caerueum (rainbow darter, uncommon); Cottus carolinae (banded sculpin, uncommon); Semotilus atromaculatus (creek chub, rare). Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (common). Insecta: Diptera: Ceratopogonidae: Bezzia sp. (rare); Dixidae: Dixa sp. (common); Psychodidae: Psychodidae: Psychoda sp. (rare); Ptychopteridae: Ptychoptera quadrifasciata (rare). Tipulidae: Antocha sp. (rare), Tipula sp. (uncommon). Heteroptera: Gerridae: Gerris remigis (common). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common), G. pseudolimnaeus (common); Isopoda: Asellidae: Caecidotea brevicauda (uncommon); Flatworms: Turbellaria: Planariidae: Phagocata gracilis (common).

Flora: Grass (Meents 1981).

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. Old Driver Spring is bordered by a hayfield on the north and a wooded hillside to the south. The spring flows from the base of the hillside and then runs east along the base of the hill. Trees are represented primarily by overhanging branches of Acer saccharum Marsh (sugar maple) from the adjacent dry wooded hillside. The vegetation along the spring is dominated by forbs, Mentha spicata L. (spearmint) with locally abundant Impatiens capensis Meerb. (spotted tough-me-not), and Leersia virginica Willd. (white grass). About 50 meter south of the spring Lindera benzoin (L.) Blume (spicebush) is the dominant shrub and Asimina triloba (L.) Dunal (pawpaw) is the dominant understory tree. No vines were observed.

Other trees associated with Old Driver Spring are Juglans nigra L. (black walnut) and

Liriodendron tulipifera L. (tulip tree).

Other shrubs observed nearby Old Driver Spring are Cercis canadensis L. (redbud) and Rosa

sp. (rose).

Other herbs associated with Old Driver Spring are Agrostis alba L. (red top), Ambrosia artemisiifolia L. (common ragweed), Ambrosia trifida L. (giant ragweed), Arctium minus Bernh. (common burdock), Aster lateriflorus (L.) Britt. (side-flowered aster), Bidens vulgata Greene (tall beggar-ticks), Boehmeria cylindrica (L.) SW. (false nettle), Campanula americana L. (American bellflower), Carex frankii Kunth (sedge), Conyza canadensis (L.) Cronq. (horseweed), Cyperus strigosus L. (sedge), Dichanthelium clandestinum (L.) Gould (broad-leaved panic grass), Elymus virginicus L. (Virginia wild rye), Epilobium coloratum Biehler (cinnamon willow herb), Erigeron annuus (L.) Pers. (daisy fleabane), Eupatorium rugosum Houtt. (white snakeroot), Festuca pratensis Huds (meadow fescue), Galium aparine L. (goose grass), Geum canadense Jacq. (white avens), Glyceria striata (Lam.) Hitchcock (fowl manna grass), Leersia oryzoides (L.) Swartz, (rice cutgrass), Lobelia siphilitica L. (blue cardinal-flower), Ludwigia alternifolia L. (seedbox), Ludwigia palustris (L.) Ell. (marsh purslane), Pilea fontana (Lunell) Rydb. (clearweed), Pilea pumila (L.) Gray (clearweed), Polygonum cespitosum Blume (creeping smartweed), Polygonum hydropiper L. (smartweed), Polygonum sagittatum L. (tear thumb.), Rumex obtusifolius L. (bitter dock), Scirpus atrovirens Willd. (bulrush), Scrophularia marilandica L. (late figwort), Sium suave Walt. (water parsnip), Solidago canadensis L. (tall goldenrod), and Verbena urticifolia L. (white vervain).

Reference: Meents (1981),

Ownership: Waldo Rude, Rt. 2, Elizabethtown, IL. 62931. Current Status: Spring head is used for livestock watering.

This is a basic water spring with a high volume of flow. The fauna and the spring head is dominated by chironomids, two species of amphipods, and one species of isopod. Several distinctive genera of chironomids were present in this spring head. Possibly five of these genera have never been collected in Illinois. Because of the uniqueness of the genera and species, the validity of the identification is being verified by Dr. Ole Saether, Zoologisk Museum, Bergen, Norway). Three species of fish were collected at the spring head, including the spring cavefish. This spring and its outflow stream to Big Creek is probably the most unique and outstanding of the six spring examined in this study.

			H	ollowing page)	(Appendix 2 concluded on following page)	(Appendix 2			
	3 0	-DL	-DL	<dl< th=""><th>ADL</th><th>ΦĽ</th><th><dl< th=""><th>1.0</th><th>Total Boron [0.005]</th></dl<></th></dl<>	ADL	ΦĽ	<dl< th=""><th>1.0</th><th>Total Boron [0.005]</th></dl<>	1.0	Total Boron [0.005]
·	^ DL	ÐĽ	ADL	<dl< td=""><td><dl< td=""><td>ADL</td><td>Д</td><td>1.0</td><td>Total Arsenic [0.030]</td></dl<></td></dl<>	<dl< td=""><td>ADL</td><td>Д</td><td>1.0</td><td>Total Arsenic [0.030]</td></dl<>	ADL	Д	1.0	Total Arsenic [0.030]
	-DL	<dl< th=""><th><dl< th=""><th>ADL.</th><th>фL</th><th>£DL.</th><th>0.073</th><th></th><th>Total Aluminum [0.045]</th></dl<></th></dl<>	<dl< th=""><th>ADL.</th><th>фL</th><th>£DL.</th><th>0.073</th><th></th><th>Total Aluminum [0.045]</th></dl<>	ADL.	фL	£DL.	0.073		Total Aluminum [0.045]
	6	90	8	4	5	ယ	10		Turbidity (JTU)
·	163	204	181	206	193	201	23	1000.	Total Dissolved Solids
	180	200	172	192	212	188	204	,	Total Solids
	81.0	0.06	0.21	0.1	0.16	0.16	0.97		Total Kjeldahl Nitrogen
	0.22	0.09	0.21	0.1	0.16	0.3	0.97	,	Total Nitrogen
	2.13	1.3	1.4	1.88	2.29	13.13	1.10	500.	Chlorides
	106	137.0	138	134	124	126	8	-	Hardness (EDTA)
	0.22	<dl< th=""><th>-DL</th><th>-DL</th><th>£DL</th><th>JQ-</th><th><u>ê</u></th><th>,</th><th>Orthophosphate P [0.005]</th></dl<>	-DL	-DL	£DL	JQ-	<u>ê</u>	,	Orthophosphate P [0.005]
	0.24	0.07	0.133	√DL	0.05	-DL	ADL	0.05**	Total Phosphorus
	0.04	0.03	<dl< th=""><th><DL</th><th><dl< th=""><th>0.14</th><th>¢DL</th><th>,</th><th>Nitrate Nitrogen [0.005]</th></dl<></th></dl<>	< DL	<dl< th=""><th>0.14</th><th>¢DL</th><th>,</th><th>Nitrate Nitrogen [0.005]</th></dl<>	0.14	¢DL	,	Nitrate Nitrogen [0.005]
	JQ-	ADL.	AD1	<dl< th=""><th>₽£</th><th>₹DL</th><th>Ą</th><th></th><th>Nitrite Nitrogen [0.005]</th></dl<>	₽£	₹DL	Ą		Nitrite Nitrogen [0.005]
	JØ>	0.05	0.04	0.01	ΔDL	0.01	0.03	1.5 **	Ammonia Nitrogen [0,005]
	JQ>	◆ DL	<dl< th=""><th><dl< th=""><th>J.C.></th><th>₹DL</th><th>£DL</th><th></th><th>Total Bromide [0.01]</th></dl<></th></dl<>	<dl< th=""><th>J.C.></th><th>₹DL</th><th>£DL</th><th></th><th>Total Bromide [0.01]</th></dl<>	J.C.>	₹DL	£DL		Total Bromide [0.01]
	8.51	4.3	3.95	5.38	5.31	5.58	10.56	500.	Sulfur as Sulfate
	JQ>	<u>1</u>	<dl< th=""><th><dl< th=""><th>0.04</th><th>0.05</th><th>-JQ-</th><th>1.4</th><th>Total Fluoride [0.01]</th></dl<></th></dl<>	<dl< th=""><th>0.04</th><th>0.05</th><th>-JQ-</th><th>1.4</th><th>Total Fluoride [0.01]</th></dl<>	0.04	0.05	-JQ-	1.4	Total Fluoride [0.01]
	0.4	JD>	0	0	- DIL	0.2	0.8		Particulate Organic Carbon [0.9]
`	35.8	50.0	44.5	51.6	14.7	26.4	ADL		Dissolved Organic Carbon
	36.2	49.8	44.5	51.6	13.7	26.6	0.8		Total Organic Carbon
	25.0	35.0	30.4	36.7	37.9	39.3	9.9		Total Inorganic Carbon
	61.2	84.8	74.9	88.3	51.6	65.9	10.7	,	Total Carbon
									Laboratory Measurements
	-								(corrected to 25° C)
	216	273	242	276	258	270	118		Specific Conductivity (jumhos/cm)
	172	200	175	210	220	F250(@21C)	8		Field Conductivity (umhos/cm)
	110.	153	134	156	155	155.	53		Alkalinity, as CaCO3
	7.7	8.3	7.9	8.0	8.1	7.4	7.2	6.5 to 9.0	Hydrogen Ion Concentration (pH)
	9.3	11.0	10.5	9.5	œ œ	7.4	9.4	never < 5.0	Dissolved Oxygen
	14.0	10.5	10	12	17	14.0	13.0	•	Water Temperature (° C)
	21.0	=	12	14	27.5	28.0	19.0	-	Air Temperature (° C)
									Field Measurements
								Standard**	PARAMETERS *
	06 Apr 1992	10 Feb 1992	05 Dec 1991	07 Oct 1991	12 Aug 1991	10 Jun 1991	16 Apr 1991	Sample Date	***************************************
		dw 92-44	dw 91-72	dw 91-66	50	37 a	13	Station #	outflow, April 1991-April 1992.
	S	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	Location	Old Driver Spring, downstream of
	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	County	for the Springs of Illinois project:
	outilow	outflow	outflow	outflow	outflow	outflow	outflow		Water quality parameters measured
	920' dnstm	920' dnstrm	920' dasam	920' dnstrm	920' dastrin	920' dnstrm	920' dastm		APPENDIX 2.
	Spring	Spring	Spring	Spring	Spring	Spring			
	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	Water Body	

any such reservoir or lake.	Phosphorus as P shall not exceed 0.05 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream	[If total ammonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and	then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regard	Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 through 302.212.	**Surface water quality standards are taken from: Illinois Environmental Protection Agency, 1989. Title 35: Environmental Protection.	*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters.	Total Mercury [0.00005]	Total Zinc [0.007]	Total Vanadium [0.007]	Total Tin [0.033]	Total Silicon [0.011]	Total Scienium [0.031]	Total Antimony [0.013]	Total Lead [0.015]	Total Nickel [0.008]	Total Sodium [1.34]	Total Molybdenum [0.006]	Total Manganese [0.009]	Total Magnesium [0.003]	Total Potassium [0.629]	Total Iron [0.025]	Total Copper [0.004]	Total Chromium [0.007]	Total Cobalt [0.002]	Total Cadmium [0.002]	Total Calcium [0.004]	Total Beryllium [0.001]	Total Barium [0.001]	Laboratory Measurements	PARAMETERS *	***************************************				APPENDIX 2 (concluded).			
	0.05 mg/l in any reser	l, then calculations mu) shall not exceed 0.04	d Ammonia: a) Amm	302 - Water Quality S	s are taken from: Illine	neasurements expresse	0.0005	1.0			ı	1.0	1	0.1	1.0			1.0		,	1.0	0.02	*		0.05	ı	1	5.0		Standard**	Sample Date	Station #	Location	County				Water Body
	voir or lake wil	st be made to d	mg/l; c) Amn	onia nitrogen si	tandards. Subs	ois Environmen	din mg/l. Deu	¢DL	√ DL	JQ>	ΔDL.	5.45	<dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td>2.77</td><td><dl< td=""><td>0.01</td><td>2.01</td><td>0.766</td><td>0.04</td><td><dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>2.77</td><td><dl< td=""><td>0.01</td><td>2.01</td><td>0.766</td><td>0.04</td><td><dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>2.77</td><td><dl< td=""><td>0.01</td><td>2.01</td><td>0.766</td><td>0.04</td><td><dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td>2.77</td><td><dl< td=""><td>0.01</td><td>2.01</td><td>0.766</td><td>0.04</td><td><dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<>	2.77	<dl< td=""><td>0.01</td><td>2.01</td><td>0.766</td><td>0.04</td><td><dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<>	0.01	2.01	0.766	0.04	<dl< td=""><td>0.014</td><td>-DL</td><td><dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	0.014	-DL	<dl< td=""><td>18.8</td><td><u>1</u></td><td>0.027</td><td></td><td></td><td>16 Apr 1991</td><td>13</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<>	18.8	<u>1</u>	0.027			16 Apr 1991	13	S Karbers R	Hardin	outflow	920' dnstrm	Spring	Old Driver
	h a surface area	etermine the ur	nonia nitrogen	hall in no case (ant B: General	nal Protection	ection limits an	-DL	0.02	0.019	-JU>	4.21	<dl< td=""><td>-DL</td><td><dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	-DL	<dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<>	<dl< td=""><td>4.01</td><td><dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	4.01	<dl< td=""><td>ADL</td><td>-DL</td><td>∢DL</td><td>∢DL</td><td>JQ-</td><td>43.8</td><td><u>4</u></td><td>0.016</td><td></td><td></td><td>10 Jun 1991</td><td>37a</td><td>S Karbers R</td><td>Hardin</td><td>outlow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<>	ADL	-DL	∢DL	∢DL	JQ-	43.8	<u>4</u>	0.016			10 Jun 1991	37a	S Karbers R	Hardin	outlow	920' dnstrm	Spring	Old Driver
	of 8.1 hectare	nionized ammo	concentrations	exoeed 15 mg/l	Use Water Qu	Agency, 1989.	e listed in brac	- JG>	-DL	<dl< td=""><td>-DL</td><td>4.05</td><td>JQ></td><td>√DL</td><td><dl< td=""><td>ADL</td><td>2.81</td><td>∠DL</td><td><dl< td=""><td>3.90</td><td>JQ></td><td>0.048</td><td>0.013</td><td>JQ></td><td>JQ.</td><td>ĝ</td><td>13</td><td>ĝ.</td><td>0.026</td><td></td><td></td><td>12 Aug 1991</td><td>· 50</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dınstırın</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<>	-DL	4.05	JQ>	√ DL	<dl< td=""><td>ADL</td><td>2.81</td><td>∠DL</td><td><dl< td=""><td>3.90</td><td>JQ></td><td>0.048</td><td>0.013</td><td>JQ></td><td>JQ.</td><td>ĝ</td><td>13</td><td>ĝ.</td><td>0.026</td><td></td><td></td><td>12 Aug 1991</td><td>· 50</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dınstırın</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	ADL	2.81	∠DL	<dl< td=""><td>3.90</td><td>JQ></td><td>0.048</td><td>0.013</td><td>JQ></td><td>JQ.</td><td>ĝ</td><td>13</td><td>ĝ.</td><td>0.026</td><td></td><td></td><td>12 Aug 1991</td><td>· 50</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dınstırın</td><td>Spring</td><td>Old Driver</td></dl<>	3.90	JQ>	0.048	0.013	JQ>	JQ.	ĝ	1 3	ĝ.	0.026			12 Aug 1991	· 50	S Karbers R	Hardin	outflow	920' dınstırın	Spring	Old Driver
	s (20 acres) or	nia concentrati	of less than 1.	; b) if ammoni	ality Standards	Title 35: Envi	kets after appli	₽ DL	<dl< td=""><td><dl< td=""><td><dl< td=""><td>4.85</td><td>JQ\$</td><td>\$DL</td><td>ADL</td><td><dl< td=""><td><dl< td=""><td>TQ></td><td><dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>4.85</td><td>JQ\$</td><td>\$DL</td><td>ADL</td><td><dl< td=""><td><dl< td=""><td>TQ></td><td><dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td>4.85</td><td>JQ\$</td><td>\$DL</td><td>ADL</td><td><dl< td=""><td><dl< td=""><td>TQ></td><td><dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<></td></dl<>	4.85	JQ\$	\$DL	ADL	<dl< td=""><td><dl< td=""><td>TQ></td><td><dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<>	<dl< td=""><td>TQ></td><td><dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	TQ>	<dl< td=""><td>4.48</td><td>JQ></td><td>-DL</td><td>JQ-</td><td><u>1</u></td><td>ģ</td><td>ģ</td><td>46.3</td><td>ê (</td><td>0.029</td><td></td><td></td><td>07 Oct 1991</td><td>dw 91-66</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dnstrm</td><td>Spring</td><td>Old Driver</td></dl<>	4.48	JQ>	-DL	JQ-	<u>1</u>	ģ	ģ	46.3	ê (0.029			07 Oct 1991	dw 91-66	S Karbers R	Hardin	outflow	920' dnstrm	Spring	Old Driver
	more or in any	on based upon	mg/l are lawfu	nitrogen is les	Sections 302	ronmental Prot	able paramete	707	<dl< td=""><td><dl< td=""><td>ΔL</td><td>4.39</td><td>-DL</td><td>4DL</td><td>JQ></td><td>-DL</td><td>2.58</td><td>-DL</td><td>-DL</td><td>4.15</td><td>1.16</td><td>JQ.</td><td>70</td><td>TQ></td><td><u>1</u></td><td><u>20</u></td><td>40.8</td><td>٠DI.</td><td>0,000</td><td></td><td></td><td>05 Dec 1991</td><td>dw 91-72</td><td>S Karbers R</td><td>Hardin</td><td>outilow</td><td>920' dostrm</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	<dl< td=""><td>ΔL</td><td>4.39</td><td>-DL</td><td>4DL</td><td>JQ></td><td>-DL</td><td>2.58</td><td>-DL</td><td>-DL</td><td>4.15</td><td>1.16</td><td>JQ.</td><td>70</td><td>TQ></td><td><u>1</u></td><td><u>20</u></td><td>40.8</td><td>٠DI.</td><td>0,000</td><td></td><td></td><td>05 Dec 1991</td><td>dw 91-72</td><td>S Karbers R</td><td>Hardin</td><td>outilow</td><td>920' dostrm</td><td>Spring</td><td>Old Driver</td></dl<>	ΔL	4.39	-DL	4DL	JQ>	-DL	2.58	-DL	-DL	4.15	1.16	JQ.	7 0	TQ>	<u>1</u>	<u>20</u>	40.8	٠DI.	0,000			05 Dec 1991	dw 91-72	S Karbers R	Hardin	outilow	920' dostrm	Spring	Old Driver
		pH and tempe					3		0.011	<dl< td=""><td>JQ.</td><td>3.50</td><td>∆DL</td><td><dl< td=""><td>ΔDL</td><td><dl< td=""><td>1.86</td><td>JQ></td><td>∆DL</td><td>4.10</td><td>1.00</td><td>JQ-</td><td>JQ\$</td><td>JQ></td><td><u>3</u></td><td><u></u></td><td>48.2</td><td>20.5</td><td>9890</td><td></td><td></td><td>10 Feb 1992</td><td>dw 92-44</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dristim</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<></td></dl<>	JQ.	3.50	∆DL	<dl< td=""><td>ΔDL</td><td><dl< td=""><td>1.86</td><td>JQ></td><td>∆DL</td><td>4.10</td><td>1.00</td><td>JQ-</td><td>JQ\$</td><td>JQ></td><td><u>3</u></td><td><u></u></td><td>48.2</td><td>20.5</td><td>9890</td><td></td><td></td><td>10 Feb 1992</td><td>dw 92-44</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dristim</td><td>Spring</td><td>Old Driver</td></dl<></td></dl<>	ΔDL	<dl< td=""><td>1.86</td><td>JQ></td><td>∆DL</td><td>4.10</td><td>1.00</td><td>JQ-</td><td>JQ\$</td><td>JQ></td><td><u>3</u></td><td><u></u></td><td>48.2</td><td>20.5</td><td>9890</td><td></td><td></td><td>10 Feb 1992</td><td>dw 92-44</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dristim</td><td>Spring</td><td>Old Driver</td></dl<>	1.86	JQ>	∆DL	4.10	1.00	JQ-	JQ\$	JQ>	<u>3</u>	<u></u>	48.2	20.5	9890			10 Feb 1992	dw 92-44	S Karbers R	Hardin	outflow	920' dristim	Spring	Old Driver
	at the point where it enters	rature.	lless of unionized ammonia concentration.	5 mg/l and greater than or equal to 1.5 mg/l	02.212.	Subtitle C: Water Pollution. Chapter I.		10>	-DL	-DL	70>	4.55	ADL	<dl< td=""><td>-DL</td><td>ΔL</td><td>TQ></td><td>\DL</td><td><dl< td=""><td>3.44</td><td>JQ></td><td>\$DL</td><td>JQ></td><td><u>10</u></td><td>∆DL ·</td><td>-tDL</td><td>367</td><td><di< td=""><td>00%</td><td></td><td>- 20</td><td>0</td><td>dw 92-94</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dostan</td><td>Spring</td><td>Old Driver</td></di<></td></dl<></td></dl<>	-DL	ΔL	TQ>	\DL	<dl< td=""><td>3.44</td><td>JQ></td><td>\$DL</td><td>JQ></td><td><u>10</u></td><td>∆DL ·</td><td>-tDL</td><td>367</td><td><di< td=""><td>00%</td><td></td><td>- 20</td><td>0</td><td>dw 92-94</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dostan</td><td>Spring</td><td>Old Driver</td></di<></td></dl<>	3.44	JQ>	\$DL	JQ>	<u>10</u>	∆DL ·	-tDL	367	<di< td=""><td>00%</td><td></td><td>- 20</td><td>0</td><td>dw 92-94</td><td>S Karbers R</td><td>Hardin</td><td>outflow</td><td>920' dostan</td><td>Spring</td><td>Old Driver</td></di<>	00%		- 20	0	dw 92-94	S Karbers R	Hardin	outflow	920' dostan	Spring	Old Driver
			nonia concentra	n or equal to 1.		lution. Chapter																																	
			ution.	5 mg/l	-	7L																									And the state of t								

Although no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.

	Water Body	Old Driver	Old Driver	Old Thiway	۱۵۱۸ کیزست	יייב רוכ	21.7	21.7	
		Spring	Spring	Spring	Spring	Sming	Spring Old Dilver	Old Dilver	
APPENDIX 3.		at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	at centiform	
Water quality parameters measured									
for the Springs of Illinois project:	County	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	
Old Diver Spring, at outflow,	Location	S Karbers R	S Karbera R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	
April 1991-April 1992.	Station #	14	37ъ	51	dw 91-67	dw 91-73	dw 92-45	dw 92-95	
	Sample Date	16 Apr 1991	10 Jun 1991	12 Aug 1991	07 Oct 1991	05 Dec 1991	10 Feb 1992	06 Apr 1992	
PAR	Standard**				***************************************	000000000000000000000000000000000000000	000000000000000000000000000000000000000	000000000000000000000000000000000000000	
Field Measurements									
Air Temperature (° C)	-	21.0	28.0	26.5	10	11	12	18.4	
Water Temperature (° C)	•	14.0	17.0	14	14	14	13	130	
Dissolved Oxygen	never < 5.0	8.2	9.1	6.6	7.9	8.2	8.2	8.2	-
Hydrogen Ion Concentration (pH)	6.5 to 9.0	7.35	7.9	7.5	7.4	72	74	60	
Alkalinity, as CaCO3	•	136	142.	156	158	157	160	167.	
Field Conductivity (µmhos/cm)		198	F208	205	222	215	231	241	
Specific Conductivity (jumhos/cm)	,	249	244	257	279	270	297	310	
(corrected to 25° C)									
Laboratory Measurements									
Total Carbon		37.5	46.3	44	90	99	90.2	109.1	
Total Inorganic Carbon		36.5	35.1	39.7	38.3	40.6	39.4	42.5	
Total Organic Carbon		1.0	11.3	4.3	51.8	58.5	50.9	66.6	
Dissolved Organic Carbon		0.7	10.5	4.2	51.4	58.2	49.8	59.2	
Particulate Organic Carbon [0.9]	٠.	0.3	0.8	0.1	0.4	0.3	1.1	7.4	
Total Fluoride [0.01]	1.4	ΔL	0.03	0.04	£D£	JQ>	<dl< td=""><td><dl< td=""><td></td></dl<></td></dl<>	<dl< td=""><td></td></dl<>	
Sulfur as Sulfate	500.	7.89	6.31	5.41	. 5.36	2.99	4.3	7.13	
Total Bromide [0.01]		⇔ DL	ADL	£	<u>1</u>	-DL	<dl< th=""><th><dl< th=""><th></th></dl<></th></dl<>	<dl< th=""><th></th></dl<>	
Ammonia Nitrogen [0.005]	1.5 **	JQ\$	<u>1</u>	0.01	0.03	0.04	0.06	0.02	
Nitrite Nitrogen [0.005]		£DL	è	£ £	ģ	Д	<dl< th=""><th>-DL</th><th></th></dl<>	-DL	
Nitrate Nitrogen [0.005]	,	0.06	0.1	0.08	ĄĘ	₹DL	0.04	0.08	
Total Phosphorus	0.05**	∆DL	£DL.	0.04	₹ DL	√DL	0.1	0.23	
Orthophosphate P [0.005]		<dl< th=""><th>ĝ</th><th>ģ.</th><th>√DL</th><th>JG</th><th><dl< th=""><th>0.23</th><th></th></dl<></th></dl<>	ĝ	ģ.	√DL	JG	<dl< th=""><th>0.23</th><th></th></dl<>	0.23	
Hardness (EDTA)	*	116	121	129	134	173	160.0	172	
Chlorides	500.	1.80	2.49	2.04	1.83	1.42	1.2	2.31	
Total Nitrogen	1	0.92	0.14	0.36	0.07	0.22	0.02	0.28	
Total Kjeldahl Nitrogen	,	0.86	0.04	0.28	0.07	0.22	70	0.20	
Total Solids	,	248	188	208	184	188	196	192	-
Total Dissolved Solids	1000.	186	183	192	208	201	121	230	
Turbidity (JTU)	•	us	7	6	2	3	w	4	
Total Aluminum [0.045]	,	<u>1</u>	ΔĐĽ	ŢQ\$	<dl< th=""><th><dl< th=""><th>-JD></th><th>JQ></th><th>-</th></dl<></th></dl<>	<dl< th=""><th>-JD></th><th>JQ></th><th>-</th></dl<>	-JD>	JQ>	-
Total Arsenic [0.030]	1.0	ADL.	¢DL	-DL	<dl< th=""><th><dl< th=""><th><dl< th=""><th><dl< th=""><th></th></dl<></th></dl<></th></dl<></th></dl<>	<dl< th=""><th><dl< th=""><th><dl< th=""><th></th></dl<></th></dl<></th></dl<>	<dl< th=""><th><dl< th=""><th></th></dl<></th></dl<>	<dl< th=""><th></th></dl<>	
Total Boron [0.005]	1.0	<dl< td=""><td>∠DL</td><td>ΔĮ.</td><td><dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td></td></dl<></td></dl<></td></dl<></td></dl<></td></dl<>	∠DL	ΔĮ.	<dl< td=""><td><dl< td=""><td><dl< td=""><td><dl< td=""><td></td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td><dl< td=""><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td></td></dl<></td></dl<>	<dl< td=""><td></td></dl<>	
			(Appendix 3	concluded on f	(Appendix 3 concluded on following page)				

	Water Body	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	Old Driver	
		Spring.	Spring	Spring	Spring	Spring	Spring	Spring	
APPENDIX 3 (concluded)		at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	
	County	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	Hardin	
	Location	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	S Karbers R	
	Station #	14	37ъ	51	dw 91-67	dw 91-73	dw 92-45	dw 92-95	
	Sample Date	16 Apr 1991	10 Jun 1991	12 Aug 1991	07 Oct 1991	05 Dec 1991	10 Feb 1992	06 Apr 1992	
PARAMETERS *	Standard**						0.0000000000000000000000000000000000000		
Laboratory Measurements						:			
Total Barium [0.001]	5.0	0.023	0.027	0.024	0.022	0.019	0.019	0.022	
Total Beryllium [0.001]		√DL	ADL	JĠ.	۾	£	ΔĐ.	ĝ.	
Total Calcium [0.004]	-	41.2	41.7	45.1	46.7	46.4	57.6	62.5	
Total Cadmium [0.002]	0.05	J Q	√DL	£	ĝ	ģ	ĝ.	1Q	
Total Cobalt [0.002]	,	<dl< th=""><th><dl< th=""><th><dl< th=""><th>ф</th><th><u>Д</u></th><th>ADL</th><th>JQ\$</th><th></th></dl<></th></dl<></th></dl<>	<dl< th=""><th><dl< th=""><th>ф</th><th><u>Д</u></th><th>ADL</th><th>JQ\$</th><th></th></dl<></th></dl<>	<dl< th=""><th>ф</th><th><u>Д</u></th><th>ADL</th><th>JQ\$</th><th></th></dl<>	ф	<u>Д</u>	ADL	JQ\$	
Total Chromium [0.007]	•	<u>1</u>	<dl< th=""><th>-DL</th><th>-DL</th><th>ΔĮ</th><th><dl< th=""><th>ΔJ.</th><th></th></dl<></th></dl<>	-DL	-DL	ΔĮ	<dl< th=""><th>ΔJ.</th><th></th></dl<>	ΔJ.	
Total Copper [0.004]	0.02	ΔL	4	-DE	ĝ	ĄĻ	^DL	JQ>	
Total Potagrium [0.670]	1.0			0.04	ĝ	ĄĻ	ΔL	£	
Total Magnesium [0.003]		3.27	4.15	3.87	417	477	308	3 02	
Total Manganese [0.009]	1.0	0.015	<u>3</u>	£	څ	ADL	<u>1</u>	ΔĐ.	
Total Molybdenum [0.006]	,	Ą	ЪL	<dl< th=""><th>√DL</th><th>DL</th><th>DL</th><th>1G</th><th></th></dl<>	√DL	DL	DL	1G	
Total Sodium [1.34]	-	3.97	£	702	∆ DL	2.01	1.72	<dl< th=""><th></th></dl<>	
Total Nickel [0.008]	1.0	∠DL	фL	-DL	ĝ	70	ADL	<dl< th=""><th></th></dl<>	
Total Lead [0.015]	0.1	ĝ	ф	Ą	Ą	<u>Ş</u>	£DL	<dl< th=""><th></th></dl<>	
T-11 Si CO CO CO	;	ĵ.	<u>ê</u>	ĝ	Ą	∆ DL	£	ΔDL	
Total Scientin [0.031]	1.0	<u> </u>		Δ <u>L</u>	£DL	∆DL	<dl< th=""><th>DL</th><th></th></dl<>	DL	
Total Tim [0.022]	ľ	5.2	4.67	4.21	4.81	4.14	3.47	4.43	
Total Vanadium (0.007)				2 6	غ ي	. j	P	DL.	
Total Zinc [0.007]	1.0		0.017	0013	0016 E	<u></u>	<u></u>	<u></u>	
Total Mercury [0.00005]	0.0005	-DL	0.000055	ADL.	-DL	JŪ.	\$DL	<dl< th=""><th></th></dl<>	
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters.	ements expressed	in mg/l. Dete	ction limits are	listed in brack	ets after applic	able parameter	9		
**Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989.	ken from: Illino	is Environment	ual Protection /	gency. 1989.	Tide 35: Envi	Title 35: Environmental Protection.	i.	: C: Water Pollu	Subtitle C: Water Pollution. Chapter I.
Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 through 302.212.	Water Quality St	andards, Subp	ert B: General	Use Water Qua	lity Standards.	Sections 302.	13	2.212.	
Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	nonia: a) Ammo	nia nitrogen sh	all in no case e	xoeed 15 mg/l;	b) if ammonia	nitrogen is les		and greater than	15 mg/l and greater than or equal to 1.5 mg/l,
uier uncontrat (as N) snat not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regard	not exceed 0.04	mg/l; c) Amm	onu nitrogen	concentrations	of less than 1.5	mg/l are lawfu	l regardless of	unionized amm	dless of unionized ammonia concentration.
Li total ammonia is > 1.3 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and	calculations mus	t be made to de	termine the un	ionized ammor	ua concentratio	on based upon	pH and temperature.]	iture.]	
Prosphorus as a snau not exceed 0.05 mg/l m any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream	18/1 in any reserv	ou or lake with	n a surface area	of 8.1 hectares	(20 acres) or 1	nore, or in any		at the point where it enters	tens
Allbouch no current standard for total of					•				
total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l; the current standard for	the sum of these	two constituen	ts would infer	that the total ch	exavalent chro	n CO.O at mutm	ng/l; the curren	standard for	
William of the state of the sta	are sum of diese	two constitues	13 Would Intel	that the total cu	romium standa	15 1.05 mg/1			

Rose Spring.

Location: Hardin County: 4.2 mi (6.8 km) SW Karbers Ridge. Third Principal Meridian, Township 11S, Range 8E, Section 31, SW/4, SW/4, NE/4, NE/4, 1150' S, 1050' W of SW corner. U.T.M. Zone 16, ³79⁷²⁰ m^E ⁴¹53⁵¹⁵ m^N. Quadrangle: Karbers Ridge, IL., 7.5', 1959 editions, photorevised 1976.

Elevation: 440' (MSL).

Hydrogeology: Rose spring and waterway are situated on private property west of Shawnee National Forest land. Discharge from the spring flows into Goose Creek from the base of Hicks Dome, a prominent topographic and geologic feature in southeastern Illinois. Bedrock exposures are rare but those available from a leaf covered slope behind the spring indicate that the outflow is principally from four fractured and jointed bedding plane openings formed in siltstone from the Mississippian New Albany Shale Group. The openings are at the same elevation near floodplain level west of Goose Creek. Water from the largest opening two feet wide and one foot high has been used as a domestic source of water for over 50 years. The water channel from the openings is 1-2 feet wide and flows for a distance of 140 feet in sand and gravel. The channel is flanked by banks of clayey silt, all of Recent Age Cahokia Alluvium. Wood fragments collected from the clayey silt deposit at a depth of 2 feet, 180 feet from the openings, have been dated B.P., indicating a youthful valley infill in this part of the Goose Creek floodplain.

The linear correlation coefficient between water discharged at the spring head and in the waterway 440 feet downstream is r = -1.0 for the period of record, indicating a predictable mathematical relationship between spring head and downstream flow during the wet and dry periods of the year. Seasonal discharge at the downstream measuring location during the April (wet) and October (dry) measurements had 33 and 15 percent increases, respectively, when

compared to the collective spring head discharge.

The alignment of the outflow channel segments between 120-140 feet N 35-40° E and between 160-440 N 30° E feet is in general agreement with joint alignments of N 40° W, and N 22° E between 380-420 feet downstream in siltstone bedrock in the creek bed. The gradient from the spring head to the juncture with Goose Creek, a distance of 440 feet is 4.1 feet or about 11 inches per 100 feet.

Meents (1975, 1981) reported a water temperature of 65° F and a discharge of 450 gpm.

Physical and chemical measurements for the spring head are given in Appendix 7 and for the spring outflow 410 feet downstream are given in Appendix 9.

Fauna: Meents (1975, 1981) reported the presence of crayfish, four species of fish, and the

two-stripe salamander.

Fauna: Spring Head: Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (common); Gastropoda: Pleuroceridae: Goniobasis costifera (common). Insecta: Gerridae: Gerris remigis (common); Heteroptera: Mesovellide: Mesovelia mulsanti (common); Megaloptera: Corydalidae: Chauloides sp. (rare). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common), G. pseudolimnaeus (common); Isopoda: Asellidae: Caecidotea brevicauda (rare); Annelida: Haplotaxidae: Haplotaxis gordioides (rare); Lumbriculidae (rare); Enchytraeidae (rare); Naididae: Dero digitata (rare), Nais communis (uncommon); Tubificidae: Limnodrilus hoffmeisteri (uncommon). Flatworms: Turbellaria: Planariidae: Phagocata gracilis (rare).

Spring Outflow: Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (common); Gastropoda: Pleuroceridae: Goniobasis costifera (common). Insecta: Diptera: Ceratopogonidae: Bezzia sp. (rare); Ptychopteridae: Ptychoptera quadrifasciata (uncommon); Stratiomyidae: Odontomyia sp. (rare); Tipulide; Antocha sp. (rare); Heteroptera: Gelastocoridae: Gelastocoris oculatus (rare); Mesovelide: Mesovelia mulsanti (common); Notonectidae: Buenoa sp. (uncommon); Plecoptera:

Isoperlidae: *Isoperla decepta* (uncommon).

Flora: Meents (1975, 1981) reported an abundance of mint and watercress in mats throughout

spring area and downstream for approximately 100 yards.

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. Rose Spring is the source of a stream that begins at the base of a wooded slope. The area about the stream has been cleared of woodland vegetation and is dominated by herbs. This forbland is

dominated by Mentha spicata L. (spearmint), Epilobium coloratum Biehler (cinnamon willow herb) and Leersia oryzoides (L.) Swartz (rice cutgrass). The most important trees in the area are scattered individual trees of Platanus occidentalis L. (sycamore) and saplings of Liquidambar styraciflua L. (sweet gum). Although no shrubs are abundant, Lindera benzoin (L.) Blume is the most common. The most abundant vine is Apios americana Medic. (groundnut).

Other trees associated with Rose Spring are represented by saplings of Carya cordiformis (Wang.) K. Koch (bitternut hickory), Cornus florida L. (flowering dogwood), Diospyros virginiana L. (common persimmon), Juniperus virginiana L. (red cedar), Prunus serotina Ehrh. (wild black cherry), Ulmus alata Michx. (winged elm), and Ulmus rubra Muhl. (slippery elm).

Other shrubs associated with Rose Spring are Aralia spinosa L. (Hercules' club), Corylus americana Walt. (hazelnut), Rhus copallina L. (dwarf sumac), Rosa sp. (rose), Rubus sp. (blackberry), Salix sericea Marsh (silky willow), and Symphoricarpos orbiculatus Moench.

(coralberry).

Other herbs associated with Rose Spring are Agrimonia parviflora Ait. (swamp agrimony), Agrostis alba L. (red top), Andropogon virginicus L. (broom sedge), Asplenium platyneuron (L.) Oakes (ebony spleenwort), Aster lateriflorus (L.) Brotton (side-flowered aster), Bidens cernua L. (nodding bur marigold), Bidens vulgata Greene (tall beggar-ticks), Carex frankii Kunth (sedge), Carex lurida Wahlenb. (sedge), Conyza canadensis (L.) Cronq. (horseweed), Cyperus strigosus L. (sedge), Desmodium glabellum (Michx.) DC. (tick trefoil), Dichanthelium clandestinum (L.) Gould (broad-leaved panic grass), Eleocharis erythropoda Steud. (spike rush), Elephantopus carolinianus Raeusch (Elephant's-foot), Erechtites hieracifolia (L.) Raf. (fireweed), Eupatorium coelestinum L. (mistflower), Eupatorium perfoliatum L. (common boneset), Eupatorium rugosum Houtt. (white snakeroot), Eupatorium serotinum Michx. (late boneset), Festuca pratensis Huds (meadow fescue), Geum canadense Jacq. (white avens), Glyceria striata (Lam.) Hitchcock (fowl manna grass), Hypericum mutilum L. (dwarf St. John's wort), Hypericum punctatum Lam. (spotted St. John's wort), Juncus tenuis Willd. (path rush), Leersia virginica Willd. (white grass), Lobelia inflata L. (Indian tobacco), Lobelia siphilitica L. (blue cardinal-flower), Pilea pumila (L.) Gray (clearweed), Ludwigia alternifolia L. (seedbox), Plantago rugelii Done (Rugel's plantain). Polygonum hydropiper L. (smartweeed), Prunella vulgaris L. (self-heal), Rumex sp. (dock), Polystichum acrostichoides (Michx.) Schott. (Christmas fern), Ranunculus sp. (buttercup), Samolus valerandii L. (brookweed), Sisyrinchium sp. (blue-eyed grass), Solidago canadensis L. (tall goldenrod), Solidago nemoralis Ait. (field goldenrod), Trifolium sp. (clover), Verbena urticifolia L. (white vervain), and Vernonia missurica Raf. (Missouri ironweed).

Other vines associated with Rose Spring are Lonicera japonica Thunb. (Japanese honeysuckle), Smilax rotundifolia L. (catbrier), Toxicodendron radicans (L.) Kuntze (poison ivy),

and Vitis sp. (grape).

Ownership: Mrs. Callie Robinson, RR. Elizabethtown, IL. 62931.

Reference: Meents (1975, 1981).

Current Status: Initially supplied Old Wolrad Iron Mill, now supplies one home with drinking and cooking water.

This is a basic water spring with a fairly high volume of flow. The spring head is dominated by two species of amphipods and one species of snail. To-date, no distinctively unique organisms were collected at this spring.

Turbidity (TTU) Orthophosphate P [0.005] Total Phosphorus Nitrate Nitrogen [0.005] Specific Conductivity (µmhos/cm) APPENDIX 7. Chlorides Nitrite Nitrogen [0.005] Total Bromide [0.01] Sulfur as Sulfate Field Conductivity (µmhos/cm) Hydrogen Ion Concentration (pH)
Alkalinity, as CaCO3 Water Temperature (° C) otal Boron [0.005] otal Arsenic [0.030] otal Aluminum [0.045] otal Dissolved Solids fotal Kieldahl Nitrogen otal Nitrogen Total Inorganic Carbon Held Measurements lardness (EDTA) ammonia Nitrogen [0.005] otal Fluoride [0.01] Particulate Organic Carbon [0.9] Dissolved Organic Carbon fotal Organic Carbon aboratory Measurements Dissolved Oxygen Air Temperature (° C) otal Solids Water quality parameters measured for the Springs of Illinois project: Rose Spring, April-October 1991. (corrected to 25° C) PARAMETERS * Sample Date Standard** Water Body Rose Spring Rose Spring 6.5 to 9.0 never < 5.0 Station # 0.05** Location County . 1000 1000 1.5 ** 500. Š 1.0 = 23 Apr 1991 S Karbers R at outflow Hardin 0.52 29.98 0.12 0.01 ê ê 2.43 14.39 **₹** ₽ ₽ 348 242 2.49 ĝ 45.4 0.2 2 2 279 327 7.5 181 17.0 25 Hardin S Karbers R 07 Oct 1991 at outflow Appendix 7 concluded on following page) dw 91-68 0.08 1.49 27.91 **₽** 0.08 56.6 0.2 286 260 338 388 3.6 =

	Water Body	Rose Spring	Rose Spring							
	•	at outflow	at outflow							
APPENDIX 7 (concluded).										
	County	Hardin	Hardin							
	Location	S Karbers R	S Karbers R							
	Station #	25	dw 91-68							
	Sample Date	23 Apr 1991	07 Oct 1991							
PARAMETERS *	Standard**						***************************************			***************************************
Laboratory Measurements										
Total Barium [0.001]	5.0	0.127	0.164							
Total Beryllium [0.001]	-	√ DL	JQ-							
Total Calcium [0.004]	•	52.8	4		,					
Total Cadmium [0.002]	0.05	∠ DL	-DL							
Total Cobalt [0.002]	•	JQ>	Д					.		
Total Chromium [0.007]	**	-DL	<dl< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>							
Total Copper [0.004]	0.02	<dl< th=""><th>. «DL</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>	. «DL							
Total Iron [0.025]	1.0	ΔL	- DL							
Total Potassium [0.629]		0.762	JQ.							
Total Magnesium [0.003]	•	11.3	13							
Total Manganese [0.009]	1.0	∠DL	ADL							
Total Molybdenum [0.006]	•	ĄĮ	74							
Total Sodium [1.34]	,	10.2	13							
Total Nickel [0.008]	1.0	<u>1</u>	ÐĮ.							-
Total Lead [0.015]	0.1	702	JQ>							
Total Antimony [0.013]		ģ	1 <u>0</u>							
Total Selenium [0.031]	1.0	1 <u>0</u>	<dl< th=""><th></th><th></th><th></th><th>·</th><th></th><th></th><th></th></dl<>				·			
Total Silicon [0.011]	•	6.59	6.46							
Total Tin [0.033]	•	£DL.	<u>1</u>							
Total Vanadium [0.007]		ADL.	£ 1d							
Total Zinc [0.007]	1.0	0.017	0.01							
Total Mercury [0.00005]	0.0005	0.000113	-DL					·		
*Unless otherwise specified, all measurements expressed in mgfl. Detection limits are listed in brackets after applicable parameters.	ments expresse	d in mg/l. Dete	ction limits are	listed in brackets	s after applical	ble parameters	,			
*Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989. Title 35: Environmental Protection	ken from: Illino	is Environment	al Protection A	gency. 1989. T	ide 35: Enviro	rimental Prote		C: Water Poll	Subtitle C: Water Pollution. Chapter I.	I.
Polibrition Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 through 302.212.	Water Quality S	landards, Subp	art B: General I	Use Water Qualit	ly Standards.	Sections 302.2		2212.		
Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	nonia: a) Amm	onia nitrogen sh	all in no case e	xœed 15 mg/l; b) if ammonia r	utrogen is less		und greater than	15 mg/l and greater than or equal to 1.5 mg/l,	5 mg/L,
then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regainst	not exceed 0.04	mg/l; c) Amm	onia nitrogen c	oncentrations of	less than 1.5 n	ng/l are lawful		unionized amm	rdless of unionized ammonia concentration.	tion.
[If total ammonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and	calculations mu	st be made to de	termine the un	ionized ammonia	concentration	ı based upon p	H and temperature.	iure.]		
Phosphorus as P shall not exceed 0.05 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream	g/l in any reserv	oir or lake with	a surface area	of 8.1 hectares (20 acres) or m	ore, or in any	stream at the p	n at the point where it enters	nters	
any such reservoir or lake.										
Although no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the	iromium has be	en established, i	he current stan	dard for total hex	avalent chrom	ium is 0.05 m	g/); the curren	e current standard for		
total trivatest chromium is 1.0 mg/s; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/s.	the sum of these	two constituen	ts would infer t	hat the total chro	mium standan	d is 1.05 mg/l.		,		

	Water Body	Kose Spring	Rose Spring						
APPENDIX 9.		410 dustra	410' dn strm				_		
Water quality parameters measured		outflow	outflow				_		
for the Springs of Illinois project:	County	Hardin	Hardin						
Rose Spring creek, downstream of	Location	S Karbers R	S Karbers R						
outflow, April-October 1991.	Station #	27	dw 91-69						
	Sample Date	23 Apr 1991							
PARAMETERS *	Standard**				*	• ••••••••••••••••••••••••••••••••••••	***************************************	***************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Field Measurements									
Air Temperature (° C)		25.1	13						
Water Temperature (° C)	-	18.0	18.5					-	
Dissolved Oxygen	never < 5.0	6.6	7.8				_		
Hydrogen Ion Concentration (pH)	6.5 to 9.0	7.7	7.9						
Alkalinity, as CaCO3		98	167						
Field Conductivity (µmhos/cm)		320	330						
Specific Conductivity (jumhos/cm)	В	367	374						
(corrected to 25° C)									
Laboratory Measurements									
Total Carbon	-	44.3	96.3						
Total Inorganic Carbon	•	43.9	38.2				,		
Total Organic Carbon		0.4	58.1						
Dissolved Organic Carbon	•	0.1	55					`	
Particulate Organic Carbon [0.9]		0.3	3.1						
Total Fluoride [0.01]	1.4	0.44	1.49						
Sulfur as Sulfate	500.	27.36	31.87					,	
Total Bromide [0.01]		0.02	ΔL						
Ammonia Nitrogen [0.005]	1.5 **	0.05	ΔĐ						
Nitrite Nitrogen [0.005]	,	\$DL	4DL						
Nitrate Nitrogen [0.005]		0.02	ADL			•			
Total Phosphorus	0.05**	<u>1</u>	<u>1</u>						
Orthophosphate P [0.005]		ĝ	ADL						
Hardness (EDTA)	*	154	172						
Chlorides	500.	12.01	15.42				• .		
Total Nitrogen		1.94	0.14						
Total Kjeldahl Nitrogen	•	1.92	0.14						
Total Solids		344	280						
Total Dissolved Solids	1000.	271	276						
Turbidity (JTU)	1	٥	6						
Total Aluminum [0.045]	1	è	£						
Total Arsenic [0.030]	1.0	√DL	ADL.						
Total Boron [0.005]	1.0	Δ <u>P</u>	<dl< td=""><td></td><td></td><td></td><td></td><td></td><td></td></dl<>						
	:		(Append	(Appendix 9 concluded on the following page)	following page)				

	Water Body	Rose Spring	Rose Spring						
		creek	creek						
		410' dnstrm	410' dnstrm						
APPENDIX 9 (concluded).		outflow	outflow						
	County	Hardin	Hardin						
	Location	S Karbers R	S Karbers R					_	
	Station #	27	dw 91-69						
	Sample Date	23 Apr 1991	07 Oct 1991						
PARAMETERS *	Standard**								
Laboratory Measurements							 	1	
Total Barium [0.001]	5.0	0.128	0.142					_	
Total Beryllium [0.001]	1	<u>1</u>	Ą						
Total Calcium [0.004]		4	47.4				-		
Total Cadmium [0.002]	0.05	ADL	ĄDĻ						
Total Cobalt [0.002]	,	<dl< th=""><th>£</th><th>-</th><th></th><th></th><th></th><th></th><th></th></dl<>	£	-					
Total Chromium [0.007]	•	JQ	₽ DL						
Total Copper [0.004]	0.02	<u>ê</u>	<u>J</u>						
Total Iron [0.025]	1.0	ê	0.037						
1 otal Potassium [0.629]		0.666	2.13						
lotal Magnesium [0.003]		10.8	13.1						
Total Manganese [0.009]	1.0	<dl< th=""><th>JŒ</th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>	JŒ						
Total Molybdenum [0.006]	·	₹DL	ΔDL .						
Total Sodium [1.34]	·	9.08	13.2						
Total Nickel [0.008]	1.0	∆DL	ADL						
Total Lead [0.015]	0.1	-DL	74						
Total Antimony [0.013]		ΔDL	ĝ.						
Total Selenium [0.031]	1.0	-DL	4DL						
Total Silicon [0.011]		6.48	6.54						
Total Tin [0.033]		Ą	19						
Total Vanadium [0,007]	-	ÐL	£						į
Total Zinc [0.007]	1.0	<dl< th=""><th>ΔL</th><th></th><th></th><th></th><th></th><th></th><th></th></dl<>	ΔL						
Total Mercury [0.00005]	0.0005	-DL	ДL						
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters.	anents expressed	in mg∕l. Dete	ction limits are	isted in brackets afte	r applicable paramet	:T3.			
**Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989. Title 35: Environmental Protection.	ken from: Illino	is Environment	al Protection A	ency. 1989. Title 3:	5: Environmental Pro		Subtitle C: Water Pollution. Chapter I.	on. Chapter I.	
Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 th	Water Quality St	andards. Subp	art B: General L	se Water Quality Sta	ndards. Sections 30%	12	212.		
Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	ionia: a) Ammo	nia nitrogen sh	all in no case ex	oeed 15 mg/l; b) if ar	nmonia nitrogen is le		15 mg/l and greater than or equal to 1.5 mg/l,	or equal to 1.5 n	n g/1 ,
then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regar	not exceed 0.04	mg/l; c) Amm	onia nitrogen o	ncentrations of less t	han 1.5 mg/l are law	ful regardless of u	dless of unionized ammonia concentration.	nia concentratio	ă
Ill total ammonta is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and	calculations mus	t be made to de	termine the uni	mized ammonia conc	entration based upor	pH and temperature.]	ure.]		
Prosphorus as I shall not exceed 0.00 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream at the point where it enters	g/i in any reserv	oir or lake with	a surface area	of 8.1 hectares (20 ac	res) or more, or in an	y stream at the po	int where it ente	13	
any such reservour or take.									
Authorign no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for	nomum has bee	n established, i	he current stand	ard for total hexavale	at chromium is 0.05	mg/l; the current	standard for		
total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.	he sum of these	two constituen	s would infer th	at the total chromiun	standard is 1.05 mg	<u>/1. </u>			

Clear Spring.

Location: Jackson County: 5.33 mi (8.75 km) NE LaRue. Third Principal Meridian, Township 10S, Range 3W, Section 27, SW/4, NE/4, SE/4, SE/4. U.T.M. Zone 16, ²86⁵³⁵ m^E ⁴¹65⁹²⁰ m^N. Ouadrangle: Wolf Lake Ill.-Mo., 7.5', 1974 edition, photorevised 1978.

Elevation: 435' (MSL).

Hydrogeology: Clear Creek Spring and waterway are located within the LaRue-Pine Hills Natural Landmark area of the Shawnee National Forest. Discharge from the spring flows into an unnamed tributary to the Big Muddy River. Water from the spring flows from a 3 sided rectangular-shaped, man-made structure at floodplain level from four readily discernable bedding plane openings in the Glen Dean Limestone of Mississippian age. The rectangular area enclosing the spring head is 8 feet square with a height of 3.5 feet. The stone blocks in the enclosure average 0.7 feet high and about 1 foot long are composed of limestone and sandstone. The enclosure contains a stepstone and a considerable amount of silt channeled in places. Stones also line the sides of the creek outflow away from the stone enclosure for a distance of 10-15 feet. Flow was observed beneath and between stones along the east side of the stone alignment. Outflow from the waterway moves north 300 feet parallel to a gravel road entering an 18-inch E-W corrugated culvert beneath the road on the east and discharging into a plunge pool on the west side of the road. The waterway gradient from the springhead to the culvert is feet which is about feet of slope per hundred feet.

Physical and chemical measurements are given in appendix 5.

Fauna: Spring Head: Mollusca: Pelecypoda: Sphaeridae: Pisidium sp. (uncommon). Insecta: Diptera: Psychodidae: Psychoda sp. (rare); Heteroptera: Gerridae: Gerris remigis (common); Mesoveliidae: Mesovelia mulsanti (common); Plecoptera: Nemouridae: Amphinemura sp. (rare); Perlidae: Perlinella drymo (rare). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common); Ostrocoda: At least three unknown species of ostrocods, one of which lives in groundwater (Brandon Curry). Annelida: Lumbriculidae (rare); Enchytraeidae (rare); Tubificidae: Tubificinae sp. (rare). Flatworms: Turbellaria: Planariidae: Phagocata gracilis (common).

Spring Outflow: Mollusca: Pelecypoda: Sphaeridae: Pisidium sp. (common). Insecta: Diptera: Psychodidae: Psychoda sp. (rare); Heteroptera: Gerridae: Gerris remigis (common); Mesoveliidae: Mesovelia mulsanti (common); Simuliidae: Simulium nr venustum (uncommon). Flatworms:

Turbellaria: Planariidae: *Phagocata gracilis* (common).

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. Clear Creek Spring is located at the base of a mesic wooded slope and flows between the base of that slope and a gravel road. The dominat trees along this spring are *Platanus occidentalis* L. (sycamore), *Liquidambar styraciflua* L. (sweet gum), and *Fagus grandifolia* Ehrh. (beech). The dominant shrubs are *Lindera benzoin* (L.) Blume (spicebush) and *Hydrangea arborescens* L. (wild hydrangea). Although this area supports a high diversity of herbaceous species, it is dominated by a large colony of *Equisetum hyemale* L. (scouring rush) that occurs along the spring source and the main stream of Clear Creek spring. The dominant vine along Clear Creek Spring is *Parthenocissus quinquefolia* (L.) Planch (Virginia creeper).

Other trees associated with Clear Creek Spring are Acer saccharum Marsh (sugar maple), Carpinus caroliniana Walt. (blue beech), Carya cordiformis (Wang.) K. Koch (bitternut hickory), Cornus florida L. (flowering dogwood), Fraxinus pennsylvanica Marsh (green ash), Liriodendron tulipifera L. (tulip tree), Prunus serotina Ehrh. (wild black cherry), Quercus alba L. (white oak), Quercus muhlenbergii Engelm. (chinquapin oak), Quercus rubra L. (red oak), and Ulmus rubra

Muhl. (slippery elm)

Other shrubs associated with Clear Creek Spring are Asimina triloba (L.) Dunal. (pawpaw), Cornus drummondii C.A. Mey (rough-leaved dogwood), Euonymus atropurpurea Jacq. (wahoo),

Ilex decidua Walt. (swamp holly), and Sambucus canadensis L. (elderberry),

Other herbaceous plants associated with Clear Creek Spring are Adiantum pedatum (Tourn.) L. (maidenhair fern), Agrimonia parviflora Ait. (swamp agrimony), Agrimonia rostellata Wallr. (woodland agrimony), Agrostis perennans (Walt.) Tuckerm. (upland bent grass), Ambrosia trifida L. (giant ragweed), Aster cordifolius L. (blue wood aster), Aster lateriflorus (L.) Britt. (side-

flowered aster), Boehmeria cylindrica (L.) Sw. (false nettle), Campanula americana L. (American bellflower), Carex sp. (sedge), Chasmanthium latifolium (Michx.) Yates (sea oats), Cinna arundinacea L. (stout woodreed), Circaea lutetiana Aschers. & Magnus (enchanter's nightshade). Cryptotaenia canadensis (L.) DC. (honewort), Elymus virginicus L. (Virginia wild rye), Dichanthelium sp. (panic grass), Eupatorium coelestinum L. (mistflower), Eupatorium purpureum L. (purple Joe-Pye-weed), Eupatorium rugosum Houtt. (white snakeroot), Galium triflorum Michx. (sweet-scented bedstraw), Geum canadense Jacq. (white avens), Glyceria striata (Lam.) Hitchcock (fowl manna grass), Impatiens capensis Meerb. (spotted touch-me-not), Impatiens pallida Nutt. (pale touch-me-not), Lactuca floridana (L.) Gaertn. (woodland lettuce), Laportea canadensis (L.) Wedd. (wood nettle), Leersia virginica Willd. (white grass), Lobelia siphilitica L. (blue cardinal-flower), Mimulus alatus Ait. (winged monkey-flower), Perilla frutescens (L.) Britt. (beefsteak plant). Phlox divaricata L. (common phlox), Pilea pumila (L.) Gray (clearweed), Plantago rugelii Dene (Rugel's Plantain), Poinsetta dentata (Michx.) Kl. & Garcke (wild poinsetta), Polemonium reptans L. (Jacob's ladder), Polygonum cespitosum Blum (creeping smartweed), Polystichum acrostichoides (Michx.) Schott. (Christmas fern), Prenanthes altissima L. (tall white lettuce), Prunella vulgaris L. (self-heal), Ranunculus sp. (buttercup), Samolus valerandii L. (brookweed), Sanicula gregaria Bickn. (common snakeroot), Solidago caesia L. (woodland goldenrod), Stachys tenuifolia Willd. (smooth hedge nettle), Verbesina alternifolia (L.) Britt. (yellow ironweed), and Woodsia obtusa (Spreng.) Torr. (common woodsia).

Other vines associated with Clear Creek Spring are Amphicarpa bracteata (L.) Fern. (hog peanut), Campsis radicans (L.) Seem (trumpet creeper), Dioscorea sp. (wild yam), Lonicera japonica Thunb. (Japanese honeysuckle), Smilax hispida Muhl. (bristly catbrier), Toxicodendron

radicans (L.) Kuntze (poison ivy), and Vitis sp. (grape).

Reference: West 1980.

This is a basic water spring with a moderate to low. Although the spring head is dominated by one species of amphipod, this spring has the most unique fauna of the six springs studied. Several very strange annelid worms and ostrocods were collected, a number of these are totally unknown. No fish were collected in this spring.

				ollowing page	Appendix 5 concluded on following page)	(Appendix o			
	<dl< td=""><td><dl< td=""><td>1</td><td>ΔDL</td><td>ĐĻ</td><td>ΔDL</td><td>70</td><td>1.0</td><td>Total Boron [0.005]</td></dl<></td></dl<>	<dl< td=""><td>1</td><td>ΔDL</td><td>ĐĻ</td><td>ΔDL</td><td>70</td><td>1.0</td><td>Total Boron [0.005]</td></dl<>	1	ΔDL	ĐĻ	ΔDL	70	1.0	Total Boron [0.005]
	70	JQ.	-DL	∠ DL	<dl< td=""><td>∆DL</td><td><dl< td=""><td>1.0</td><td>Total Amenic [0.030]</td></dl<></td></dl<>	∆DL	<dl< td=""><td>1.0</td><td>Total Amenic [0.030]</td></dl<>	1.0	Total Amenic [0.030]
	∆DL	TQ>	<dl< td=""><td>JQ></td><td><dl< td=""><td>0.100</td><td>0.086</td><td></td><td>Total Aluminum [0.045]</td></dl<></td></dl<>	JQ>	<dl< td=""><td>0.100</td><td>0.086</td><td></td><td>Total Aluminum [0.045]</td></dl<>	0.100	0.086		Total Aluminum [0.045]
	10	7	11	6	2	5	œ	•	Turbidity (JTU)
1	253	322	216	415	375	363	260	1000.	Total Dissolved Solids
	256	332	200	416	448	360	320		Total Solids
	0.31	. <dl< td=""><td>0.46</td><td>0.28</td><td>0.22</td><td>0.07</td><td>1.39</td><td></td><td>Total Kjeldahl Nitrogen</td></dl<>	0.46	0.28	0.22	0.07	1.39		Total Kjeldahl Nitrogen
	0.44	0.05	0.46	0.29	0.37	0.28	1.48	·	Total Nitrogen
	4.46	6.5	2.8	5.26	10.2	7.65	4.12	500.	Chlorides
	151	249.0	150	341	349	316	156	•	Hardness (EDTA)
	0.22	<dl< td=""><td><dl< td=""><td>-DL</td><td>14</td><td>ΔL</td><td>ΔL</td><td> </td><td>Orthophosphate P [0.005]</td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td>14</td><td>ΔL</td><td>ΔL</td><td> </td><td>Orthophosphate P [0.005]</td></dl<>	-DL	14	ΔL	ΔL		Orthophosphate P [0.005]
	0.24	0.06	<dl< td=""><td>è</td><td>0.01</td><td><u>J</u></td><td>0.07</td><td>0.05**</td><td>Total Phosphorus</td></dl<>	è	0.01	<u>J</u>	0.07	0.05**	Total Phosphorus
	0.13	0.09	<dl< td=""><td>0.01</td><td>0.15</td><td>0.21</td><td>0.09</td><td>•</td><td>Nitrate Nitrogen [0.005]</td></dl<>	0.01	0.15	0.21	0.09	•	Nitrate Nitrogen [0.005]
	<dl< td=""><td><dl< td=""><td><dl< td=""><td>₹DL</td><td>10</td><td>ΔL</td><td>₽L</td><td></td><td>Nitrite Nitrogen [0.005]</td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>₹DL</td><td>10</td><td>ΔL</td><td>₽L</td><td></td><td>Nitrite Nitrogen [0.005]</td></dl<></td></dl<>	<dl< td=""><td>₹DL</td><td>10</td><td>ΔL</td><td>₽L</td><td></td><td>Nitrite Nitrogen [0.005]</td></dl<>	₹DL	10	ΔL	₽L		Nitrite Nitrogen [0.005]
	<dl< td=""><td>0.04</td><td>0.04</td><td>0.02</td><td>4</td><td>£</td><td>0.05</td><td>1.5 **</td><td>Ammonia Nitrogen [0.005]</td></dl<>	0.04	0.04	0.02	4	£	0.05	1.5 **	Ammonia Nitrogen [0.005]
	-DL	0.2	∠DL	JQ>	2.62	0.05	<u>1</u>	٠	Total Bromide [0.01]
	24.00	26.5	13.81	19	36.84	33.35	27.22	500.	Sulfur as Sulfate
	⊕ L	0.05	<dl< td=""><td>-DL</td><td>0.42</td><td>0.29</td><td>£L</td><td>1.4</td><td>Total Fluoride [0.01]</td></dl<>	-DL	0.42	0.29	£L	1.4	Total Fluoride [0.01]
	3.2	0.9	0.4	1.4	1.7	10.6	0.2		Particulate Organic Carbon [0.9]
•	54.8	85.6	50.5	105.1	35.9	19.8	0.1	1	Dissolved Organic Carbon
	58.0	86.5	50.9	106.5	37.6	30.4	0.3	•	Total Organic Carbon
	37.4	50.9	30	68.1	82.5	73.5	48.7	,	Total Inorganic Carbon
	95.3	137.4	80.9	174.6	120.1	103.9	49	,	Total Carbon
									Laboratory Measurements
									(corrected to 25° C)
	342	437	290	566	511	494	351	•	Specific Conductivity (µmhos/cm)
	238	324	215	440	403	F389	267		Field Conductivity (µmhos/cm)
	156.	239	133	309	336	295.	192	-	Alkalinity, as CaCO3
	7.2	7.9	7.7	7.7	7.7	7.8	7.8	6.5 to 9.0	Hydrogen Ion Concentration (pH)
	9.6	8.8	7.6	7.9	7.6	8.4	9.7	never < 5.0	Dissolved Oxygen
	8.4	=	11	13	13.6	13.5	12.1		Water Temperature (° C)
	12 77	9	7.5	12.2	21.5	21.0	9.8		Air Temperature (° C)
									Field Measurements
								Standard**	PARAMETERS •
	07 Apr 1992	~	06 Dec 1991	08 Oct 1991	13 Aug 1991	11 Jun 1991	24 Apr 1991	Sample Date	***************************************
	dw 92-97	dw 92-49	dw 91-75	dw 91-72	54	39	28	Station #	April 1992.
	NNE LaRue	NNE LaRue	NNE LaRue	NNE LaRue	NNE LaRue	NNE LaRue	NNE LaRue	Location	Clear Creek Spring, April 1991-
-	Jackson	Jackson	Jackson	Jackson	Jackson	Jackson	Jackson	County	for the Springs of Illinois project:
	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow		Water quality parameters measured
	Spring	Spring	Spring	Spring	Spring	Spring	Spring	•	APPENDIX 5.
	Creek	Creek	Creek	Creek	Creek	Creek	Creek		
	Clear	Clear	Clear	Clear	Clear	Clear	Clear	Water Body	

	Water Body	Clear	Clear	Clear	Clear	Clear	<u>.</u>	5	
		Creek	Creek	Creek	Creek	Creek	Creek	Creek	
		Spring	Spring	Spring	Spring	Spring	Spring	Spring	
AFFENDIA 3 (concluded).	>	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	at outflow	
	Location	NNE LaRue	NNE LaRue	NNE LaRue	NNE LaRine	NNE I aRma	NNE I . D.	JACKSON	
	Station #	28	39	54	dw 91-72	dw 91-75	dw 92-49	dw 92-97	
	Sample Date	24 Apr 1991	11 Jun 1991	13 Aug 1991	08 Oct 1991	06 Dec 1991	11 Feb 1992	07 Apr 1992	
PARAMETERS *	Standard**			-			000000000000000000000000000000000000000		
Laboratory Measurements									
Total Barium [0.001]	5.0	0.062	0.071	0.070	0.067	0.047	0.580	0.057	
Total Beryllium [0.001]		DL	<dl< th=""><th>70></th><th><u>3</u></th><th>٩</th><th>4DL</th><th>ADL</th><th></th></dl<>	70>	<u>3</u>	٩	4DL	ADL	
Total Calcium [0.004]	-	42.9	90.2	99	97.3	37.8	73.4	45.1	-
Total Cadmium [0.002]	0.05	<dl< th=""><th>10></th><th>JD></th><th><u>1</u></th><th>-DL</th><th><u>ê</u></th><th>ΔP</th><th></th></dl<>	10>	J D>	<u>1</u>	-DL	<u>ê</u>	ΔP	
Total Cobalt [0.002]		ADL	<dl< th=""><th><u>1</u></th><th>ģ</th><th>ĝ</th><th>£</th><th>Δ<u>Ι</u></th><th></th></dl<>	<u>1</u>	ģ	ĝ	£	Δ <u>Ι</u>	
Total Chromium [0.007]	*	£DL	-DL	-JO	JQ.	ADL	∆ DL	<u>1</u>	-
Total Copper 0.004	0.02	∆DL	AD.	<u></u>	ΔĐ	JQ5	-DL	<dl< th=""><th></th></dl<>	
Total Prescrime [0.620]	1.0	0.116	è	0.059	ê	0.056	JQ.	JQ\$	
Total Magnesium [0.003]		11.8	21.0	34.6	33.0	1.70	6 C	200	
Total Manganese [0.009]	1.0	39	<u>1</u>	£	ĝ.	ρ.	0.014	2 3	
Total Molybdenum [0.006]		-DL	-DL	£DL	£DL.	<u>1</u>	ģ	<dl th="" −<=""><th></th></dl>	
Total Sodium [1.34]	,	10.8	15.3	15.5	18	7.14	11.80	6.93	
Total Nickel [0.008]	1.0	ADC.	JQ.	∆ DL	^ DL	JQ>	0.009	<dl< th=""><th></th></dl<>	
Total Lead [0.015]	0.1	ρ	ЭD	ΔL	ê	ρĹ	-DL	<dl< td=""><td></td></dl<>	
Total Antimony [0.013]	,	ADL	ΔDL	£DL	ΔL	<dl< td=""><td><dl< td=""><td><dl< td=""><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td></td></dl<></td></dl<>	<dl< td=""><td></td></dl<>	
Total Selenium [0.031]	1.0	Ą	4DL	70	-DL	<dl< td=""><td><dl< td=""><td>ADL</td><td></td></dl<></td></dl<>	<dl< td=""><td>ADL</td><td></td></dl<>	ADL	
Total Silicon [0.011]	,	10.2	11.4	9.52	9.6	7.61	7.53	8.14	
10tat Im [0.033]		Δ <u>P</u>	0.051	¢DL	ĐĮ.	£	JĠ.	∆ DL	
Total Vanadium [0.007]		ĝ	ĄĮ	ΔĐ	ĝ.	<u>1</u>	ДĹ	∆ DL	
Total Zanc (0.007)	1.0	0.035	∆ DL	DL	£DL	ΔĐ	ÐL	<dl< th=""><th></th></dl<>	
Total Mercury [0.00005]	0.0005	AQ.	0.000055	-DL	<u>1</u>	0.334	-DL	<dl< th=""><th></th></dl<>	
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters.	ements expressed	in mg/l. Dete	ction limits are	listed in brack	ets after applic	able parameter	5.		
"Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989. Title 35: Environmental Protection	ken from: Illino	s Environment	al Protection A	gency. 1989.	Title 35: Envi	onmental Prot	١.	C: Water Pollu	Subtitle C: Water Pollution. Chapter I.
rounden Control Board. Fart 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 th	Water Quality St	andards, Subp	nt B: General	Use Water Qua	lity Standards.	Sections 302.	12	2212.	
then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than	not exceed 0.04	med: c) Amm	all in no case e	xceed 15 mg/l;	b) if ammonia	nitrogen is les		and greater than	15 mg/l and greater than or equal to 1.5 mg/l,
[If total ammonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon nH and temperature	calculations mus	be made to de	termine the un	ionized ammor	ua concentratio	an based upon	oH and temper		d temperature]
Phosphorus as P shall not exceed 0.05 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream at the point where it enters	ıg∕l in any reserv	oir or lake with	a surface area	of 8.1 hectares	(20 acres) or a	nore, or in any	stream at the r	oint where it en	ien
any such reservoir or lake.									
Although no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the	romium has bee	n established, t	he current stan	dard for total h	exavalent chro	mium is 0.05 n	ng/l; the curren	e current standard for	
total trivalent chromium is 1.0 mg/l; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.	the sum of these	wo constituent	ts would infer t	hat the total ch	romium standa	rd is 1.05 mg/1			

McGee Hill Spring.

Location: 0.85 mi (1.4 km) ESE LaRue, at south edge of LaRue-Pine Hills Ecological Area (along road to old SIU-Carbondale/Otter Pond research facility), in Shawnee National Forest, Union County. Third Principal Meridian, Township 11S, Range 3W, Sec. 21, NE/4, SW/4, SE/4, SE/4, U.T.M. Zone 16, ²84⁵⁷⁵ mE, ⁴¹57⁶⁰⁰mN. Quadrangle: Wolf Lake, IL.-Mo., 7.5', 1947 edition, photorevised 1978.

Elevation: 355' (MSL).

Hydrogeology: This spring is located near the base of McGee Hiil, a prominent near vertical bluff rising 350 feet above the Mississippi river floodplain south of the LaRue-Pine Hills National Natural Landmark in Shawnee National Forest. Spring water emerges and percolates from the base of a semicircular man-made catchment 1 feet in width and 1-2 feet high in a limestone talus. The catchment which contains 1.5-2 inches of water is constructed of local limestone blocks 0.4-0.6 feet thick and 0.5-1.5 feet long. The talus rises 9-10 feet above the spring opening and is derived from a fissure in the bluff 45 feet east of the catchment. The fissure has a general alignment of N 70° E and may be associated with a crevice or joint system in the bluff. The bluff consists of light gray, fine-grained argillaceous limestone and chert of the Bailey Limestone of Lower Devonian age. Outflow from the spring flows about 80 feet in a north to south circular loop across a field road which overrides the talus then moves directly westward 350 feet through Cahokia Alluvium to an unnamed stream. Water from an auxiliary spring opening is 40 feet southwest of the spring forms a waterway in the Cahokia Alluvium and merges with the main waterway 100 feet from the catchment.

The waterway gradient from the spring head to the lowermost part of the roadway is 0.55 feet which is about 0.14 feet of slope for 10 feet of distance. A small but undetermined amount of underflow is present in the rodway area of the spring waterway.

Physical and chemical measurements are given in 4.

Fauna: Spring Head: Fishes: Forbesichthys agassizi (spring cavefish, common). Mollusca: Pelecypoda: Sphaeriidae: Pisidium sp. (uncommon). Insecta: Diptera: Dixidae: Dixa sp. (uncommon); Ptychopteridae; Ptychoptera quadrifasciata (uncommon); Tipulidae: Antocha sp. (rare), Limnophila sp. (rare); Heteroptera: Mesoveliidae: Mesovelia mulsanti (common). Crustacea: Amphipoda: Gammaridae: Gammarus minus (common); Decapoda: Cambaridae: Cambarus diogenes (rare); Ostrocoda: Candona nr. albicans (rare). Flatworms: Turbellaria:

Planariidae: *Phagocata gracilis* (common).

Flora: inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS. McGee Hill Spring is the source of a small stream that begins at the base of a wooded slope and then flows through a floodplain woods. The dominant trees along this stream are Acer negundo L. (box elder), Fraxinus pennsylvanica Marsh (green ash), and Liquidambar styraciflua L. (sweet gum). Lindera benzoin (L.) Blume (spicebush) dominates the shrub layer, however, only one other shrub is present, Ilex decidua Walt. (swamp holly). Although the herb layer is composed of many species, the dominant herb is Polygonum cespitosum Blume (creeping smartweed) with locally abundant Impatiens capensis Meerb. (spotted touch-me-knot). The dominant vine is Toxicodendron radicans (L.) Kuntze (poison ivy).

Other trees associated with McGee Hill Spring are Acer saccharum Marsh (sugar maple), Carya cordiformis (Wang.) K. Koch (bitternut hickory), Gleditsia triacanthos L. (honey locust), Liriodendron tulipifera L. (tulip tree), and Ostrya virginiana (Mill.) K. Koch (hop hornbeam).

Other herbs associated with McGee Hill Spring are Acalypha rhomboidea Raf. (three-seeded mercury), Agrimonia pubescens Wallr. (soft agrimony), Anemone virginiana L. (tall anemone), Arabis laevigata (Muhl.) Poir. (smooth rock cress), Asarum canadense L. (wild ginger), Aster lateriflorus (L.) Britt. (side-flowered aster), Athyrium pycnocarpon (Spreng.) Tidestrom (narrow-leaved spleenwort), Bidens vulgata Greene (tall beggar-ticks), Blephilia sp. (pagoda plant), Boehmeria cylindrica (L.) Sw. (false nettle), Carex spp. (sedge), Cinna arundinacea L. (stout wood reed), Cryptotaenia canadensis (L.) DC. (honewort), Dichanthelium sp. (panic grass), Elymus villosus Muhl. (slender wild rye), Eupatorium rugosum Houtt. (white snakeroot), Galium triflorum Michx. (sweet-scented bedstraw), Geum canadense Jacq. (white avens), Glyceria striata

(Lam.) Hitchcock (fowl manna grass), Hydrophyllum canadense L. (broad -leaf waterleaf), Laportea canadensis (L.) Wedd. (wood nettle), Leersia virginica Willd. (white grass), Lysimachia ciliata L. (fringed loosestrife), Mimulus alatus Ait. (winged monkey-flower), Perilla frutescens (L.) Britt. (beefsteak plant), Phlox paniculata L. (garden phlox), Polymnia uvedalia (L.) L. (bear's foot), Ranunculus sp. (buttercup), Ruellia strepens L. (smooth ruellia), Rumex sp. (dock), Sanicula gregaria Bickn. (common snakeroot), Saururus cernuus L. (lizard's-tail), Tovara virginianum L. (Virginia knotweed), Viola sp. (violet), and Woodsia obtusa (Spreng.) Torr. (common woodsia).

Other vines associated with McGee Hill Spring are Menispermum canadense L. (moonseed), Parthenocissus quinquefolia (L.) Planch (Virginia creeper), and Smilax hispida Muhl. (bristly catbrier).

This is a basic water spring with low flow. The spring cavefish is abundant in the spring head as well as along the outflow stream. The spring head is dominated by one species of amphipod and flatworm. To-date, no distinctively unique organisms were collected at this spring.

			,						
	<dl< th=""><th>-DL</th><th>-DL</th><th>-DL</th><th>-DL</th><th>JD.</th><th>ê.</th><th>1.0</th><th>Total Boron [0.005]</th></dl<>	-DL	-DL	-DL	-DL	JD.	ê.	1.0	Total Boron [0.005]
	-DL	-DL	<dl< td=""><td>-DL</td><td>JQ></td><td><dl< td=""><td><dl< td=""><td>1.0</td><td>Total Arsenic [0.030]</td></dl<></td></dl<></td></dl<>	-DL	JQ>	<dl< td=""><td><dl< td=""><td>1.0</td><td>Total Arsenic [0.030]</td></dl<></td></dl<>	<dl< td=""><td>1.0</td><td>Total Arsenic [0.030]</td></dl<>	1.0	Total Arsenic [0.030]
,	<dl< td=""><td><dl:< td=""><td><dl< td=""><td>-DL</td><td>-DL</td><td><dl< td=""><td>0.138</td><td></td><td>Total Aluminum [0.045]</td></dl<></td></dl<></td></dl:<></td></dl<>	<dl:< td=""><td><dl< td=""><td>-DL</td><td>-DL</td><td><dl< td=""><td>0.138</td><td></td><td>Total Aluminum [0.045]</td></dl<></td></dl<></td></dl:<>	<dl< td=""><td>-DL</td><td>-DL</td><td><dl< td=""><td>0.138</td><td></td><td>Total Aluminum [0.045]</td></dl<></td></dl<>	-DL	-DL	<dl< td=""><td>0.138</td><td></td><td>Total Aluminum [0.045]</td></dl<>	0.138		Total Aluminum [0.045]
	5	7	10	14	5	6	00		Turbidity (JTU)
	163	168	139	142	141	હ	174	1000.	Total Dissolved Solids
	180	176	152	176	152	184	268		Total Solids
	0.17	0.07	1.11	0.09	0.17	0.12	1.33	•	Total Kjeldahl Nitrogen
	0.74	0.3	1.3	0.28	0.32	0.4	1.62		Total Nitrogen
	2.05	1.2	1.19	2.18	2.54	2.86	2.39	500.	Chlorides
	115	112.0	88	99	94	108	108	•	Hardness (EDTA)
	0.26	-JDL	<dl< td=""><td><dl< td=""><td>-DL</td><td><dl< td=""><td>ĝ</td><td>-</td><td>Orthophosphate P [0.005]</td></dl<></td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td><dl< td=""><td>ĝ</td><td>-</td><td>Orthophosphate P [0.005]</td></dl<></td></dl<>	-DL	<dl< td=""><td>ĝ</td><td>-</td><td>Orthophosphate P [0.005]</td></dl<>	ĝ	-	Orthophosphate P [0.005]
	0.27	0.07	<dl< td=""><td>10</td><td>0.01</td><td><dl< td=""><td>ĝ</td><td>0.05**</td><td>Total Phosphorus</td></dl<></td></dl<>	1 0	0.01	<dl< td=""><td>ĝ</td><td>0.05**</td><td>Total Phosphorus</td></dl<>	ĝ	0.05**	Total Phosphorus
	0.57	0.23	0.19	0.19	0.15	0.28	0.29	,	Nitrate Nitrogen [0.005]
	JQ>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>ДL</td><td><dl< td=""><td>£ L</td><td>ı</td><td>Nitrite Nitrogen [0.005]</td></dl<></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>ДL</td><td><dl< td=""><td>£ L</td><td>ı</td><td>Nitrite Nitrogen [0.005]</td></dl<></td></dl<></td></dl<>	<dl< td=""><td>ДL</td><td><dl< td=""><td>£ L</td><td>ı</td><td>Nitrite Nitrogen [0.005]</td></dl<></td></dl<>	ДL	<dl< td=""><td>£ L</td><td>ı</td><td>Nitrite Nitrogen [0.005]</td></dl<>	£ L	ı	Nitrite Nitrogen [0.005]
	0.04	0.04	0.04	<dl< td=""><td>10.0</td><td><dl< td=""><td>0.04</td><td>1.5 **</td><td>Ammonia Nitrogen [0.005]</td></dl<></td></dl<>	10.0	<dl< td=""><td>0.04</td><td>1.5 **</td><td>Ammonia Nitrogen [0.005]</td></dl<>	0.04	1.5 **	Ammonia Nitrogen [0.005]
	14	ĄĮ	- JQ>	J@	JD>	<dl< td=""><td><dl< td=""><td>•</td><td>Total Bromide [0.01]</td></dl<></td></dl<>	<dl< td=""><td>•</td><td>Total Bromide [0.01]</td></dl<>	•	Total Bromide [0.01]
	15.98	5.6	8.8	6.88	7.52	12.5	20.97	500.	Sulfur as Sulfate
	70	-1 <u>1</u>	<u>1</u>	49	JQ>	<dl< td=""><td><dl< td=""><td>1.4</td><td>Total Fluoride [0.01]</td></dl<></td></dl<>	<dl< td=""><td>1.4</td><td>Total Fluoride [0.01]</td></dl<>	1.4	Total Fluoride [0.01]
	70	0.7	0.2	4.1	1.1	3.5	0.2	,	Particulate Organic Carbon [0.9]
	42.2	35.9	30.9	32.4	3	<dl< td=""><td>0.1</td><td></td><td>Dissolved Organic Carbon</td></dl<>	0.1		Dissolved Organic Carbon
	41.8	36.6	31.1	36.5	4.1	3.5	0.3	•	Total Organic Carbon
	29.2	26.2	21.1	22.2	25.4	25.8	27.9	,	Total Inorganic Carbon
	71.0	62.7	52.2	58.8	29.5	29.3	28.2	-	Total Carbon
									aboratory Measurements
									(corrected to 25° C)
	217	224	184	188	186	220	232	•	Specific Conductivity (jumhos/cm)
	<u>18</u>	170	140	148	150	F175	178		Field Conductivity (umhos/cm)
	118.	114	80	102	103	108.	108	•	Alkalinity, as CaCO3
	7.0	7.4	7.1	7.3	7.2	7.3	7.4	6.5 to 9.0	Hydrogen Ion Concentration (pH)
	9.4	8.4	8.4	10.1	6.8	7.6	8.6	never < 5.0	Dissolved Oxygen
	12.1	11.9	12	13.5	14.5	14.0	12.5	1	Water Temperature (° C)
	9.7 ??	10	7	12	21.5	21.0	12.4		Air Temperature (° C)
									Field Measurements
			·					Standard**	PARAMETERS •
		11 Feb 1992	_	08 Oct 1991	13 Aug 1991	11 Jun 1991	22 Apr 1991	Sample Date	
	dw 92-96	dw 92-48	dw 91-74	dw 91-71	53	38	21	Station #	April 1992.
	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	Location	McGee Hill spring, April 1991-
	Union	Union	Union	Union	Union	Union	Union	County	for the Springs of Illinois project:
	Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills		Water quality parameters measured
	LaRue -	LaRue -	LaRue -	LaRue -	LaRue -	LaRue -	LaRue -		APPENDIX 4.
	Springs	spring	spring	spring	_		spring		
		171000000	March 1777	TATACOCK TITIT	TATC GOOD STATE	***************************************	1415000		

	Water Body	McGee Hill'	МсСсс Ніш	МсСес Ніш'	'McGee Hill'	McGee Hill	McGee Hill'	McGee Hill	
		Spring	Spring	Springs	spring		spring	spring	
		LaRue -	LaRue -	LaRue -	LaRue -	LaRue -	LaRue -	LaRue -	
APPENDIX 4 (concluded).		Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills	Pine Hills	
	County	Union	Union	. Union	Union	Union	Union	Union	
	Location	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	ESE LaRue	
	Station #	21	38	53	dw 91-71	dw 91-74	dw 92-48	dw 92-96	
	Sample Date	22 Apr 1991	11 Jun 1991	13 Aug 1991	08 Oct 1991	06 Dec 1991	11 Feb 1992	07 Apr 1992	
PARAMETERS *	Standard**						***************************************	000000000000000000000000000000000000000	
Laboratory Measurements									-
Total Barium [0.001]	5.0	0.062	0.049	0.043	0.043	0.047	0.045	0.052	
Total Beryllium [0.001]	•	<dl< td=""><td>ТФ</td><td>JG</td><td>7,0</td><td><u>1</u></td><td>ΔĐ</td><td>ADL</td><td></td></dl<>	ТФ	JG	7,0	<u>1</u>	ΔĐ	ADL	
Total Calcium [0.004]	,	31.9	31.3	27.1	28.5	26.2	33.6	35.3	
Total Cadmium [0.002]	0.05	£	-DL	∆DL	<dl< td=""><td><dl< td=""><td>ÐĽ</td><td>-DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>ÐĽ</td><td>-DL</td><td></td></dl<>	ÐĽ	-DL	
Total Cobalt [0.002]		£DL	₹DL	<dl< td=""><td>∠DL</td><td>-DL</td><td>4DL</td><td>JQ\$</td><td></td></dl<>	∠DL	-DL	4DL	JQ\$	
Total Chromium [0.007]	:	£	4DL	<dl< td=""><td><dl< td=""><td>-DL</td><td>JQ.</td><td>-DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td>JQ.</td><td>-DL</td><td></td></dl<>	-DL	JQ.	-DL	
Total Copper [0.004]	0.02	£	₹DL	<dl< th=""><th>-DL</th><th>JD></th><th>-DL</th><th>JQ</th><th></th></dl<>	-DL	JD>	-DL	J Q	
Total Iron [0.025]	1.0	ADL	105	ADL.	ΔL	0.038	∠DL	ДД	!
Total Potassium [0.629]		1.74	-JIG	ΔDL	ΔL	2.14	<dl< th=""><th>JŪ\$</th><th></th></dl<>	JŪ\$	
Total Magnesium [0.003]		6.78	7.22	6.33	. 6.85	5.44	6.88	6.60	
Total Manganese [0.009]	1.0	0.016	ΔDL	ΔĹ	JQ-	-JQ>	-DL	-DL	
Total Molybdenum [0.006]	,	Ć)L	<u>ê</u> L	70}	1G	-JDL	ADL	JQ\$	
Total Sodium [1.34]		4.12	TQ?	2.29	DL	3.09	-DL	<u>1</u>	
Total Nickel [0.008]	1.0	<dl< th=""><th>JQ></th><th>JQ></th><th>∆L</th><th><dl< th=""><th>-DL</th><th>√DL</th><th></th></dl<></th></dl<>	JQ>	JQ>	∆ L	<dl< th=""><th>-DL</th><th>√DL</th><th></th></dl<>	-DL	√ DL	
Total Lead [0.015]	0.1	ŢŢ	ADL	-DL	-DL	ADL	<u>1</u>	<u>j</u>	
Total Antimony [0.013]		ĝ	ADL	-DL	ĴФ	ADL.	JQ\$	ģ	
Total Selenium [0.031]	1.0	ΔĐ	JQ>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>∆DL</td><td>-DL</td><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>∆DL</td><td>-DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>∆DL</td><td>-DL</td><td></td></dl<>	∆ DL	-DL	
Total Silicon [0.011]	,	8.22	7.08	5.89	6.32	6.57	5.38	6.69	
Total Tin [0.033]		<u>\$</u>	<dl< td=""><td><dl< td=""><td><dl< td=""><td>JQ\$</td><td>1</td><td>Jg</td><td></td></dl<></td></dl<></td></dl<>	<dl< td=""><td><dl< td=""><td>JQ\$</td><td>1</td><td>Jg</td><td></td></dl<></td></dl<>	<dl< td=""><td>JQ\$</td><td>1</td><td>Jg</td><td></td></dl<>	JQ\$	1	J g	
Total Vanadium [0.007]		<u>1</u>	<dl< td=""><td><dl< td=""><td>-DL</td><td>JQ\$</td><td>J</td><td>∆DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td>JQ\$</td><td>J</td><td>∆DL</td><td></td></dl<>	-DL	JQ\$	J	∆DL	
Total Zinc [0.007]	1.0	ĄĮ	-DL	<dl< td=""><td>4DL</td><td><u>10</u></td><td><u>1</u>ф</td><td>-DL</td><td></td></dl<>	4DL	<u>10</u>	<u>1</u> ф	-DL	
Total Mercury [0.00005]	0.0005	0.00009	0.000074	-DL	-JQ>	<dl< td=""><td><dl< td=""><td>-DL</td><td></td></dl<></td></dl<>	<dl< td=""><td>-DL</td><td></td></dl<>	-DL	
*Unless otherwise specified, all measurements expressed in mg/l. Detection limits are listed in brackets after applicable parameters	ements expressed	in mg/l. Dete	ction limits are	listed in brack	ets after applic	ahle narameter	8	800000000000000000000000000000000000000	
***************************************	Carrotte conference	THE STATE OF THE S	Audi milita ere	HISTOR HI DIECK	ега аптег аррше	note barameter	5.		

**Surface water quality standards are taken from: Illinois Environmental Protection Agency. 1989. Title 35: Environmental Protection. Subtitle C: Water Pollution. Chapter I. Pollution Control Board. Part 302 - Water Quality Standards. Subpart B: General Use Water Quality Standards. Sections 302.201 through 302.212.

Ammonia Nitrogen and Unionized Ammonia: a) Ammonia nitrogen shall in no case exceed 15 mg/l; b) if ammonia nitrogen is less than 15 mg/l and greater than or equal to 1.5 mg/l,

Phosphorus as P shall not exceed 0.05 mg/l in any reservoir or lake with a surface area of 8.1 hectares (20 acres) or more, or in any stream at the point where it enters then unionized ammonia (as N) shall not exceed 0.04 mg/l; c) Ammonia nitrogen concentrations of less than 1.5 mg/l are lawful regardless of unionized ammonia concentration. [If total artimonia is > 1.5 mg/l, then calculations must be made to determine the unionized ammonia concentration based upon pH and temperature.]

Although no current standard for total chromium has been established, the current standard for total hexavalent chromium is 0.05 mg/l; the current standard for total trivalent chromium is 1.0 mg/1; the sum of these two constituents would infer that the total chromium standard is 1.05 mg/l.

any such reservoir or lake.

History

Taxonomic Specialists

Dr. Warren U. Brigham, Center for Biogeographic Information, Illinois Natural History Survey, Champaign, IL 61820. Aquatic Coleoptera. Dr. Tim Cashatt, Illinois State Museum, Springfield, IL. Odonata. Mr. Patrick Ceas, Center for Biogeographic Information, Illinois Natural History Survey, Champaign, IL 61820. Fish. Mr. Brandon B. Curry, Illinois State Geological Survey, Champaign, IL. Ostrocoda. Dr. Anne Marie Hampton. Castleton College, Castleton, VT. Turbellaria. Mr. Mitchell Harris, Center for Biogeographic Information, Illinois Natural History Survey, Champaign, IL 61820. Plecoptera, Trichoptera. Dr. Barry B. Miller, Department of Geology, Kent State University, Kent, OH 44242. Gastropoda. Dr. Larry M. Page, Center for Biodiversity, Illinois Natural History Survey, Champaign, IL 61820. Amphipoda, Decapoda, and Isopoda. Dr. Ole Saether, Zoologisk Museum, Bergen, Norway. Chironomidae. Dr. Donald W. Webb, Center for Biodiversity, Illinois Natural History Survey, Champaign, IL 61820. Aquatic Diptera, Megaloptera, Heteroptera. Mr. Mark J. Wetzel, Center for Biogeographic Information, Illinois Natural

Survey, Champaign, IL 61820. Annelida.

SPRINGS OF ILLINOIS (October 23, 1992)

Cole Spring.

Location: Adams County. Fourth Principal Meridian, Township 2S, Range 8W, Section 29, SW/4, NW/4, NE/4, NE/4. U.T.M Zone 15, 641640 mE 4414610 mN Longitude 91° 20' 39" W, Latitude 39° 52' 28" N. Quadrangle: Marblehead, Ill.-Mo., 7.5', 1971 edition.

Elevation 540' (MSL).

Current Status: ?

Spring Lake Spring.

Location: Adams County. Fourth Principal Meridian, Township 1S, Range 9W, Section 14, NE/4, NW/4, NE/4, NE/4. U.T.M Zone 15, 636675 mE 4428090 mN. Quadrangle Quincy West, Ill.-Mo., 7.5', 1971 edition.

Elevation: 540' (MSL).

Current Status: ?

Wand Spring.

Location: Adams County: Fourth Principal Meridian, Township 2S, Range 8W, Section 15, SW/4, SW/4, SW/4, SW/4. U.T.M. Zone 15, 643665 mE 4416710 mN. Longitude 910 19' 11" W, Latitude 390 53' 25" N. Quadrangle: Quincy East, Ill, 7.5', 1971 edition.

Elevation: 540' (MSL).

Current Status: ?

Unnamed Spring #50.

Location: Adams County: Fourth Principal Meridian, Township 3S, Range 5W, Section 7, SE/4, SW/4, NW/4, NW/4. U.T.M. Zone, 15, 668⁷¹⁰ mE 44₁₀210 mN. Quadrangle: Richfield, IL., 7.5', 1981 edition.

Elevation: 730' (MSL).

Current Status: ?

Unnamed Spring #51.

Location: Adams County: Fourth Principal Meridian, Township 3S Range 6W, Section 8, SW/4, NW/4, NE/4. U.T.M. Zone 15, 661290 mE 4410275 mN. Quadrangle: Richfield, IL., 7.5', 1981 edition.

Elevation: 720' (MSL).

Current Status: ?

Unnamed Spring #52.

Location: Adams County: Fourth Principal Meridian, Township 3S, Range 7W, Section 8, SE/4, SE/4, NE/4. U.T.M. Zone 15, 652015 mE 4409450 mN. Quadrangle: Payson, IL., 7.5', 1981 edition.

Elevation: 650' (MSL).

Current Status: ?

Unnamed Spring #60.

Location: Adams County: Fourth Principal Meridian, Township 1S, Range 6W, Section 5, NE/4, SW/4, SE/4, SE/4. U.T.M. Zone 15, 661380 mE 4429965 mN. Quadrangle: Camp Point, IL., 7.5', 1981 edition.

Elevation: 670' (MSL).

Unnamed Spring #61.

Location: Adams County: Fourth Principal Meridian, Township 1S, Range 6W, Section 5, SE/4, SW/4, NE/4, SE/4. U.T.M. Zone 15, $^{6}61^{380}$ mE $^{44}30^{270}$ mN. Quadrangle: Camp Point, IL., 7.5', 1981 edition.

Elevation: 670' (MSL).

Current Status: ?

Unnamed Spring #62.

Location: Adams County: Fourth Principal Meridian, Township 1S, Range 6W, Section 4, SE/4, SE/4, SE/4, NW/4. U.T.M. Zone 15, 662430 mE 4430690 mN. Quadrangle: Camp Point, IL., 7.5', 1981 edition.

Elevation: 690' (MSL).

Current Status: ?

Unnamed Spring #63.

Location: Adams County: Fourth Principal Meridian, Township 1N, Range 8W, Section 30, NE/4, NW/4, NE/4, SW/4. U.T.M. Zone 15, 639130 mE 4433765 mN. Quadrangle: Mendon, IL., 7.5', 1981 edition.

Elevation: 540' (MSL).

Current Status: ?

Unnamed Spring #93.

Location: Adams County: Fourth Principal Meridian, Township 2S, Range 8W, Section 25, SW/4, NE/4, NE/4. Quadrangle: Marblehead, Ill.-Mo., 7.5', 1971 edition.

Elevation: 610' (MSL).

Current Status: ?

Perkins Spring.

Location: Alexander County: Third Principal Meridian, Township 15S, Range 3W, Section 3, SW/4, SW/4, NW/4, SW/4. U.T.M. Zone 16, 283910 mE 4123820 mN. Longitude 890 26' 12" W, Latitude 370 14' 16" N. Quadrangle: Thebes, Ill.-Mo., 7.5', 1981 edition.

Elevation: 360' (MSL).

Reference: Meents (1966, 1981).

Current Status: ?

Unnamed Spring #1.

Location: Alexander County: Third Principal Meridian, Township 15S, Range 3W, Section 22, SW/4, SW/4, SE/4, SW/4. U.T.M. Zone 16, 284140 mE 4118500 mN. Quadrangle: Thebes, Ill.-Mo., 7.5', 1966 edition.

Elevation: 400' (MSL).

Current Status: ?

Unnamed Spring #2,

Location: Alexander County: Third Principal Meridian, Township 15S, Range 3W, Section 21, SW/4, SW/4, SE/4, NW/4. U.T.M. Zone 16, ²82⁶⁰⁰ m^E 41₁₉350 m^N. Quadrangle: Thebes, Ill.-Mo., 7.5', 1966 edition.

Elevation: 340' (MSL).

Unnamed Spring #3.

Location: Alexander County: Third Principal Meridian, Township 15S, Range 3W, Section 21, SE/4, SW/4, NW/4, NE/4. U.T.M. Zone 16, 283030 mE 4119730 mN. Quadrangle: Thebes, Ill.-Mo., 7.5', 1966 edition.

Elevation: 380' (MSL).

Current Status: ?

Kings Spring.

Location: Bond County: Township 4N, Range 4W, Section 35.

Current Status: ?

Unnamed Spring #94.

Location: Bond County: Third Principal Meridian, Township 4N, Range 4W, Section 1, SW/4, SW/4, SW/4, SE/4. U.T.M. Zone 15, 283300 mE 4298860 mN. Quadrangle: Kellerville, IL., 7.5, 1981 edition.

Elevation: 470' (MSL).

Current Status: ?

Siloam Spring Number 1:

Location: Brown County: Fourth Principal Meridian, Township 2S, Range 4W, Section 18, NE/4, SW/4, SW/4, SW/4. U.T.M. Zone 15, 678230 mE 4417335 mN. Quadrangle: Kellerville, IL., 7.5, 1981 edition.

Elevation: 630' (MSL).

Reference: Meents (1967, 1975).

Current Status: public.

Siloam Springs Number 2.

Location: Brown County: Fourth Principal Meridian, Township 2S, Range 4W, Section 18, NW/4, SE/4, SW/4, SW/4. U.T.M. Zone 15, 678³⁴⁰ m^E 44₁₇300 m^N. Quadrangle Kellerville, IL., 7.5', 1981 edition.

Elevation: 520' (MSL).

Reference: Meents (1967, 1975).

Current Status: public.

Versailles (Mineral) Spring.

Location: Brown County: Fourth Principal Meridian, Township 2S, Range 2W, Section16, SW/4, NE/4, NE/4, NW/4. U.T.M. Zone 15, 701975 mE 4418690 mN. Quadrangle Versailles, IL., 7.5', 1980 edition.

Elevation: 510' (MSL).

Reference: Meents 1967, 1975), Palmer (1909).

Current Status: ?

Cave Spring #1.

Location: Calhoun County: Township 10S, Range 2W, Section 19, SW/4, NE/4, SW/4, NE/4. U.T.M. Zone 15, 700^{565} mE 43_{38}^{290} mN. Longitude 90° 40' 43" W, Latitude 39° 10' 21" N. Quadrangle: Hamburg, Ill.-Mo., 7.5', 1978 edition.

Elevation: 530' (MSL). Reference: Meents (1975).

Cave Spring #2.

Location: Calhoun County: Fourth Principal Meridian, Township 12S Range 3E, Section 17, SE/4, SW/4, NE/4, SW/4. U.T.M. Zone 15, $^{7}01^{980}$ mE $^{43}20^{870}$ mN. Longitude 90° 40′ 02″ W, Latitude 39° 00′ 53″ N. Quadrangle: Foley, Mo.-IL., 7.5′, 1975 edition.

Elevation: 460' (MSL). Reference: Meents (1975).

Current Status: ?

Salt Spring.

Location: Calhoun County: Fourth Principal Meridian, Township 11S, Range 2W, Section 8/9. Longitude: 90° 39′ 16″ W, Latitude 39° 06′ 45″ N. Quadrangle: Foley, IL., 7.5′, 1975 edition.

Current Status: ?

Unnamed Spring #20.

Location: Calhoun County: Fourth Principal Meridian, Township 10S, Range 2W, Section 4, SE/4, NE/4, SE/4, SW/4. U.T.M. Zone 15, 703470 mE 4342340 mN. Quadrangle: Hamburg, Ill.-Mo., 7.5', 1978 edition.

Elevation: 560' (MSL).

Current Status: ?

Unnamed Spring #21.

Location: Calhoun County: Fourth Principal Meridian, Township 8S, Range 3W, Section 5, SE/4, NW/4, SE/4, NW/4. U.T.M. Zone 15, 691675 mE 4362690 mN. Quadrangle Pleasant Hill East, IL., 7.5', 1978 edition.

Elevation: 640' (MSL).

Current Status: ?

Unnamed Spring #25.

Location: Calhoun County, Fourth Principal Meridian, Township 9S, Range 2W, Section 19, SW/4, SW/4, NE/4, NW/4. U.T.M. Zone 15, 699770 mE 4348050 mN. Quadrangle: Pleasant Dale Valley, Ill.-Mo., 7.5', 1978 edition.

Elevation: 640' (MSL).

Current Status: ?

Unnamed Spring #26.

Location: Calhoun County: Fourth Principal Meridian, Township 9S, Range 2W, Section 17, SW/4, SE/4, NE/4, NW/4. U.T.M. Zone 15, 701560 mE 4349730 mN. Quadrangle: Pleasant Dale Valley, Ill.-Mo., 7.5', 1978 edition.

Elevation: 580' (MSL).

Current Status: ?

Unnamed Spring #27.

Location: Calhoun County: Fourth Principal Meridian, Township 8S, Range 3W, Section 12, SW/4, NE/4, SW/4, SE/4. U.T.M. Zone 15, 698270 mE 4359980 mN. Quadrangle: Pleasant Dale Valley, Ill.-Mo., 7.5', 1978 edition.

Elevation: 620' (MSL).

Unnamed Spring #28.

Location: Calhoun County: Fourth Principal Meridian, Township 8S, Range 3W, Section 12, SW/4, NE/4, SW/4, SE/4. U.T.M. Zone 15, 698700 mE 4360030 mN. Quadrangle: Pleasant Dale Valley, Ill.-Mo., 7.5', 1978 edition.

Elevation: 580' (MSL).

Current Status: ?

Unnamed Spring #73.

Location: Carroll County: Fourth Principal Meridian, Township 25N, Range 3E, Section 21, NW/4, NW/4, NW/4, SE/4, 2400' N, 2500' W of SE corner. U.T.M. Zone 15, 734320 mE 4669600 mN. Quadrangle: Blackhawk, Ill.-Iowa, 7.5', 1953 edition, photorevised 1975.

Elevation: 630' (MSL). Reference: Meents (1969).

Current Status: ?

Unnamed Spring #74.

Location: Carroll County: Fourth Principal Meridian, Township 25 N, Range 3E, Section 16, SE/4, NW/4, NW/4, NE/4, 700' S, 2300' W of NE corner. U.T.M. Zone 15, 734300 mE 4671955 mN. Quadrangle: Blackhawk, Ill.-Iowa, 7.5', 1953 edition, photorevised 1975.

Elevation: 615' (MSL). Reference: Meents (1969).

Current Status: ?

Unnamed Spring #95.

[Spring #1 in Mississippi Palisades State Park (Casler, House & Hutchison 1978)]

Location: Carroll County: Fourth Principal Meridian, Township 25 N, Range 2É, Section 28, NW/4, NE/4, SE/4, SE/4. U.T.M. Zone 15, 734940 mE 4667370 mN. Quadrangle: Blackhawk, Ill.-Iowa, 7.5', 1953 edition, photorevised 1975.

Elevation: 610' (MSL).

Reference: Casler, House & Hutchison (1978).

Current Status: This spring is capped and used as a public drinking fountain (Webb & Harris 1992).

Unnamed Spring #96

[Spring #2 in Mississippi Palisades State Park (Casler, House & Hutchison 1978)]

Location: Carroll County: Fourth Principal Meridian, Township 25 N, Range 3É, Section 21, SE/4, NW/4, NE/4, SW/4. U.T.M. Zone 15, 732990 mE 4669490 mN. Quadrangle: Blackhawk, Ill.-Iowa, 7.5', 1953 edition, photorevised 1975.

Reference: Casler, House & Hutchison (1978).

Current Status: This spring is capped (Webb & Harris 1992).

Unnamed Spring #97

[Spring #8 in Mississippi Palisades State Park (Casler, House & Hutchison 1978)]

Location: Carroll County: Fourth Principal Meridian, Township 25 N, Range 3E, Section 16, NW/4, NE/4, SW/4, NW/4. U.T.M. Zone 15, 734085 mE 4671640 mN. Quadrangle: Blackhawk, Ill.-Iowa, 7.5', 1953 edition, photorevised 1975.

Reference: Casler, House & Hutchison (1978).

Current Status: This spring is capped (Webb & Harris 1992).

Unnamed Spring #98.

Location: Clark County: Second Principal Meridian, Township 11N, Range 13W, Section 36.

Ownership: Dykstra. Reference: Meents (1981).

Current Status: ?

Sailor Springs.

Location: Clay County: 8 miles east of Louisville. Third Principal Meridian, Township 4N, Range 7E, Section 25, SW/4, NW/4, NE/4, NE/4, 850' W, 300' S of NE corner. U.T.M. Zone 16, 381^{360} m^E 4291^{140} m^N. Quadrangle: Sailor Springs, IL., 7.5', 1985 edition.

Elevation: 439' (MSL)

Hydrogeology: water temperature 56° F; discharge 1/2 gpm.

Ownership: Adam Noll, Clay City.

Reference: Meents (1967, 1981), Palmer (1909).

Current Status: ?

Unnamed Spring #75.

Location: Clay County: Third Principal Meridian, Township 5N, Range 5E, Section 16, NE/4, SE/4, SW/4, NW/4, about 1000' E, 2200' S of NW corner. U.T.M. Zone 16, 356735 mE 4304515 mN. Quadrangle: Edgewood, IL., 7.5', 1985 edition.

Elevation: 520' (MSL). Ownership: John Liggett. Reference: Meents (1970).

Current Status: ?

Watson Spring.

Location: Clinton County: Third Principal Meridian, Township 3N, Range 1W, Section 2, NW/4, NW/4, SE/4, SE/4. U.T.M. Zone 16, 312¹⁴⁵ mE 4288420 mN. Quadrangle: Boulder, IL., 7.5', 1969 edition.

Elevation: 470' (MSL). Reference: Meents (1975)

Current Status: ?

Alcyone Spring.

Location: Cook County. Reference: Palmer (1909).

Current Status: ?

Sylvan Dell Sulpho-Magnesian Spring.

Location: Cook County. Reference: Palmer (1909).

Current Status: ?

Cumberland Springs.

Location: Cumberland County. Reference: Palmer (1909).

Current Status: ?

Unnamed Spring #99.

Location: DeKalb County: One mile southeast of Shabbona. Third Principal Meridian, Township 38N, Range 3E, Section 23, SW/4, NE/4, SW/4, NW/4 [Section not a full square]. U.T.M. Zone 16, 345220 mE 4624140 mN. Quadrangle: Waterman, IL., 7.5', 1971 edition.

Weldon Springs.

Location: DeWitt County: Third Principal Meridian, Township 19N, Range 2E, Section 12.

Reference: Meents (1981).

Current Status: ?

Unnamed Spring #58.

Location: DeWitt County: Third Principal Meridian, Township 21N, Range 3E, Section 36, NE/4, SW/4, NW/4, NE/4. U.T.M. Zone 16, 345930 mE 4455 390 mN. Quadrangle: DeWitt, IL., 7.5', 1979 edition.

Elevation: 725' (MSL).

Current Status: ?

Patterson Spring.

Location: Douglas County: Third Principal Meridian, Township 16N, Range 9E, Section 33, NE/4, NW/4, SW/4, SE/4. U.T.M. Zone 16, 398400 mE 4405420 mN. Ouadrangle: Villa Grove, IL., 7.5', 1982 edition. Elevation: 636' (MSL).

Current Status: This spring is encased in a concrete brick housing and flows slowly some 150 feet northeast into the Embarras River. The water is used for drinking water and to fill a swimming pool.

Unnamed Spring #56.

Loction: Douglas County: Third Principal Meridian, Township 15N, Range 10E, Section 12, NW/4, NW/4, NW/4, SW/4. U.T.M. Zone 16, 410600 mE 4401550 mN. Quadrangle: Murdock, IL., 7.5', 1982 edition.

Elevation: 630' (MSL).

Current Status: ?

Unnamed Spring #85.

Location: Edgar County: Third Principal Meridian, Township 15N, Range 11W, Section 31.

Ownership: William Cheatham. Reference: Meents (1981).

Current Status: ?

Unnamed Spring #110.

Location: Edgar County: Third Principal Meridian, Township 16N, Range 11W, Section 35, SW/4, 1500' west of line, 750' south of line.

Current Status: Bedrock spring?

Unnamed Spring #16.

Location: Fayette County: Third Principal Meridian, Township 5N, Range 1W, Section 21, NW/4, SE/4, NW/4, SW/4. U.T.M. Zone 16, 308315 mE 4303545 mN. Quadrangle: Wildcat Lake, IL., 7.5', 1974 edition.

Elevation: 510' (MSL).

Current Status: ?

Unnamed Spring #18.

Location: Fayette County: Third Principal Meridian, Township 8N, Range 1W, Section 17, NE/4, SW/4, SW/4, SW/4. U.T.M. Zone 16, $^{3}07^{195}$ mE $^{4}333^{515}$ mN. Quadrangle Ramsey Lake, IL., 7.5', 1974 edition.

Elevation: 600' (MSL).

Deppler Spring.

Location: Fulton County: Fourth Principal Meridian, Township 5N, Range 3E, Section 8.

Reference: Meents (1975).

Current Status: ?

Red Avon Spring.

Location: Fulton County. Fourth Principal Meridian.

Reference: Palmer (1909).

Current Status: ?

Coulter Spring.

Location: Gallatin County: Township 10S, Range 5E, Section 33.

Reference: Hopkins (1969).

Current Status: ?

Negro Spring Salt Well.

Location: Gallatin County: Third Principal Meridian, Township 9S, Range 8E, Section 26, SW/4, NW/4, SE/4, SW/4. U.T.M. Zone 16, ³⁸⁵⁸⁹⁰ m^E ⁴¹73⁶⁴⁵ m^N. Quadrangle: Equality, IL., 7.5', 1959 edition photorevised 1990.

Elevation: 350' (MSL).

Flora: (Floral inventory conducted by Dr. L. R. Phillippe, Center for Biodiversity, INHS). Negro Springs Salt Well is located along a small intermittent stream with banks dominated by Acer saccharinum L. (silver maple) and Fraxinus pennsylvanica Marsh (green ash). Although a true shrub layer was lacking, young silver maple were dominant in the shrub stratum. The dominant herbaceous vegetation along the course of the spring was Leersia virginica Willd. (white grass), Aster fragilis (brittle aster), and locally abundant Boehmeria cylindrica (L.) Sw. (false nettle). Of the six vine taxa seen along the spring, Toxicodendron radicans (L.) Kuntze (poison ivy) was dominant.

Other trees associated with Negro Spring Salt Well were Carya illinoensis (Wang.) K. Koch (pecan), Celtis laevigata Willd. (sugarberry), Taxodium distichum (L.) Rich (bald cypress), and

Ulmus rubra Muhl. (slippery elm).

Other herbs associated with Negro Spring Salt Well were Acalypha rhomboidea Raf. (three-seeded mercury), Bidens vulgata Greene (tall beggar-ticks), Carex sp. (sedge), Chasmanthium latifolium (Michx.) Yates (sea oats), Elymus virginicus L. (Virginia wild rye), Eupatorium coelestinum L. (mistflower), Laportea canadensis (L.) Wedd. (wood nettle), Lysimachia ciliata L. (fringed loosestrife), Phytolacca americana L. (pokeweed), Pilea pumila (L.) Gray (clearweed), Polygonum hydropiper L. (smartweed), Polygonum virginianum L. (Virginia knotweed), Ruellia strepens L. (smooth ruellia), Tradescantia subaspera Kerr. (spikerwort), and Vernonia missurica Raf. (Missouri ironweed).

Other vines associated with Negro Spring Salt Well were Campsis radicans (L.) Seem. (trumpet creeper), Cocculus carolinus (L.) DC. (snailseed), Lonicera japonica Thunb. (Japanese honeysuckle), Smilax hispida Muhl. (bristly catbrier), and Vitis cinerea Engelm. (winter grape).

Reference: Meents (1969, 1981).

Ownership: State. Current Status: ?

Unnamed Spring #90

Listed in text of this report.

Dodson Spring.

Location: Greene County: Third Principal Meridian, Township 9N, Range 12W, Section 22, SW/4, SE/4, SE/4, SE/4. U.T.M. Zone 15, 723620 mE 4342455 mN. Ouadrangle:

Boyer Creek, IL., 7.5', 1983 edition. Elevation: 512' (MSL).

Current status: ?

Old Settlers Spring.

Location: Greene County: Third Principal Meridian, Township 11N, Range 13W, Section 23, SW/4, NE/4, NE/4, NE/4. U.T.M. Zone 15, 714500 mE 4362710 mN. Longitude 900 30' 34" W. Latitude 39º 23' 22" N. Quadrangle: Pearl East, IL., 7.5', 1980 edition.

Elevation: 480' (MSL).

Current Status: ?

Sulphur Spring.

Location: Grundy County: near Coal City. Third Principal Meridian.

Reference: Meents (1975).

Current Status: ?

Calumet Springs.

Location: Hancock County: Fourth Principal Meridian, Township 4N, Range 5W, Section 21, SE/4, NW/4, SW/4, NE/4. U.T.M. Zone 15, 632550 mE 4465120 mN. Longitude 91° 26' 24" W, Latitude 40° 19' 41" N. Quadrangle: Warsaw, Ill.-Mo., 7.5', 1964 edition, photorevised 1975.

Elevation: 490' (MSL).

Current Status: ?

Unnamed Spring #64 (in Wildcat Springs Park).

Location: Hancock County: Fourth Principal Meridian, Township 5N, Range 8W, Section 20, SW/4, SE/4, SW/4, SW/4. U.T.M. Zone 15, 640335 mE 4473740 mN. Quadrangle: Hamilton. Ill.-Iowa, 7.5', 1964 edition, photorevised 1975.

Elevation: 560' (MSL).

Reference: Meents (1973, 1975)

Current Status: ?

Decker Spring.

Location: Hardin County: Third Principal Meridian, Township 11S, Range 9E, Section 36, SW/4, NW/4, SW/4, SW/4 (800' N, 200' E of SE corner). U.T.M. Zone 16, 386660 mE 4152370 mN. Longitude 880 16' 56" W, Latitude 370 30' 48" N. Quadrangle: Karbers Ridge, IL., 7.5', 1959 edition, photorevised 1976.

Elevation: 410' (MSL).

Hydrogeology: Spring head length 2', width 6', water temperature 65° F, discharge 500 gpm. Fauna: Minnows.

Flora: Large elm tree at opening, pink-green water "grass", moss.

Reference: Meents (1968, 1975).

Owner: Sol Winter, Route 2, Box 154, Elizabethtown, IL, 62931 Current Status: Supplies two homes with drinking and cooking water.

Kaskaskia Spring.

Listed in text of this report.

Marsh Spring.

Location: Hardin County: Third Principal Meridian, Township 11S, Range 8E, Section 33.

Reference: Hopkins (1969).

Current Status: ?

Old Driver Spring.

Listed in text of this report.

Rose Spring.

Listed in text of this report.

Round Spring.

Location: Hardin County: 2 miles west of Cave In Rock. Third Principal Meridian, Township 12S, Range 9E, Section 15, SE/4, SE/4, SW/4, SW/4, 20' N, 1100' E of SW corner. U.T.M. Zone 16, ³⁹³⁴²⁵ mE ⁴¹⁴⁷⁰⁹⁵ mN. Longitude 88° 12' 20" W, Latitude 37° 27' 59" N. Quadrangle: Cave in Rock, Ky.-IL., 7.5', 1958 edition.

Elevation: 340' (MSL).

Fauna: Fish: Campostoma anomalum, Pimephales notatus, Semotilus atromaculatus, Etheostoma squamiceps.

Current Status: ?

Unnamed Spring #7.

Location: Hardin County: Third Principal Meridian, Township 12S, Range 10E, Section 28, SW/4, SE/4, SW/4, NW/4. U.T.M. Zone 16, 401755 mE 4154300 mN. Quadrangle: Dekoven, IL., 7.5', 1959 edition.

Elevation: 420' (MSL).

Current Status: ?

Unnamed Spring #65.

Location: Henderson County: Fourth Principal Meridian, Township 8N, Range 6W, Section 34, SE/4, SW/4, SE/4, SE/4. U.T.M. Zone 15, 663750 mE 4499910 mN. Quadrangle: Lomax, Ill.-Iowa, 7.5', 1964 edition.

Elevation: 690' (MSL).

Current Status: ?

Unnamed Spring #66.

Location: Henderson County: Third Principal Meridian, Township 8N, Range 6W, Section 33, NE/4, SW/4, NE/4, NE/4. U.T.M. Zone 15, $^662^{110}$ mE $^4501^{290}$ mN. Quadrangle: Lomax, Ill.-Iowa, 7.5', 1964 edition.

Elevation: 570' (MSL).

Current Status: ?

Miller Spring.

Location: Iroquois County: Cissna Park, covered by pond (Miller Spring Lake?), Second Principal Meridian, Township 25N, Range 13W, Section 30.

Reference: Meents (1975)

Ava Cave.

Location: Jackson County: Third Principal Meridian, Township 8S, Range 4W, Section 4, SW/4, NW/4, SW/4, SE/4. U.T.M. Zone 16, ²⁷⁵⁵⁰⁰ m^E 4192660 m^N. Quadrangle: Raddle, IL., 7.5', 1968 edition, photorevised 1990.

Ownership: private/public. Reference: West (1980).

Current Status: ?

Clear Creek Spring.

Listed in text of this report.

Unnamed spring #92.

Location: Jackson County: Third Principal Meridian, Township 8S, Range 5W, Section 23, SW/4, SW/4, NE/4. U.T.M. Zone 16, 267440 mE 4193580 mN. Quadrangle: Rockwood, IL., 7.5', 1968 edition.

Elevation: 580' (MSL).

Hydrogeology: This spring has a single small head at the base of sandstone depression with a depth of 1-2 inches. The outflow immediately flows into a 3 foot diameter pool, 1-2 inches deep, then flows north at a width of 6-8 inches and 1-2 inches deep for 50 feet to a culvert under a county road, their forming a small tributary of Little Mill Creek Water temperature 13.8° C, dissolved oxygen 9.5 mg/L,

Flora: no vegetation in spring except moss on rocks; along margin poison ivy, Christmas

ferns, Solidago sp. with a scattering on White Ash and Liriodendron tulipifera trees

Current Status: ?

Unnamed spring #101.

Location: Jackson County: Third Principal Meridian, Township 8S, Range 5W, Section 3, NW/4, SE/4, NE/4, NE/4. U.T.M. Zone 16, ²68⁰⁸⁰ m^E 4194⁰⁶⁰ m^N. Quadrangle: Rockwood, IL., 7.5', 1968 edition.

Elevation: 580' (MSL).

Current Status: No spring could be located (Webb 30 September 1992).

Unnamed spring #102 [possibly Boone Spring].

Location: Jackson County: Third Principal Meridian, Township 10S, Range 3W, Section 6, NE/4, SE/4, SW/4. U.T.M. Zone 16, 281230 mE 4172870 mN. Quadrangle: Gorham, IL., 7.5', 1947 edition, photorevised 1978.

Elevation: 420' (MSL).

Hydrogeology: This is a contact spring where sandstone is in contact with underlying shaly limestone.

Current Status: This spring has been refurbished to provide drinking water. A 3 foot diameter and 10 foot long galvanized culvert has been sunk into the spring at the base of a Pennsylvanian sanstone bluff to prevent mixing of surface runoff water; from this runs a 2 inc diameter PVC discharge pipe to the edge of Illinois highway 3. with a discharge of 10 gpm.

Green Lawn Springs.

Location: Jefferson County. Reference: Palmer (1909).

Current Status: ?

Clary Spring.

Location: Jersey County: Third Principal Meridian, Township 7N, Range 13W, Section 22, NE/4, SW/4, SE/4, SW/4. U.T.M. Zone 15, 713710 mE 4322730 mN. Longitude: 90° 31' 52" W, Latitude 39° 01' 46" N. Quadrangle: Nutwood, IL., 7.5', 1975 edition.

Elevation: 500' (MSL). Reference: Meents (1979)

Current Status: ?

Clay Spring.

Location: Jersey County: Third Principal Meridian, Township 7N, Range 13W, Section 22, NE/4, SW/4, SE/4, SW/4. U.T.M. Zone 15, 713710 mE 4322730 mN. Longitude 90° 31' 52" W, Latitude 39° 01' 46" N. Quadrangle: Nutwood, IL., 7.5', 1975 edition.

Elevation: 500' (MSL).

Current Status:

John Dunham Spring.

Location: Jersey County: Third Principal Meridian, Township 8N, Range 12W, Section 5, NW/4, SW/4, NE/4, SW/4. U.T.M. Zone 15, 719480 mE 4337975 mN. Quadrangle: Boyer Creek, IL., 7.5', 1983 edition.

Elevation: 492' (MSL).

Current Status: ?

Unnamed Spring #19.

Location: Jersey County: Third Principal Meridian, Township 8N, Range 12W, Section 8, NW/4, NW/4, NE/4, SE/4. U.T.M. Zone 15, 720340 mE 4336585 mN. Quadrangle: Boyer Creek, IL., 7.5', 1983 edition.

Elevation: 492' (MSL).

Current Status: ?

Bell Pond.

Location: Johnson County: Third Principal Meridian, Township 13S, Range 4E, Section 14, SE/4, SE/4, NE/4, NE/4. U.T.M. Zone 16, $^{3}46^{910}$ mE $^{4}139^{300}$ mN. Quadrangle: Glendale, IL., 7.5', 1962 edition.

Hydrogeology: Water temperature 12.6° C; specific conductivity 562 umHOS; pH 6.9; alkalinity 74.0 mg/L² CaCO₂ (Webb 15 September 1992)

Reference: West (1980).

Current Status: This spring flows slowly into the south edge of Grantsburg swamp (Webb, 15 September 1992).

Bird Spring.

Location: Johnson County: 1.2 mi NNE Belknap, Third Principal Meridian, Township 13S, Range 2E, Section 36.

Current Status: ?

Casey Spring.

Location: Johnson County: Third Principal Meridian, Township 12S, Range 3E, Section 26, NE/4, NW/4, NE/4, SE/4. U.T.M. Zone 16, 337¹⁴⁰ mE 4145640 mN. Longitude 88° 50' 29" W, Latitude 37° 26' 43" N. Quadrangle: Bloomfield, IL., 7.5', 1966 edition, photorevised 1978. Elevation: 440' (MSL).

Current Status: This spring begin as a seep area on the slope of pastureland and is the source of a tributary of Little Cache Creek (Webb 1992).

Shoemaker Spring.

Location: Johnson County: Township 12S, Range 3E, Section 14, NE/4, SE/4, SW/4, SW/4. U.T.M. Zone 16, ³36¹⁷⁰ m^E ⁴¹48⁴⁵⁰ m^N. Quadrangle: Longitude 88° 51' 10" W, Latitude 37° 28' 13" N. Bloomfield, IL., 7.5', 1966 edition, photorevised 1978.

Elevation: 430' (MSL).

Current Status: ?

Unnamed Spring #6.

Location: Johnson County: Third Principal Meridian, Township 13S, Range 2E, Section 30, NE/4, NW/4, NW/4, SW/4. U.T.M. Zone 16, ³19¹²⁰ mE 41₃5640 mN. Quadrangle: Cypress, IL., 7.5', 1966 edition.

Elevation: 370'. Current Status: ?

Unnamed Spring #103.

Location: Johnson County: Township 11S, Range 2E, Section 27, SW/4, NW/4, NE/4, SW/4. U.T.M. Zone 16, 325250 mE 4155370 mN. Quadrangle: Goreville, IL., 7.5', 1966 edition, photorevised 1978.

Elevation: 650' (MSL).

Hydrogeology: This spring has two openings at the base of a sandstone cliff. Opening number 1 begins as a seep from the base of the cliff with a depth of 1-2" and an estimated flow of 10 gpm; the second opening begins as a seep west of opening number 1 with an estimated flow of 10 gpm. The outflow from these two openings flows north, down the hillside to end in a man-made reservoir. The bottom substrate of the outflow is sand and gravel. Water temperature 12.9° C; specific conductivity 181 umHOS, pH 6.2, alkalinity 74 mg/L² CaCO₂ (Webb 15 September 1992).

Aurora Lithia Springs.

Location: Kane/Kendall County.

Reference: Palmer (909).

Current Status: ?

Montgomery Magnesia.

Location: Kane/Kendall County.

Reference: Palmer (1909).

Current Status: ?

Zonian Spring.

Location: Kane County. Reference: Palmer (1909).

Current Status: ?

Min-Ni-Yan Spring.

Location: Kendall County. Reference: Palmer (1909).

Current Status: ?

Aqua Vitae Spring.

Location: Knox County. Reference: Palmer (1909).

Deerlick Spring.

Location: Lake County. Reference: Palmer (1909).

Current Status: ?

Glenn Floral Spring.

Location: Lake County. Reference: Palmer (1909).

Current Status: ?

Purix Spring.

Location: Lake County. Reference: Palmer (1909).

Current Status: ?

Brookfield Spring.

Location: LaSalle County: Third Principal Meridian, Township 33N, Range 5E, Section 29, NW/4, NW/4, NE/4, SE/4, 800' W, 2500' N of SE corner, just a few feet south of EW road. U.T.M. Zone 16 ³60¹²⁰ m^E 4³73⁵¹⁵ m^N. Longitude 88° 40' 12" W, Latitude 41° 18' 11" N. Quadrangle: Marseilles, IL., 7.5', 1970 edition, photorevised 1980.

Elevation: 510' (MSL).

Ownership: C.E. Nicholson "Mullady Farm".

Current Status: ?

St. Joseph Mineral Springs.

Location: LaSalle County: Third Principal Meridian, Township 34N, Range 4E, Section 16, 2250' W, 1350' S of NE corner, a few feet E of Fox River.

Elevation: 500' (MSL). Reference: Meents (1967).

Current Status: ?

Sanicula Spring.

Location: LaSalle County: Third Principal Meridian.

Reference: Palmer (1909).

Current Status: ?

Stiver Springs.

Location: Lawrence County: Second Principal Meridian, Township 4N, Range 12W, Section 18, SE/4, SE/4, NW/4, SE/4. Longitude 87° 47′ 02" W, Latitude 38° 41′ 18" N. Quadrangle: Sumner (Berryville 7.5'), 15', 1913 edition.

Elevation: 500' (MSL). Reference: Meents (1975).

Current Status: ?

Mill Spring.

Location: Lee County: 4 km WNW Franklin Grove, Fourth Principal Meridian, Township 22N, Range 10E, Section 33, SW/4, NW/4, NW/4, NE/4, SE/4. U.T.M. Zone 16, ³05²²⁵ m^E 4635⁶⁷⁰ m^N. Quadrangle: Sumner (Berryville 7.5'), 15', 1913 edition.

Elevation: 709' (MSL).

Gold Spring.

Location: Logan County: SE of Union and N of Lincoln. Third Principal Meridian, Township 22N, Range 2W, Section 17, NW/4, SW/4, SE/4, SE/4. Longitude 89° 20' 32" W, Latitude 40° 16' 00" N. Quadrangle: Minier, IL., 15', 1951 edition.

Elevation: 590' (MSL). Reference: Meents (1962).

Current Status: ?

Boiling Springs.

Location: Macon County: Township 17N, Range 2E, Section 32, 2650' N, 2150" W, of SE corner (about 60'W of bridge and 10' S of road).

Elevation: 625' (MSL).

Ownership: Bayne B. Tomlison, RR 3 Decatur. Reference: Meents (1967, 1981), Palmer (1909).

Current Status: ?

Rock Spring.

Location: Macon County: Township 16N, Range 1E, Section 19, NE/4, NW/4, NW/4, SW/4. Longitude 89° 01' 38" W, Latitude 39° 49' 26" N. Quadrangle: Niantic, Ill.(SW/4=7.5'), 15', 1954 edition.

Reference: Meents (1975).

Current Status: ?

Unnamed Spring #82.

Location: Macon County: Township 16N, Range 4E, Section 31.

Reference: Meents (1973).

Current Status: ?

Unnamed Spring #84.

Location: Macon County: Township 15N, Range 3E, Section 1,

Elevation: 712' (MSL). Ownership: Robert Rowe. Reference: Meents (1981).

Current Status: ?

Diamond Mineral Springs.

Location: Madison County: Township 5N, Range 5W, Section 33, about 1000' E, 300' N of SW corner.

Elevation: 520'-530' (MSL). Reference: Meents (1969).

Current Status: Meents (1969) reported it as a Spa/Resort.

Unnamed Spring #13.

Location: Marion County: Township 3N, Range 2E, Section 15, NW/4, SE/4, NE/4, SE/4. U.T.M. Zone 16, $^{3}29^{510}$ mE $^{4}284^{8}30$ mN. Quadrangle: Salem North, IL., 7.5', 1965, 1978 editions.

Elevation: 575' (MSL).

Revis Spring.

Location: Mason County: Township 20N, Range 7W, Section 26, SW/4, NW/4, NE/4, NW/4. U.T.M. Zone 16, 256310 mE 4449550 mN. Longitude 89° 51' 41" W, Latitude 40° 09' 46" N. Quadrangle: Easton, IL., 7.5', 1971 edition.

Elevation: 530' (MSL). Reference: Meents (1975).

Current Status: ?

Mill Spring.

Location: Massac County: 6 mi NE of Brookport, Third Principal Meridian, Township 15S, Range 6E, Section 16, NW/4, SE/4, NW/4, NW/4. U.T.M. Zone 16, 361240 mE 4119990 mN. Quadrangle: Paducah NE, IL., 7.5', 1967 edition.

Hydrogeology: Diameter of spring head 2 feet; water tempterature 14.1° C; Specific conductivity 299 umHOS; dissolved oxygen 4.8 mg/L (Webb October 1, 1992).

Elevation: 380' (MSL).

Current Status: This spring flows from the edge of a tributary to Barren Creek.

Vishnu Springs.

Location: McDonough County: Fourth Principal Meridian, Township 5N, Range 4W, Section 7, 1600' W, 800' N of SE corner,.

Elevation: 600' (MSL).

Reference: Meents (1967, 1975).

Current Status: ?

Unnamed Spring #88.

Location: McLean County: Saybrook, (country club?).

Reference: Meents (1975).

Current Status: ?

Abana Mineral Springs.

Location: McHenry County: Third Principal Meridian, Township 43N, Range 9E, Section 18, SW/4, SW/4, NE/4, NE/4. U.T.M. Zone 16, 399025 mE 4673080 mN. Quadrangle: Barrington, IL., 7.5', 1960 edition, photorevised 1980.

Elevation: 740' (MSL).

References: Meents (1973, 1975), Palmer (1909).

Current Status: ?

Unnamed Spring #14.

Location: Monroe County: Camp Vanderventer, Third Principal Meridian, Township 2S, Range 10W, Section 21, SE/4, NW/4, SE/4, SE/4. U.T.M. Zone 15, 744355 mE 4247200 mN. Quadrangle: Waterloo, IL., 7.5', 1954, editionl, photorevised 1974.

Elevation: 440' (MSL). Current Status: ?

Unnamed Spring #17.

Location: Monroe County: Third Principal Meridian, Township 2S, Range 9W, Section 19, SW/4, SE/4, SE/4, NE/4. U.T.M. Zone 15, 750840 m^E 4248010 m^N. Quadrangle: Waterloo, IL., 7.5', 1954, edition, photorevised 1974.

Elevation: 650' (MSL). Ownership: Warren Ostehage.

Unnamed Spring #32.

Location: Monroe County: Third Principal Meridian, Township 3S, Range 10W, Section 19, NW/4, SW/4, SW/4, NW/4. U.T.M. Zone 15, 741675 mE 4238250 mN. Quadrangle: Waterloo, IL., 7.5', 1954, edition, photorevised 1974.

Elevation: 690' (MSL). Ownership: Floton Current Status: ?

Unnamed Spring #53 (Valley Spring?).

Location: Monroe County: Waterloo Sportsman Club. Third Principal Meridian, Township 3S, Range 9W, Section 29, NW/4, NW/4, NE/4, NE/4. U.T.M. Zone 15, 752515 mE 4237495 m^N. Quadrangle: Paderborn, IL., 7.5', 1954 edition, photorevised 1974.

Elevation: (MSL). Current Status: ?

Unnamed Spring #54 (Big Spring?).

Location: Monroe County: Third Principal Meridian, Township 4S, Range 9W, Section 27, SW/4, NW/4, SW/4, SE/4. U.T.M. Zone 15, 754035 mE 4229810 mN. Quadrangle: Ames, IL., 7.5', 1970 edition.

Elevation: 600' (MSL).

Current Status: ?

Unnamed Spring #55.

Location: Monroe County: Third Principal Meridian, Township 4S, Range 10W, Section 27, NW/4, SE/4, NW/4, NW/4. U.T.M. Zone 15, 745455 mE 4227385 mN. Quadrangle: Renault, IL., 7.5', 1970 edition.

Elevation: 560' (MSL) Ownership: Hooten. Current Status: ?

Unnamed Spring #70.

Location: Monroe County: Third Principal Meridian, Township 2S, Range 10W, Section 7, SW/4, SE/4, SW/4, NE/4. U.T.M. Zone 15, 740650 mE 4251030 mN. Quadrangle: Columbia, IL., 7.5', 1955 edition, photorevised 1974.

Elevation: 420' (MSL).

Current Status: ?

Unnamed Spring #71.

Location: Monroe County: Third Principal Meridian, Township 2S, Range 10W, Section 12, NE/4, NE/4, NW/4, SE/4. U.T.M. Zone 15, 748910 mE 4251110 mN. Quadrangle: Columbia, IL., 7.5', 1955 edition, photorevised 1974.

Elevation: 630' (MSL).

Current Status: ?

Unnamed Spring #72.

Location: Monroe County: Third Principal Meridian, Township 31S, Range 10W, Section 31, NE/4, SE/4, NE/4, NW/4. U.T.M. Zone 15, 740350 mE 4254800 mN. Longitude 90° 14′ 50″ W, Latitude 38° 24′ 40″ N. Quadrangle: Columbia, IL., 7.5′, 1955 edition, photorevised 1974.

Elevation: 450' (MSL). Ownership: Terry. Current Status: ? Duncan Spring.

Location: Morgan County: Third Principal Meridian, Township 16N, Range 11W, Section 27, SE/4, SW/4, NW/4, NW/4. U.T.M. Zone 15 728³⁴⁰ m^E 44 10²⁷⁰ m^N. Quadrangle: Concord, IL., 7.5', 1983 edition.

Elevation: 522' (MSL).

Current Status: ?

Unnamed Spring #67.

Location: Ogle County: Fourth Principal Meridian, Township 40N, Range 1E, Section 8, SW/4, NW/4, NE/4, NE/4. U.T.M. Zone 16 ³22⁹⁵⁵ m^E ⁴⁶47⁴⁰⁰ m^N. Quadrangle: Chana, IL., 7.5', 1975 edition.

Elevation: 820' (MSL).

Current Status: ?

Unamed Spring #76.

Location: Ogle County: Fourth Principal Meridian, Township 22N, Range 10E, Section 12, NW/4, NW/4, SE/4, SW/4, 1800' E, 1000' N of SW corner. U.T.M. Zone 16, ³09⁴⁶⁰ mE 4641⁶³⁰ mN. Ouadrangle: Daysville, IL., 7.5', 1983 edition.

Elevation: 775' (MSL).

Ownership: Bernard DeDecker.

Reference: Meents (1968).

Current Status: ?

Unamed Spring #104.

Location: Ogle County: Fourth Principal Meridian, Township 23N, Range 10E, Section 1, NW/4. U.T.M. Zone 16. Quadrangle: Oregon, IL., 7.5', provisional edition 1983.

Current Status: ?

Unamed Spring #105.

Location: Ogle County: Fourth Principal Meridian, Township 24N, Range 10E, Section 11/12. U.T.M. Zone 16. Quadrangle: Oregon, IL., 7.5', provisional edition 1983. Current Status: ?

Unamed Spring #106.

Location: Ogle County: Fourth Principal Meridian, Township 23N, Range 9E, Section 9. U.T.M. Zone 16. Quadrangle: Grand Detour, IL., 7.5', provisional edition 1983. Current Status:?

Unnamed Spring #77.

Location: Piatt County: Third Principal Meridian, Township 18N, Range 5E, Section 15,1800' N, 2100' E of SW corner (725' S of road). Quadrangle: Monticello, 15'.

Discharge: 2 1/4 gpm.

Ownership: James E. Carney, RR Monticello, IL. 61856 (217-762-2795).

Reference: Meents (1979).

Current Status: ?

Unnamed Spring #86.

Location: Piatt County: Deland. Reference: Meents (1975)

Unnamed Spring #107.

Location: Platt County: Third Principal Meridian, Township 18N, Range 5E, Section 28,

NW/4, NE/4. Quadrangle: Cerro Gordo, IL., 7.5', 1983 edition.

Hydrogeology: This is a perched contact spring with two openings emerging from a hillside.

Current Status: ?

Anderson Spring.

Location: Pike County: 4.0 km North of Valley City, Fourth Principal Meridian, Township 15N, Range 2W, Section 5, SW/4, SW/4, NE/4, SW/4. U.T.M. Zone 15, 700⁴⁶⁵ mE 4401⁴⁵⁰ m^N. Quadrangle: Griggsville, IL., 7.5', 1980 edition.

Elevation: 450' (MSL).

Current Status: ?

Jennings Spring.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 6W, Section 31, NW/4, NW/4, NW/4, NW/4. U.T.M. Zone 15, 664260 mE 4392535 mN. Longitude 91° 05′ 06″ W, Latitude 39° 40′ 07″ N. Quadrangle: Barry, IL., 7.5′, 1978 edition.

Elevation: 610' (MSL).

Current Status: ?

Perry Spring.

Location: Pike County: Fourth Principal Meridian, Township 3S, Range 3W, Section 24, 100' E, 20' S of NW corner.

Elevation: 480' (MSL).

Reference: Meents (1975, 1967), Palmer (1909).

Current Status: ?

Weber Spring.

Location: Pike County: Fourth Principal Meridian, Township 4S, Range 6W, Section 23, NE/4, NW/4, SE/4, NW/4. U.T.M Zone 15, 666²²⁵ mE 4396⁹⁹⁰ mN. Longitude 91° 03' 38" W, Latitude 39° 42' 31" N. Quadrangle: Barry, IL., 7.5', 1978 edition.

Elevation: 590' (MSL).

Current Status: ?

Winegar Spring.

Location: Pike County: 2.7 km North of Valley City, Fourth Principal Meridian, Township 15N, Range 2W, Section 8, NE/4, NE/4, NE/4, SW/4. U.T.M. Zone 15, 700870 mE 4400145 mN. Quadrangle: Griggsville, IL., 7.5', 1980 edition.

Elevation: 460' (MSL).

Current Status: ?

Unnamed Spring #22.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 3W, Section 31, NW/4, NW/4, NW/4, NE/4. U.T.M. Zone 15, 690²⁴⁰ mE 4364⁸⁰⁰ mN. Quadrange: Pleasant Hill East, IL., 7.5', 1978 edition

Elevation: 600' (MSL).

Unnamed Spring #23.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 3W, Section 20, NW/4, NE/4, SE/4, SE/4. U.T.M. Zone 15, 692450 mE 4366865 mN. Quadrangle: Pleasant Hill East, IL., 7.5', 1978 edition.

Elevation: 560' (MSL).

Current Status: ?

Unnamed Spring #24.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range, 4W, Section 4, NW/4, NE/4, NW/4, SE/4. U.T.M. Zone 15, 683710 mE 4371990 mN. Quadrangle: Pleasant Hill East, IL., 7.5', 1978 edition.

Elevation: 600' (MSL).

Current Status:

Unnamed Spring #29.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 3W, Section 23, SW/4, SW/4, SW/4, SW/4. U.T.M. Zone 15, 695880 mE 4366510 mN. Quadrangle: Pearl West, IL., 7.5', 1980 edition.

Elevation: 600' (MSL).

Current Status: ?

Unnamed Spring #30.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 2W, Section 8, SE/4, NW/4, SE/4, NW/4. U.T.M. Zone 15, 701310 mE 4370855 mN. Quadrangle: Pearl West, IL., 7.5', 1980 edition.

Elevation: 500' (MSL).

Current Status: ?

Unnamed Spring #31 (Dunton Springs?).

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 3W, Section 1, NW/4, NW/4, NE/4, NE/4. U.T.M. Zone 15, 698700 mE 4373055 mN. Quadrangle: Pearl West, IL., 7.5', 1980 edition.

Elevation: 580' (MSL).

Current Status: ?

Unnamed Spring #33.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 2W, Section 15, SE/4, SE/4, SE/4, SW/4. U.T.M. Zone 15, 704580 mE 4368165 mN. Quadrangle: Pearl East, IL., 7.5', 1980 edition.

Elevation: 460' (MSL).

Current Status: ?

Unnamed Spring #34.

Location: Pike County: Fourth Principal Meridian, Township 7S, Range 2W, Section 15, SE/4, NW/4, NE/4, NW/4. U.T.M. Zone 15, 704385 mE 4369620 mN. Quadrangle: Pearl East, IL., 7.5', 1980 edition.

Elevation: 460' (MSL).

Unnamed Spring #37.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 2W, Section 23, SW/4, NE/4, NW/4, NW/4. U.T.M. Zone 15, 705⁴⁹⁵ m^E 4387⁸⁹⁰ m^N. Quadrangle: Bedford, IL., 7.5', 1980 edition.

Elevation: 430' (MSL).

Current Status: ?

Unnamed Spring #38.

Location: Pike County: Fourth Principal Meridian, Township 6S, Range 4W, Section 21, NE/4, NW/4, NE/4, NW/4. U.T.M. Zone 15, 683090 mE 4377610 mN. Quadrangle: Pittsfield, IL., 7.5', 1981 edition.

Elevation: 630' (MSL).

Current Status: ?

Unnamed Spring #39.

Location: Pike County: Fourth Principal Meridian, Township 6S, Range 4W, Section 33, SW/4, NE/4, SE/4, NW/4. U.T.M. Zone 15, 683230 m^E 4374⁴¹⁵ m^N. Quadrangle: Pittsfield, IL., 7.5', 1981 edition.

Elevation: 540' (MSL).

Current Status: ?

Unnamed Spring #40.

Location: Pike County: Fourth Principal Meridian, Township 6S, Range 4W, Section 33, SW/4, NW/4, SE/4, NW/4. U.T.M. Zone 15, 683035 mE 4374430 mN. Quadrangle: Pittsfield, IL., 7.5', 1981 edition.

Elevation: 520' (MSL).

Current Status: ?

Unnamed Spring #41.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 5W, Section 36, NE/4, SW/4, NE/4, NW/4. U.T.M. Zone 15, 677840 mE 4384250 mN. Quadrangle: Sumner Hill, IL., 7.5', 1981 edition.

Elevation: 660' (MSL).

Current Status: ?

Unnamed Spring #42.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 5W, Section 35, SW/4, SE/4, NW/4, SE/4. U.T.M. Zone 15, 676800 mE 4383285 mN. Quadrangle: Sumner Hill, IL., 7.5', 1981 zone.

Elevation: 620' (MSL).

Current Status: ?

Unnamed Spring #43.

Location: Pike County: Fourth Principal Meridian, Township 6S, Range 5W, Section 4, NE/4, SE/4, NE/4,SE/4. U.T.M. Zone 15, 674000 mE 4381720 mN. Quadrangle: Sumner Hill, IL., 7.5', 1981 edition.

Elevation: 610' (MS).

Unnamed Spring #44.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 5W, Section 30, NE/4, SW/4, NE/4, SE/4. U.T.M. Zone 15, 670⁵⁴⁰ m^E 4384⁹¹⁵ m^N. Quadrangle: Rockport, Ill.-Mo., 7.5', 1978 edition.

Elevation: 600' (MSL).

Current Status: ?

Unnamed Spring #45.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 6W, Section 25, NE/4, NW/4, NW/4, SE/4. U.T.M. Zone 15, 668510 mE 4385100 mN. Quadrangle: Rockport, Ill.-Mo., 7.5', 1978 edition.

Elevation: 600' (MSL).

Current Status: ?

Unnamed Spring #46.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 6W, Section 25, SW/4, NW/4, NW/4, NW/4. U.T.M. Zone 15, ⁶⁶⁷⁵⁵⁵ mE ⁴³⁸⁵⁸¹⁰ mN. Quadrangle: Rockport, Ill.-Mo., 7.5', 1978 edition.

Elevation: 600' (MSL).

Current Status: ?

Unnamed Spring #47.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 6W, Section 26, SW/4, NW/4, NW/4, SE/4. U.T.M. Zone 15, 666⁷¹⁵ mE 4385⁰¹⁰ mN. Quadrangle: Rockport, Ill.-Mo., 7.5', 1978 edition.

Elevation: 540' (MSL).

Current Status: ?

Unnamed Spring #48.

Location: Pike County: Fourth Principal Meridian, Township 5S, Range 5W, Section 20, SW/4, SW/4, SE/4, SW/4. U.T.M. Zone 15, 671240 mE 4386010 mN. Quadrangle: Rockport, Ill.-Mo., 7.5', 1978 edition.

Elevation: 610' (MSL).

Current Status: ?

Unnamed Spring #78.

Location: Pike County: Fourth Principal Meridian, Township 6S, Range 3W, Section 24, SE/4, SW/4, NW/4, SE/4, 1600' N, 1800' W of SE corner. U.T.M. Zone 15, 698²⁸⁵ mE 4376⁸³⁰ mN. Quadrangle: Milton, IL., 7.5', 1981 edition.

Elevation: 555' (MSL).

Hydrogeology: Discharge 20 gpm, water temperatury 54.50 F.

Ownership: Harvey Hack, Milton, IL. 62352.

Reference: Meents (1970, 1981)

Current Status: ?

Bell Smith Springs.

Location: Pope County: Third Principal Meridian, Township 11S, Range 5E, Section 33, 800' W, 2800' S of NE corner.

Discharge: 1-2gpm.

Reference: Meents (1968).

Current Status: This spring flow from beneath a sandstone cliff into Bay Creek.

Caley Spring.

Location: Pope County: 3 mi NW of Hamletsburg, Third Principal Meridian, Township 15S, Range 7E, Section 29, SW/4, NW/4, SW/4, SW/4. U.T.M. Zone 16, $^{3}69^{385}$ mE $^{41}15^{195}$ mN. Longitude 88° 28′ 16″ W, Latitude 37° 10′ 33″ N. Quadrangle: Smithland, Ky.-IL., 7.5′, 1967 edition.

Elevation: 370' (MSL).

Hydrogeology: The spring opening has a diameter of 3 feet, 1-2 inches deep, with a clay and silt substrate; a four foot high wall of sandstone rocks surrounds three-fourths of the spring opening; water temperature 16.2° C, specific conductivity 218 umHOS, dissolved oxygen 4.7 mg/L. The outflow is 6 inches wide and 1-2 inches deep, and runs some 50 feet east into a tributary of Alcorn Creek; discharge less than 5 gpm (Webb, 1 October 1992). Meets (1971) measured the discharge at 1 gpm.

Flora: Ferns, moss, and liverworts grow on the sandstone walls of the spring head as well as moss in the spring head itself; along the margin of the outflow japanese honeysuckle and multiflora rose are abundant, with scattered plants of *Impatiens biflora* and *Liriondendron tulipifera* saplings

(Webb, 1 October 1992). Reference: Meents (1971)

Current Status: This is a perennial spring which is still active.

Cave Spring.

Location: Pope County: 2 mi NW of Bay City, Third Principal Meridian, Township 14S, Range 6E, Section 27 (550' N, 500' W of SE corner).

Reference: Meents (1971).

Current Status: ?

Claridy Spring.

Location: Pope County: Third Principal Meridian, Township 12S, Range 5E, Section 3, SE/4, NW/4, NE/4, NE/4, SE/4. U. T. M. Zone 16, 355180 mE 4151820 mN. Quadrangle: Stonefort, IL., 7.5', 1961 edition.

Hydrogeology: The single spring head is 3 feet wide and 1 inch deep, flowing from beneath a sandstone cliff; discharge greater than 10 gpm, water temperature 13.3° C, specific conductivity 79, pH 6.2, alkalinity 75 mg/L² CaCO₂. The outflow initially forms a broad wet area and then flows about 100 feet north as a 1 foot channel, 1-2 inches deep before flowing into a tributary of Spring Branch of Bay Creek (Webb 16 September 1992).

Elevation: 580' (MSL).

Flora: No plants were present in the spring head; the margin of the outflow were dominated by *Impatiens biflora* and grass, with scattered christmas ferns. Sycamores and *Liriodendron tulipifera* were the dominant trees with a few scattered ashes (Webb 16 September 1992).

Reference: Hopkins (1969).

Current Status: This is an active perennial acid spring with a moderate discharge.

Cretaceous Hills Seep Spring 1.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section 15, NE/4, SE/4, SW/4, NW/4. U.T.M. Zone 16, 363100 mE 4119350 mN. Quadrangle: Paducah NE, IL., 7.5', 1967 edition.

Elevation: 430' (MSL). Reference: West (1980). Ownership: private/public.

Cretaceous Hills Seep Spring 2.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section 15, SE/4, NE/4, SW/4, NW/4. U.T.M. Zone 16, $^{3}63^{110}$ mE $^{41}19^{390}$ mN. Quadrangle: Paducah NE, IL., 7.5', 1967 edition.

Elevation: 440' (MSL). Reference: West (1980). Ownership: private/public.

Current Status: ?

Cretaceous Hills Seep Spring 3.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section 15, NW/4, NE/4, SE/4, NW/4. U.T.M. Zone 16, 363370 mE 4119500 mN. Quadrangle: Paducah NE, IL., 7.5', 1967 edition.

Elevation: 380' (MSL). Reference: West (1980). Ownership: private/public.

Current Status: ?

Cretaceous Hills Seep Spring 4.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, SE/4, NE/4, SE/4, NW/4. U.T.M. Zone 16, ³63⁴³⁰ m^E ⁴¹19³⁹⁰ m^N. Quadrangle: Paducah NE, IL., 7.5', 1967 edition.

Elevation: 380' (MSL).. Reference: West (1980). Ownership: private/public.

Current Status: ?

Cretaceous Hills Seep Spring 5.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, NE/4, SE/4, SE/4, NW/4. U.T.M. Zone 16, $^{3}63^{470}$ mE $^{41}19^{350}$ mN. Quadrangle: Paducah NE, IL.,7.5', 1967 edition.

Elevation: 390' (MSL). Reference: West 1980 Ownership: private/public

Current Status: ?

Cretaceous Hills Seep Spring 6.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, NW/4, SW/4, NW/4, NE/4. U.T.M. Zone 16, 363620 mE 4119730 mN. Quadrangle: Paducah NE, IL.,7.5', 1967 edition.

Elevation: 400' (MSL). Reference: West 1980 Ownership: private/public

Current Status: ?

Cretaceous Hills Seep Spring 7.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, SE/4, NE/4, SE/4U.T.M. Zone 16, $^{3}64^{300}$ mE $^{41}19^{050}$ mN. Quadrangle: Paducah NE, IL.,7.5', 1967 edition.

Elevation: 450' (MSL). Reference: West (1980) Ownership: private/public

Cretaceous Hills Seep Spring 8.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, NW/4, SE/4, NW/4, NW/4. U.T.M. Zone 16, $^{3}62^{965}$ mE $^{41}19^{760}$ mN. Quadrangle: Paducah NE, IL.,7.5', 1967 edition.

Elevation: 460' (MSL). Reference: West (1980) Ownership: private/public

Current Status: ?

Cretaceous Hills Seep Spring 9.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section, 15, SW/4, NE/4, NW/4, NW/4. U.T.M. Zone 16, 362960 mE 4119810 mN. Quadrangle: Paducah NE, IL.,7.5', 1967 edition.

Elevation: 460' MSL). Reference: West (1980) Ownership: private/public

Current Status: ?

Dixon Springs.

Location: Pope County: Third Principal Meridian.

Reference: Palmer (1909)

Current Status: ?

Klondike Spring.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section 22, U.T.M. Zone 16. Quadrangle: Paducah NE, IL., 7.5', 1967 editon.

Reference: West (1980). Ownership: Public.

Current Status: This spring is actually a seep in the lowland area north of Dean Cemetary. No discernable flow was evident from this seep into the nearby dry creek bed. (Webb 1 October 1992).

Massac Tower Springs.

Location: Pope County: Third Principal Meridian, Township 15S, Range 6E, Section 24. U.T.M. Zone 16. Quadrangle: Smithland, Ky.-IL., 7.5', 1967 edition.

Ownership: Private/public. Reference: West (1980) Current Status: ?

Snow Springs.

Location: Pope County: Third Principal Meridian, Township 15S, Range 7E, Section 30, SE/4, SE/4, SE/4, NW/4. U.T.M. Zone 16, $^{3}68^{470}$ m^E $^{41}15^{850}$ m^N. Quadrangle: Smithland, Ky.-IL., 7.5', 1967 edition.

Elevation: 420' (MSL). Ownership: private/public. Reference: West (1980).

Big Spring.

Location: Pulaski County: West of Wetaug, Third Principal Meridian, Township 14S, Range 1W, Section 1, SW/4, NE/4, NW/4, SW/4, (2100' N, 700' E of SW corner). U.T.M. Zone 16, 307480 mE 4132965 mN. Quadrangle: Dongola, IL., 7.5', 1966 edition, photorevised 1978

Elevation: 380' (MSL). Spring diameter: 4'. Discharge: 4-6 gpm.

Reference: Eddy (1931), Meents (1971, 1981), Worthen (1966, 1975).

Ownership: Scott Kesler, Dongola, IL. 62926 (618-845-3666)

Current Status: ?

Unnamed Spring #4.

Location: Pulaski County: Third Principal Meridian, Township 14S, Range 1E, Section 22, NW/4, SE/4, NW/4, NW/4. U.T.M. Zone 16, 314140 mE 4128005 mN. Quadrangle: Cypress, IL., 7.5', 1966 edition.

Elevation: 330' (MSL).

Current Status: ?

Unnamed Spring #5.

Location: Pulaski County: Third Principal Meridian, Township 4S, Range 1E, Section 22, SW/4, NW/4, NW/4, NW/4. U.T.M. Zone 16, 313930 mE 4128155 mN. Quadrangle: Cypress, IL., 7.5', 1966 edition.

Elevation: 330'.(MSL).

Current Status: ?

Unnamed spring #89.

Location: Pulaski County: 20.7 mi West on U.S. Route 51 (at Spencer Heights), Third Principal Meridian, Township 16S, Range 1W, Section 10, SW/4, Se/4, SW/4. Quadrangle: Pulaski, IL., 7.5'.

Current Status: ?

Tivoli Spring.

Location: Randolph County. Reference: Palmer (1909).

Current Status: ?

Unnamed Spring #8.

Location: Randolph County: Third Principal Meridian, Township 5S, Range 8E, Section 17, NW/4, NE/4, SE/4, SE/4. U.T.M. Zone 15, 753²⁶⁹ mE 42₂₀660 mN. Quadrangle: Prairie Du Rocher, Ill.-Mo., 7.5', 1970 edition.

Elevation: 395' (MSL).

Current Status: ?

Unnamed Spring #79.

Location: Randolph County: Third Principal Meridian, Township 8S, Range 5W, Section 5. U.T.M. Zone 15, 264520 mE 4192520 mN. Quadrangle: Rockwood, Ill.-Mo., 7.5', 1968 edition.

Hydrogeology: This spring flows from a 3 inch PVC pipe coming out of a gentle hillside; a 3.5' X 3' concrete housing is situated 8' above this outlet on the hillside, south of the spring, no pool or seep is evident in the housing; water temperature 14.2° C, specific conductivity 428 umHOS, dissolved oxygen 4.8 mg/L. The outflow is a 3-4' wide ditch running 150' north to a culvert under the county road; discharge from the culvert was 5 gpm (measure with 2 gallon

bucket); substrate clay over sandstone rock; the outflow proceeds through an open pasture to form

a small creek running west into the Mississippi River (Webb 30 September 1992).

Flora: The dominant flora along the margin of the outflow was *Impatiens biflora*, with scattered multiflora rose and grasses. Hackberry was the dominant tree in the area (Webb 30 September 1992).

Reference: Meents 1970

Current Status: This is an acitive perennnial spring with only a small flow.

Black Hawk.

Location: Rock Island County. Reference: Palmer (1909).

Current Status: ?

Illinois City Artesian Well.

Location: Rock Island County. Reference: Palmer (1909).

Current Status: ?

Renna Wells.

Location: Rock Island County. Reference: Palmer (1909).

Current Status: ?

Falling Spring 1.

Location: Saint. Clair County: Third Principal Meridian, Township 1N, Range 10W, Section 15, SE/4, SE/4, SE/4, SE/4. U.T.M. Zone 15, 745515 mE 4268130 mN. Quadrangle: Cahokia, Ill.-Mo., 7.5', 1954 edition, photorevised 1974.

Elevation: 450' (MSL). Current Status: ?

Falling Spring 2.

Location: Saint. Clair County: Third Principal Meridian, Township 1N, Range 10W1, Section 5, SE/4, SE/4, SE/4, SE/4. U.T.M. Zone 15, 745530 mE 4268160 mN. Quadrangle: Cahokia, Ill,-Mo., 7.5', 1954 edition, photorevised 1974.

Elevation: 460' (MSL).

Current Status: ?

Unnamed Spring #15.

Location: Saint. Clair County: Third Principal Meridian, Township 1N, Range 9W, Section 19. U.T.M. Zone 15, 749580 mE 4266630 mN. Quadrangle: Cahokia, Ill.-Mo., 7.5', 1954 edition, photorevised 1974.

Elevation: 460' (MSL).

Current Status: ?

Ross Mineral Springs.

Location: Saline County. Reference: Palmer (1909).

Unnamed Spring #36.

Location: Sangamon County: Third Principal Meridian, Township 14N, Range 7W, Section 14, NE/4, SW/4, SW/4, NW/4. U.T.M. Zone 16, 255440 mE 4393980 mN. Quadrangle: Loami, IL., 7.5', 1981 edition.

Elevation: 595' (MSL).

Current Status: ?

Unnamed Spring #59 (Schuyler County Spring?).

Location: Schuyler County: Fourth Principal Meridian, Township 2N, Range 4W, Section 26, SE/4, SW/4, NE/4, NE/4. U.T.M. Zone 15, 685990 mE 4444365 mN. Quadrangle: Camden, IL., 7.5', 1981 edition.

Elevation: 550' (MSL). Reference: Palmer 1909

Current Status: ?

Lithia Spring.

Location: Shelby County: Third Principal Meridian, Township 11N, Range 4E, Section 2, NW/4, NE/4, SE/4, NE/4. U.T.M. Zone 16, $^352^{180}$ mE 4365625 mN. Quadrangle: Middlesworth, IL., 7.5', 1981 edition.

Elevation: 660' (MSL). Reference: Meents 1975

Current Status: This spring is currently capped. It is covered by a 30' X 15' concrete cistern with a 6" PVC outflow pipe which discharges 125' south into Lithia Springs Creek; discharge at end of pipe 2 gpm (Webb 31 August 1992.

Unnamed Spring #35.

Location: Shelby County: Third Principal Meridian, Township 10N, Range 4E, Section 13, SW/4, SE/4, SW/4, SW/4. U.T.M. Zone 16, $^352^{535}$ mE $^4351^{570}$ mN. Quadrangle: Stewardson West, IL., 7.5', 1981 edition.

Elevation: 595' (MSL). Current Status: ?

Unnamed Spring #83.

Location: Shelby County: Third Principal Meridian, Township 13N, Range 3E, Section 19.

Ownership: Ward Gregory. Reference: Meents (1981).

Current Status: ?

Unnamed Spring #68.

Location: Stephenson County: Fourth Principal Meridian, Township 29N, Range 7E, Section 21, SW/4, NW/4, SE/4, SW/4. U.T.M. Zone 16, 277555 mE 4707610 mN. Quadrangle: Orangeville, IL., 7.5', 1971 edition.

Elevation: 890' (MSL). Current Status: ?

Cave Spring Cave.

Location: Union County: Third Principal Meridian, Township 311S, Range 3W, Section 11, NE/4, SE/4, SW/4, NW/4. U.T.M. Zone 6288560 mE 4163240 mN. Quadrangle: Wolf Lake, Ill.-Mo., 7.5', 1947 edition, photorevised 1978.

Elevation: 540' (MSL).

Reference: West (1980), Bretz and Harris (1966), Hopkins (1969)

Ownership: private/public.

Elm Spring.

Location: Union County: 0.85 mi (1.4 km) ESE LaRue, Third Principal Meridian, Township 311S, Range 3W, Section 21, NE/4, SW/4, SE/4, SE/4. U.T.M. Zone 16, 284575 mE 4157600 m^N. Quadrangle: Wolf Lake, Ill.-Mo., 7.5', 1947 edition, photorevised 1978.

Elevation: 355' (MSL). Ownership: private/public.

Reference: West (1980), Jenio (1980), Hopkins (1969).

Current Status: ?

La Rue Spring.

Location: Union County: Third Principal Meridian, Township 11S, Range 3W, Section 9,

La Rue spring is a large spring flowing from the base of the limestone bluff into La Rue swamp at Pine Hills.

Hydrogeology: fine mud atop limestone and chert gravel substrate; average temperature 130 C; pH range 6.8-7.0; rate of flow 3.8 cm/sec.; width 400 cm; depth 10-28 cm; volume of flow 72,960 cm³/sec. Outflow length 22.5 m.

Flora: A dominant spring community (Hopkins 1969) of Nasturtium officinalis and Lemna minor (duckweed); with water starwort (Callitriche heterophylla) and water moss (Fissidens fontana) with green alga (Rhizoclonium crassipellatus) entangled among stems of the moss.

The outflow margin supports a dominant community (Hopkins 1969) of: Leersia oryzoides and Impatiens biflora; with mild water pepper (Polygonum hydropiiperoides), eastern manna grass (Glyceria septentrionalis), lizard tail, cat-tail, common arrow-head (Sagittaria latifolia), sedge (Carex comosa), swamp-dock (Rumex verticillatus), and floating foxtail-grass (Alopecurus aequalis). By late summer and fall dodder (Cuscuta compacta) has profliferated among the marginal vegetation.

The bryophyte community (Hopkins 1969) consists of Hygroamblystegium irriguum,

Taxiphyllum taxirameum, and Mnium cuspidatus.

Reference: Hopkins (1969).

Current Status: This spring is still flowing steadily (Webb 1992).

Little Spring.

Location: Union County: Third Principal Meridian, Township 11S, Range 2W, Section 15, SW/4, SW/4.

Hydrogeology: (Hopkin 1969) limestone substrate; average temperature 130 C; pH range 7.0-7.2; rate of flow 4.4 cm/sec.; width 33 cm; depth 2-30 cm; v olume of flow 4356 cm³/sec. Outflow length 27m.

Flora: (Hopkins 1969) there is no aquatic vegetation at the orifice of the spring. Above the spring is a clay-covered limestone rocks above the orifice with a dominant community of Fissidens taxifolius, Atrichum undulatum and Anthocerous laevis along with the leafy liverwort Lophocolea bidentata. The outflow channel contains a dominant flora of Glyceria striata and Uniola latifolia (sea oats) along with panic grass (Panicum anceps, P. boscii, P. polyanthes, P. xalapenbse, P. yadkinense), moneywort (Lysimachia nummularia), alumroot (Heuchera hirsuticaulis), chervil (Chaaerophyllum ainturieri) and Christmas fern (Polystichum acrostichoides). along the banks.

Reference: Hopkins (1969).

McCann Spring.

Location: Union County: Third Principal Meridian, Township 11S, Range 3W, Section 41, E/2 W/2 SE/4.

Hydrogeology: Limestone chert substrate; average temperature 13° C; pH range 7.1; rate of flow 1.6 cm/sec.; width of opening 95 cm.; depth 3 cm; volume of flow 456 cm³/sec. Length of outflow 0.3 km.

Flora: There is a dominant Saururus cernuus (lizard tail)/Ludwigia palustris var. americana (false loosestrife)/Carex lacustris community in the shallow, gravelly part of the spring where the water is less than 3 cm deep over an area about 4 m wide. Also occurring along the outflow are: Porella pinnata (leafy liverwort); Nasturtium officinalis (water cress); Fraxinus pennsylvanica var. subintegerrima (green ash); sedges (Carex lurida, C. amphibola, C. frankii, C. vulpinoides), brookweed (? parviflorus); cut-grass (Leersia oryzoides), sweet-scented bedstraw (Galium triflorum); butter-weed (Senecio glabellus), beefsteak plant (Perilla frutescens), spotted touch-menot (Impatiens biflora); false nettle (Boehmeria cylindrica); monkey flower (Mimulus alatus); mistflower (Eupatorium coelestinum); and leaf-cup (Polymnia canadensis).

The bryophyte community consists of: Hygroamblystegium irriguulm and Eurynchium

riparioides.

The tree and shrub community consists of: bur oak (Quercus macrocarpa); spicebush (Lindera benzoin); sugar maple (Acer saccharum), and green brier (Smilax rotundifolia).

Reference: Hopkins (1969).

Current Status: ?

McGee Hill Spring:

Listed in text of this report.

Roaring Spring.

Location: Union County: Third Principal Meridian, Township 13S, Range 1W, Section 20, SE/4, SW/4, NE/4, NE/4. Hopkin (1969) T13S, R2W, Sec. 22, SW/4. U.T.M. Zone 16, 302^{280} mE $^{41}38^{710}$ mN. Longitude 89° 13' 59" W, Latitude 37° 22' 34" N. Quadrangle: Anna, IL., 7.5', 1966 edition, photorevised 1978.

This spring emerges 200 meters down the valley from Cricket Cave (Bretz and Harris, 1961)

and flows into the tributary of Mill Creek.

Elevation: 440' (MSL).

Hydrogeology: Hopkin (1969) limestone substrate; average temperature 13° C; pH range 7.0-7.2; rate of flow 37.7 cm/sec.; width 200 cm; depth 15 cm; volume of flow 113,100 cm³/sec.

Flora: The spring community (Hopkin 1969) is dominated by Batrachospermum sp. and

Vaucheria geminata along with Oscillatoria.

The bryophyte community (Hopkin 1969) is dominated by Anomodon attenuatus, Hygroamblystegium irriguum and Concoephalum concium in addition to Taxiphyllum taxirameum, Thuidium delicatulum, Mnium marginatum, and Atrichum undulatum, and Callitriche deflex.

The flora (Hopkin 1969) along the bank is dominated by Impatiens biflora and Leersia virginica along with Juncus tenuis, fowl manna grass, annual blue grass (Poa annua), late aboneset (Eupatorium serotinum), tall goldenrod (Solidago altissima), brookweed, curly dock (Rumex crispus), fleabane (Erigeron philadelphicus), wild hydrangea (Hydrangea arborescens), common plantain (Plantago rugelii), irownweed (Vernonia altissima), cleavers (Galium aparine), and whit vervain (Verbena urticifolia). Crevices of limestone rocks offer a niche for a few plants of a brittle fern (Cystopteris fragilis var. protrusa) and walking fern (Asplenium rhizophyllum). Horse nettle (Solanum carolinianum) is abundant at the bridge with white vervain, Japanes honeysuckle (Lonicera japonica) and common elder (Sambucus canadensis).

Reference: Hopkins (1969), Meents (1968).

Saratoga Spring.

Location: Union County: Third Principal Meridian, Saratoga.

Reference: Palmer (1909).

Current Status: Capped with hand pump. Water still used occasionally for local consumption. (Webb, 1992).

Unnamed Spring #80 (Clear Creek Spring?).

Location: Union County: Third Principal Meridian, Township 11S, Range 2W, Section 22, SW/4, SW/4, SE/4, NW/4, 2500' S, 140' E of NW corner. U.T.M. Zone 16, ²⁹⁴⁹⁴⁰ mE ⁴¹⁵⁷⁹⁴⁵ mN. Quadrangle: Cobden, IL., 7.5', 1947 edition, photorevised 1978.

Elevation: 415' (MSL).

Ownership: Bruce Jones, Kay Roma Ranch, Alto Pass, IL. 62905 (618-893-4197).

Reference: Meents (1970, 1971, 1981), Hopkins 1969?

Current Status: ?

Unnamed Spring #91.

Location: Union County: in Pirtle Hollow, Third Principal Meridian, Township 11S, Range 2W, Section 5, 700' E of SW corner.

Current Status: ?

Unnamed Spring #108.

Location: Union County: 2 km NE Lick Creek. Third Principal Meridian, Township 11S, Range 1E, Section 25, SE/4, SE/4, SE/4, SE/4, NW/4. U.T.M. Zone 16, 18660 mE 4155560 m^N. Quadrangle: Lick Creek, IL., 7.5', 1966 edition.

Elevation: 430' (MSL).

Hydrogeology: This spring is situated at the base of a sandstone hillside with a single circular spring head with a diameter of 5' and a depth of 10'", with a bottom substrate of sand and sandstone rocks and an estimated flow of approximately 10 gpm. The outflow channel is 2.5' wide, about 2 inches deep, and flowing south about one quarter mile towards Lick Creek, before reentering the soil with a bottom substrated of sand and gravel. Water temperature 12.9° C, specific conductivity 1467 umHOS, pH 7.9, alkalinity 215 mg/L² CaCO₂. (Webb 15 September 1992).

Fauna: amphipods, chironomids, and Gerris remigis.

Flora: The vegetation along the outflow margin is sparse, with no dominant plant. The tree flora consists of sugar maple, ash, white oak, walnut, ironwood, and sycamore.

Unnamed Spring #9.

Location: Wayne County: Third Principal Meridian, Township 2S, Range 8E, Section 4, NE/4, NE/4, NE/4, SW/4. U.T.M. Zone 16, 384310 mE 4248400 mN. Quadrangle: Fairfield, IL., 7.5', 1971 edition.

Elevation: 430' (MSL).

Current Status: ?

Unnamed Spring #10.

Location: Wayne County: Third Principal Meridian, Township 1N, Range 9E, Section 17, SW/4, NE/4, SW/4, SE/4. U.T.M. Zone 16, 393010 mE 4263250 mN. Quadrangle: Mount Erie, IL., 7.5', 1971 edition.

Elevation: 475' (MSL).

Unnamed Spring #11.

Location: Wayne County: Third Principal Meridian, Township 1N, Range 9E, Section 17, SW/4, NE/4, SW/4, SE/4. U.T.M. Zone 16 ³93⁰³⁵ m^E ⁴²63²⁵⁰ m^N. Quadrangle: Mount Erie, IL., 7.5', 1971 edition.

Elevation: 465' (MSL).

Current Status: ?

Unnamed Spring #12.

Location: Wayne County: Third Principal Meridian, Township 1N, Range 9E, Section 17, NE/4, NE/4, SW/4, SE/4. U.T.M. Zone 16, 393050 mE 4263310 mN. Quadrangle: Mount Erie, IL., 7.5', 1971 edition.

Elevation: 475' (MSL).

Current Status: ?

Mineral Springs.

Location: Whiteside County: Fourth Principal Meridian, Township 20N, Range 3E, Section 24, SE/4, NE/4, NW/4, NW/4. U.T.M. Zone 15, 740700 mE 4621730 mN. Longitude 90° 06′ 25″ W, Latitude 41° 42′ 47″ N. Quadrangle: Erie, IL., 7.5′, 1982 edition.

Elevation: 620' (MSL).

Current Status: ?

Unnamed Spring #81.

Location: Whiteside County: Fourth Principal Meridian, Township 22N, Range 4E, Section 1, 400' N, 700' W of SW corner. U.T.M. Zone 16. Quadrangle: Clinton NW, IL., 7.5'

Elevation: 670' (MSL). Spring diameter: 3'. Number of springs: 2.

Ownership: Clara Smit, 505 Ninth Ave. Fulton, IL. 61252 (815-589-6145).

Reference: Meents (1970).

Current Status: ?

Creal Springs.

Location: Williamson County: Third Principal Meridian. Creal Spring.

Reference: Meents (1975), Palmer (1909).

Current Status: Capped with hand pump (Webb 16 September 1992).

Unnamed Spring #69.

Location: Winnebago County: Fourth Principal Meridian, Township 28N, Range 11E, Section 35, SE/4, NW/4, SE/4, NE/4. U.T.M. Zone 16, 319880 mE 4694860 mN. Quadrangle: Shirland, Ill.-Wis., 7.5', 1971 edition.

Elevation: 750' (MSL).