

Ailanthus webworm

Atteva aurea

Kingdom: Animalia
Phylum: Arthropoda
Class: Insecta
Order: Lepidoptera
Family: Attevidae

ILLINOIS STATUS

common, nonnative

FEATURES

This moth is about one-half inch in length and has long, narrow wings. The forewings are orange and have four bands of black that contain yellow spots. Larvae have a green-brown stripe on the back and alternating bands of white and olive-green stripes along the sides.

BEHAVIORS

Ailanthus webworm larvae feed on the nonnative tree-of-heaven (*Ailanthus altissima*) and the leaves of other woody plants and shrubs. This moth species has been able to increase its range in the United States as the tree-of-heaven, a native of China, has spread. It is believed the moth was originally native to southern Florida and other tropical areas of North America. The adult moth is a pollinator and feeds on flower nectar. It is active during the day. Larva pull two or more leaves together on their host plant and surround them with a web, then eat the leaves and any bark available. The entire life cycle can occur in four weeks, and many generations may be produced in a single summer. Larvae are active from about May through October.

ILLINOIS RANGE



© Illinois Department of Natural Resources. 2020. *Biodiversity of Illinois*.

Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



adult



adult



adult

Aquatic Habitats

bottomland forests

Woodland Habitats

bottomland forests, upland deciduous forests

Prairie and Edge Habitats

edge