

# canvasback

## *Aythya valisineria*

Kingdom: Animalia  
Phylum: Chordata  
Class: Aves  
Order: Anseriformes  
Family: Anatidae

**ILLINOIS STATUS**  
common, native

### FEATURES

The canvasback is a diving duck that averages 20 to 24 inches in length (tail tip to bill tip in preserved specimen). Its sloping profile is an obvious character that can aid in identification. The male has white back feathers, rust-red head and neck feathers and black chest feathers. The female is more dull gray overall but with the same general shading pattern as the male. Three of the toes are webbed to help with swimming. The bill is flattened and has a toothlike fringe on its edge to help strain food from the water.

### BEHAVIORS

The canvasback is a common migrant, uncommon winter resident and rare summer resident in Illinois. This duck is found throughout Illinois but is most numerous along the Mississippi River. It may be seen on large rivers, lakes, ponds, marshes and sewage lagoons. The male produces a low, croaking sound while the female makes a “quack.” Spring migrants may begin arriving in Illinois from the south as early as January. Fall migration begins in October. The canvasback will winter in Illinois if open water and food are available. Canvasback flocks fly in a “v” or in a straight line. This duck eats aquatic plants, midge larvae and mayfly larvae.



adult male

### ILLINOIS RANGE





adult female



adult male

## **Aquatic Habitats**

bottomland forests; lakes, ponds and reservoirs; Lake Michigan; marshes; peatlands; rivers and streams; swamps

## **Woodland Habitats**

bottomland forests; southern Illinois lowlands

## **Prairie and Edge Habitats**

none