

eastern tailed blue

Cupido comyntas

Kingdom: Animalia
Phylum: Arthropoda
Class: Insecta
Order: Lepidoptera
Family: Lycaenidae

ILLINOIS STATUS

common, native

FEATURES

The eastern tailed blue has a wingspan of less than one inch. The hindwing has a white-tipped tail. The upperside of the male's wings is iridescent blue with a black border and white edging. There is an orange crescent above the tail. The spring generation females are dark brown on the upperside with blue scales on the inner half of the wing. The upperside of the summer generation female's wings is dark brown. The hindwing of all females has an orange crescent above each tail. The underside of the wings of both sexes is gray-white with black spots, and two, black spots near the tail each have an orange crescent.

BEHAVIORS

The eastern tailed blue lives statewide in open fields, pastures, yards and forest openings. It flies close to the ground. The larvae eat legumes. The adults eat flower nectar. Adults are often seen on the ground where damp soil is present. Adults are active from April through October. The species overwinters in the larval stage.

ILLINOIS RANGE



© Mary Kay Rubey



female

© Mary Kay Rubey



male



mating pair

Aquatic Habitats

bottomland forests

Woodland Habitats

bottomland forests; coniferous forests; upland deciduous forests

Prairie and Edge Habitats

black soil prairie; dolomite prairie; edge; gravel prairie; hill prairie; sand prairie; shrub prairie