## rough greensnake

### Opheodrys aestivus

Kingdom: Animalia Phylum: Chordata

Class: Reptilia Order: Squamata Family: Colubridae

#### **ILLINOIS STATUS**

common, native

#### **FEATURES**

The rough greensnake averages 22 to 32 inches in length. It is very slender with a green back and a white, yellow or pale-green belly. The scales are keeled (ridged). After the snake dies, the body color changes to a dull blue. The mouth cavity is purple.

#### **BEHAVIORS**

The rough greensnake may be found in the southern one-half of Illinois. It lives in vegetation around water, particularly forest edges. The rough greensnake is semiaquatic, entering water as well as living on land. It is excellent at climbing, often foraging and resting in shrubs and trees. This snake is active during the day. Mating occurs in spring. The female deposits from four to six eggs under a rock, in leaf litter, in a brush pile or in a rotten stump during June or July. Eggs hatch in August or September. This snake eats insects and spiders.

### **ILLINOIS RANGE**



© Illinois Department of Natural Resources. 2020. *Biodiversity of Illinois*. Unless otherwise noted, photos and images © Illinois Department of Natural Resources.





© Scott Ballard

## **Aquatic Habitats**

lakes, ponds and reservoirs; rivers and streams

### **Woodland Habitats**

none

# **Prairie and Edge Habitats**

edge