

# **ruby-throated hummingbird**

*Archilochus colubris*

Kingdom: Animalia  
Phylum: Chordata  
Class: Aves  
Order: Apodiformes  
Family: Trochilidae

## **ILLINOIS STATUS**

common, native

## **FEATURES**

The ruby-throated hummingbird is the smallest bird in eastern North America. It averages three to three and three-quarter inches in length. The male has a red-feathered throat, green-feathered back and a forked tail. The female shows no red and has a blunt tail that is edged with white.

## **BEHAVIORS**

The ruby-throated hummingbird is a common migrant and summer resident statewide. It winters from southern Texas to Central America. Spring migrants begin arriving in Illinois in mid-April. Nesting takes place from May through July. The nest is a cup that is saddled on a limb from 10 to 20 feet above the ground. It is made of plant materials and attached to the limb with spider silk. The nest is lined with plant materials and covered on the outside with lichens. The female builds the nest in about five days. Two white eggs are laid. The female alone incubates for the 14- to 16-day incubation period. Two broods may be raised per year. Fall migrants begin moving through Illinois by August. This bird lives in woodlands, wood edges, weedy areas and gardens. It spends a great deal of time perched on dead branches. The ruby-throated hummingbird is very aggressive, fighting its own species for space and attacking other birds that enter its territory. The male can make a high-pitched note but more often the sound you hear from a hummingbird is made by the wings moving rapidly. This bird eats flower nectar and is particularly attracted to columbine and trumpet vine.

## **ILLINOIS RANGE**





adult male and female at feeder





nest

### **Aquatic Habitats**

bottomland forests

### **Woodland Habitats**

bottomland forests; coniferous forests; southern Illinois lowlands;  
upland deciduous forests

### **Prairie and Edge Habitats**

edge