

silver-haired bat

Lasionycteris noctivagans

FEATURES

The silver-haired bat has black hair with silver or white at the tip. There is some hair on the tail. The short ears each have a blunt tragus.

BEHAVIORS

The silver-haired bat may be found statewide in Illinois. In the summer, it lives in wooded areas close to water, resting under tree bark or in holes in trees. It hibernates in mines in southern Illinois in the winter. The silver-haired bat eats insects. It flies low and slow and feeds from near the ground to treetop level. The silver-haired bat hangs by itself instead of in colonies during hibernation. In spring the females leave the wintering site before the other bats of this species. The gestation period is 50 to 60 days. Two young are born per female in late June or early July. The young bats can fly by late July.

TAXONOMY

Kingdom: Animalia

Phylum: Chordata

Class: Mammalia

Order: Chiroptera

Family: Vespertilionidae

ILLINOIS STATUS

common, native

ILLINOIS RANGE



Migrating



Summer



Winter



© Michael Durham



© Michael Durham

© Illinois Department of Natural Resources. 2024. *Biodiversity of Illinois*.
Unless otherwise noted, photos and images © Illinois Department of Natural Resources.



Aquatic Habitats

bottomland forests; swamps

Woodland Habitats

bottomland forests; southern Illinois lowlands

Prairie and Edge Habitats

edge