

# winter tick

## *Dermacentor albipictus*

### FEATURES

Ticks have four pairs of legs (total of eight legs) in their adult form. The larval form of a tick has six legs. Winter ticks are about one-fourth inch in length, unfed. Females may be as long as three-fourths inch after feeding. The adult female has red-brown coloration with a white spot on the back, directly behind the head. The adult male is a dark brown color with a white crosshatch pattern on the back.

### BEHAVIORS

Winter ticks may be found in large numbers on white-tailed deer (*Odocoileus virginianus*). They also feed on other large mammals like cows and horses. This species attaches to the host as a larva and remains attached throughout its life. Although capable of carrying diseases of large, wild mammals, it is not known to transmit diseases to humans. Local health departments and the Illinois Department of Public Health (217-782-2016 or <http://dph.illinois.gov/>) can provide more information about ticks and the diseases that they can carry.

### TAXONOMY

Kingdom: Animalia  
Phylum: Arthropoda  
Class: Arachnida  
Order: Ixodida  
Family: Ixodidae

### ILLINOIS STATUS

common, native

### ILLINOIS RANGE



female



© Maine Medical Center Research Institute

male



## **Aquatic Habitats**

bottomland forests; marshes; peatlands; swamps; wet prairies and fens

## **Woodland Habitats**

bottomland forests; coniferous forests; southern Illinois lowlands;  
upland deciduous forests

## **Prairie and Edge Habitats**

black soil prairie; dolomite prairie; edge; gravel prairie; hill prairie; sand prairie; shrub prairie