



**Illinois  
Department of  
Natural Resources  
Division of Natural Heritage**

8916 Wilmot Road Spring Grove, IL 60081 (815) 675-2386 FAX (815) 675-0103 *RECEIVED  
MAR 14 2005  
FEDERAL AID*

**MEMO**

Date: March 8, 2005

To: Kathy Barker  
IDNR - ORC operations  
One Natural Resources Way  
Springfield, IL 62702-1271

From: Debra Nelson  
IDNR Natural Heritage Biologist  
8916 Wilmot Road  
Spring Grove, IL 60081

Phone: (815) 675-2386 x 321  
Fax: (815) 675-0103  
e-mail: dnelson@dnrmail.state.il.us

Subject: Wildlife Preservation Fund Grant 04-L34W - Volo Bog SNA

I have enclosed the signed request for reimbursement for threatened and endangered plant species survey work at Volo Bog State Natural Area completed by Margo Milde as contracted. This packet also contains maps, hard copies of all data and reports, and a floppy disk containing all data and reports in MS Word and excel format as received from Ms. Milde.

Hard copies of the data, maps and reports are on file here in my office at Chain O'Lakes. They have also been sent to the Natural Heritage Database manager, Tara Kieninger. The spreadsheets containing the element occurrence data has also been provided to the database staff (Jeanie Barnes), electronically via e-mail. I will also provide one copy of the entire packet to be held at the site by the site interpreter, Stacy Iwanicki.

Ms. Milde did some exceptional work in areas of the park that are very difficult to access and navigate due to thick vegetation, unstable floating mat, and poison sumac. She spent many more hours than anticipated and found, mapped and GPS'ed many populations of state listed species that had not been verified for over 10 years. One species not previously documented in the data base (*Utricularia intermedia*), was also found at the site during her surveys.

Please let me know if there is anything else needed to process the request for reimbursement.

THANKS!

**Volo Bog 2003 – Days in the field – Margo Milde**

Feb 15 (approx) – winter bog walk with Deb Nelson  
June 29 – boardwalk  
July 4 – boardwalk  
Aug 28 – Volo Pond and boardwalk, including kayak  
Aug 29 – Pistakee Bog sedge meadow  
Sept 10 – Brandenburg Bog and S Sedge meadow  
Sept 27 – Brandenburg Bog E and nearby old field/brush edge  
Sept 29 - Pistakee Bog NW corner, including “2<sup>nd</sup> sedge meadow” south of stables  
Oct 1 – Pistakee Bog – walk from Bat Barn to Visitor Center through bog center  
Oct 4 – Volo Bog, berm N of Visitor Center and nearby areas of Tamarack View trail  
Oct 22 – Brandenburg Bog, SE portion  
Oct 24 – N Brandenburg Bog, shrub/carr and ruderal areas to N (access from residential street)  
Oct 29 – Pond and nearby areas in Mgmt unit 13 (across road from visitor center)  
Nov 1 – Mesic woods on slope S of Brandenburg Lake, old field in Mgmt unit #10  
Nov 29 – Inventoried recently cleared area SW of Pistakee Bog (N Wilson tract)  
Nov 30 – Woods S of bat barn; old field, pine plantation, and degraded woods in units # 26 and 27  
Dec 27 – N Wilson tract, S edge of Pistakee Bog (give info to Deb for management work)  
Dec 28 – Tamarack View Trail – esp. brush edges next to moat and long plastic boardwalk

**Volo Bog 2004 – Days in the field – Margo Milde**

Feb 12 – Tamarack View Trail, general  
Feb 13 – Winter Tamarack Zone/Low Shrub Zone survey, Volo Bog  
Feb 14 – Survey marsh, shrub-carr S of Volo Bog  
Feb 16 – Winter Tamarack Zone/Low Shrub Zone survey, Volo Bog  
Feb 17 – Winter outer marsh survey, Volo Bog  
Feb 18 – Winter survey – shrub/carr and marsh SW of Volo Bog, incl. Oak Island  
Feb 19 – Winter survey of “dead tamaracks” area N of Volo Bog  
Apr 22 – Tamarack View Trail, emphasis on spring ephemerals  
Apr 23 – Woods on slope S and SW of Brandenburg Bog  
Apr 26 – Wilson Tract, including recently cleared area  
May 10 – Sedge meadow SE of Bat Barn and shrub/carr (Pistakee Bog)  
May 24 – Volo Bog boardwalk  
May 26 – Volo Tamarack View trail and neighboring woodlands, meadows  
May 28 – Deerpath Trail (S of Brandenburg Bog) and nearby woods, fields, brush  
May 29 – Marshes S, SE, and E of Brandenburg Bog  
June 2 – Volo Bog pond survey by kayak  
June 3 – Kayak “Bird Blind and berm” marsh  
June 4 – S central portion, Brandenburg Bog  
June 5 – Marsh edge and meadows NE of Volo Bog  
June 7 – Woods S of Bat Barn, and native prairie in N Wilson Tract  
June 9 – S and SE Brandenburg Bog

June 29 – N Wilson Tract, Sedge meadow, mesic prairie, wet prairie  
July 3 – Volo “biodiversity day, looked at boardwalk plus ruderal areas near Visitor Center for their list!  
July 18 – NW and W portion of Pistakee Bog; mesic and wet prairie – Wilson tract; old field NW of Wilson Tract  
July 28 – Kayak Brandenburg Lake with Deb Nelson to visit mat (NW corner) and boggy inlet (SW corner)  
Sept 11 – Volo Bog boardwalk and Tamarack View Trail (emphasis on long plastic boardwalk on Tamarack View trail for future management activities)

**ADDITIONAL:**

Separate project funded with Region 2 contractual funds:  
Transects through Sedge Meadow SE of Bat Barn (July 10) and NE of Long Plastic Boardwalk towards Volo Bog (July 11 2004); additional information used in inventory.

**FINAL REPORT  
VOLO BOG STATE NATURAL AREA**

**Grant Title:**

"Endangered and threatened plant species at Pistakee Bog and Volo Bog Nature Preserves: location, field verification, and GPS"  
Wildlife Preservation Fund, FY04 Large Project Proposal

**Completed By:**

Margo R. Milde  
1206 Raleigh Road  
Glenview, IL 60025  
Phone (847) 724-4716  
Email: mrm1206@yahoo.com

**Cost:** \$3,200

**Dates of Project:** July 1 2003 – December 31, 2004

**IDNR Contact:** Debra Nelson, Natural Heritage Biologist, District 8

**SUMMARY of FINDINGS:**

**Species List:**

A comprehensive species list was completed for the entire site (see attached spreadsheet, "Volo Species List – VOLO BOG STATE NATURAL AREA"). Information pertaining to population size and locations (for the more uncommon species) was included for each element. Only species observed by me at this site during the period of time covered by this project were included in this list (this list is *not* a compilation of previous lists.) 493 species were found during the project period, of which 378 are native species, and 115 are non-natives. Shorter lists are included separately for species established in the site's prairie restorations, and for introduced plantings.

**Illinois Listed Plant Species (Endangered and Threatened):**

I found a total of 21 listed plant species on this site during the project period as follows:

**Endangered:**

<i>Betula alleghaniensis</i>	Yellow Birch
<i>Calla palustris</i>	Water Arum
<i>Calopogon tuberosus</i>	Grass Pink Orchid
<i>Carex canescens</i> var. <i>disjuncta</i>	Silvery Sedge
<i>Carex chordorrhiza</i>	Cordroot Sedge
<i>Carex disperma</i>	Shortleaf Sedge
<i>Carex trisperma</i>	Three-seeded Sedge
<i>Cypripedium parviflorum</i> var. <i>makasin</i>	Small Yellow Lady's Slipper
<i>Cypripedium reginae</i>	Showy Lady's Slipper

<i>Eriophorum virginicum</i>	Rusty Cotton Grass
<i>Pogonia ophioglossoides</i>	Snake-mouth
<i>Sarracenia purpurea</i>	Pitcher Plant
<i>Schoenoplectus smithii</i>	Smith's Bulrush
<i>Trientalis borealis</i>	Star-flower
<i>Vaccinium corymbosum</i>	Highbush Blueberry
<i>Vaccinium oxycoccus</i>	Small Cranberry

**Threatened:**

<i>Chamaedaphne calyculata</i>	Leatherleaf
<i>Epilobium strictum</i>	Downy Willow Herb
<i>Larix laricina</i>	Tamarack
<i>Menyanthes trifoliata</i>	Buckbean
<i>Utricularia intermedia</i>	Flat-leaved Bladderwort

Listing and nomenclature for these species is that used by the Illinois Endangered Species Protection Board in their 2004 update. I developed a spreadsheet for each listed species, detailing each occurrence of that species, along with the date found, population estimate, GPS coordinates, habitat, associates, and threats or other observations. These are attached to this correspondence and will be submitted to the Natural Heritage Database in Springfield. GIS mapping was done separately by District Natural Heritage Biologist Deb Nelson and will also be submitted to the Natural Heritage Database in Springfield.

**Days in the field:**

I spent 18 partial (at least 4 hours) or full days in the field at this site in 2003, and 26 partial or full days in 2004 in the field. (See attached listing, "List of Partial or Full Days in the Field at Volo Bog State Natural Area".) This well exceeds the minimum number of visits required as stated in the project description.

**Conclusion:**

Although Volo Bog State Natural Area faces threats on many fronts in the upcoming decade, many of its listed and otherwise uncommon plant species still remain. Additionally, it appears that many of the plant communities are still relatively intact and worthy of future protection and attention.

Should you have any questions, please do not hesitate to contact me.

Sincerely yours,

Margo R Milde  
1206 Raleigh Road  
Glenview, IL 60025  
Phone (847) 724-4716  
Email: mrm1206@yahoo.com

## Volo Species List

**VOLO BOG SNA** Including Volo Bog State Nature Preserve and Pistakee Bog State Nature Preserve  
**Lake and McHenry Counties, Illinois**

Comprehensive Site Inventory Dates: 2003 - 2004 By: Margo Nide for WPPF Grant 04-L34W

SPECIES NAME	FAMILY	COMMON NAME	COEFFICIENT OF CONSERVATION	POPULATION SIZE [EST.]	HABITATS
<i>Acalypha rhomboidea</i>	Euphorbiaceae	Three-seeded mercury	0	Inrequent	Moist woods edge
<i>Acer negundo</i>	Aceraceae	Box elder	0	Common	Various, mostly ruderal
<i>Acer rubrum</i>	Aceraceae	Red maple	7	Inrequent	Tamarack Zone - all three bogs. Low woods edge and floating mat - B. Lake
<i>Acer saccharinum</i>	Aceraceae	Silver maple	0	Common	Moist edges
<i>Acer saccharum</i>	Aceraceae	Sugar maple	3	Common	Mesic woodland
<i>Achillea millefolium</i>	Compositae	Common yarrow, milfoil	-	Occasional	Various, mostly ruderal
<i>Achillea millefolium</i>	Compositae	Water hemp	0	Inrequent	Ruderal wetlands
<i>Agalinis purpurea</i> var. <i>paniflora</i>	Scrophulariaceae	Purple false foxglove	7	Inrequent	Floating mat - Volo Bog and Brandenburg Lake
<i>Agromyza glyposepala</i>	Rosaceae	Tall agromyza	2	Inrequent	Disturbed woodlands, woods edges
<i>Agropyron repens</i>	Gramineae	Quack grass	-	Occasional	Old field, ruderal
<i>Agrostis alba</i> var. <i>palustris</i>	Gramineae	Creeping bent	10	Inrequent	Abundant
<i>Agrostis hyemata</i>	Gramineae	Tickle grass	1	Inrequent	B and P bogs
<i>Alliaria officinale</i>	Alysiaceae	Common water plantain	4	Common	Floating mat - Volo Bog
<i>Alliaria officinale</i>	Alysiaceae	Late-flowered water plantain	4	Common	Bogs, marshes, sedge meadows
<i>Alliaria officinale</i>	Cruciferae	Giant mustard	-	Abundant	Bogs, marshes, sedge meadows
<i>Allium caninum</i>	Liliaceae	Nodding wild onion	7	Occasional	Mesic woodland edges
<i>Amaranthus powelli</i>	Amaranthaceae	Tall amaranth	-	Occasional	Prairie, woodland edges
<i>Ambrosia artemisiifolia</i> var. <i>elatior</i>	Compositae	Common ragweed	0	Abundant	Old field, ruderal
<i>Ambrosia trifida</i>	Compositae	Giant ragweed	0	Common	Various, mostly ruderal
<i>Amphibolips bracteata</i>	Leguminosae	Upland hog peanut	4	Occasional	Ruderal wetlands
<i>Amphibolips bracteata</i> var. <i>com</i>	Leguminosae	Lowland hog peanut	5	Inrequent	Mesic woodland edges
<i>Andropogon gerardii</i>	Gramineae	Big bluestem grass	5	Inrequent	Mesic prairie
<i>Anemone quinquefolia</i>	Ranunculaceae	Wood anemone	7	Inrequent	Old field, woodland
<i>Anemone virginiana</i>	Ranunculaceae	Thimbleweed	5	Occasional	Mesic woodland
<i>Anemone thalictroides</i>	Ranunculaceae	Ranunculus	7	Inrequent	Mesic sloping woods near bogs
<i>Antennaria atripurpurea</i>	Compositae	Great angelica	7	Occasional	Sedge meadows, shrub-carr
<i>Antennaria plantaginifolia</i>	Compositae	Pussy toes	3	Inrequent	Old field S of Bat Barn, moist meadow W of barn
<i>Apocynum cannabinum</i>	Apocynaceae	Indian hemp	4	Inrequent	Old field edge
<i>Apocynum cannabinum</i>	Apocynaceae	Prairie Indian hemp, dogbane	2	Occasional	Old field, ruderal
<i>Arabis levigata</i>	Cruciferae	Smooth bank cress	5	Inrequent	Mesic woodland edge
<i>Aralia nudicaulis</i>	Araliaceae	Wild sarsaparilla	8	Inrequent	Moist woods on slope near bogs, bogs
<i>Arisaema triphyllum</i>	Araceae	Jack-in-the-pulpit	4	Inrequent	Woods on slope S of Brandenburg Lake
<i>Artemisia pumila</i>	Rosaceae	Chokeberry	6	Occasional	Bogs - Tamarack and Tall Shrub Zones
<i>Asclepias incarnata</i>	Asclepiadaceae	Swamp milkweed	4	Occasional	Mashes, sedge meadows
<i>Asclepias syriaca</i>	Asclepiadaceae	Common milkweed	0	Common	Old field, ruderal, native prairie
<i>Asclepias verticillata</i>	Asclepiadaceae	Whorled milkweed	1	Occasional	Dry old field
<i>Asparagus officinalis</i>	Liliaceae	Asparagus	-	Inrequent	Old field, dry old field
<i>Aster aureus</i>	Compositae	Sky-blue aster	8	Inrequent	Native mesic prairie
<i>Aster borealis</i>	Compositae	Rush aster, Northern bog aster	10	Inrequent	Bog (Low Shrub Zone, Tamarack Zones), Tamarack Zone - P Bog
<i>Aster bellidifolius</i>	Compositae	Side-flowering aster	4	Inrequent	Mesic woodlands bordering on marshes
<i>Aster novae-angliae</i>	Compositae	New England aster	4	Occasional	Mashes, sedge meadows
<i>Aster pilosus</i>	Compositae	Hairy aster	0	Abundant	Old field, ruderal
<i>Aster puniceus</i>	Compositae	Bristly aster	8	Common	Mashes, sedge meadows, bogs
<i>Aster puniceus</i> var. <i>fimus</i>	Compositae	Slender aster	7	Occasional	Mashes, sedge meadows, bogs
<i>Aster sagittifolius</i> var. <i>dummondii</i>	Compositae	Drummond's aster	2	Inrequent	Mesic woodland
<i>Aster simplex</i>	Compositae	Marsh aster, panicled aster	3	Occasional	Moist edges
<i>Athyrium filix-femina</i> var. <i>michauxii</i>	Polypodiaceae	Lady fern	8	Rare	Woods on slope S of Brandenburg Lake
<i>Barberis vulgaris</i>	Rubiaceae	Winter cress, yellow rocket	-	Common	Old field, ruderal
<i>Berberis thunbergii</i>	Rubiaceae	Japanese barberry	-	Occasional	Disturbed woodland
<i>Betula alleghaniensis</i>	Betulaceae	Yellow birch	10	Inrequent	Tall Shrub Zone
<i>Betula pumila</i>	Betulaceae	Dwarf birch, bog birch	10	Occasional	Bog (Low Shrub and Tamarack Zones), shrub-carr
<i>Bidens cernua</i>	Compositae	Nodding bur marigold	5	Occasional	Bog (Mat, Low Shrub Zones)
<i>Bidens comosa</i>	Compositae	Swamp tickseed	5	Occasional	Bog (Mat, Low Shrub Zones), marsh, sedge meadow

## Volo Species List

<i>Bidens connata</i>	Compositae	Purple-stemmed tickseed	5	Occasional	Bog (Mat, Low Shrub Zones), marsh, sedge meadow	2, 4, 6, 15
<i>Bidens coronata</i>	Compositae	Tall swamp marigold	9	Infrequent	Marsh	4, 15
<i>Bidens frondosa</i>	Compositae	Common beggar's ticks	1	Common	Ruderal wetlands	throughout
<i>Bogonema cylindrica</i>	Urticaceae	False nettle	2	Common	Mashes, sedge meadows, moist woods edges	throughout
<i>Bottropia virginianum</i>	Ophiopogonaceae	Rattlesnake fern	6	Infrequent	Sloping moist woods near the bogs	4, 15
<i>Brasenia schreberi</i>	Nymphaeaceae	Water shield	10	Infrequent	Wet pond center	15
<i>Brassica kaber</i>	Cleisticerae	Charlock	0	Occasional	Old field, ruderal	throughout
<i>Bromus ciliatus</i>	Gramineae	Fringed brom	10	Infrequent	Mashes, sedge meadows	2, 4, 6, 15
<i>Bromus Inermis</i>	Gramineae	Hungarian brom	-	Common	Old field, ruderal	throughout
<i>Bromus Japonicus</i>	Gramineae	Japanese chess	-	Infrequent	Old field, ruderal	throughout
<i>Calamagrostis canadensis</i>	Gramineae	Blue joint grass	3	Abundant	Marsh, sedge meadows, shrub-carr	2, 3, 4, 6, 15
<i>Calla palustris</i>	Araceae	Water arum	10	Infrequent	Tall shrub Zone and Tamarack Zone - Volo Bog	15
<i>Calopanax tuberosus</i>	Orientalaceae	Grass pink orchid	10	Rare	Floating mat - Volo pond center	15
<i>Calitha palustris</i>	Ranunculaceae	Marsh marigold	5	Common	Marsh areas, moist woods edges	2, 4, 15
<i>Campanula aparinoides</i>	Cannabaceae	Marsil bellflower	8	Occasional	Mashes, sedge meadows, Low Shrub and Mat zones - Volo	2, 4, 15
<i>Capsella bursa-pastoris</i>	Cleisticerae	Shepherd's purse	-	Occasional	Ruderal	15
<i>Cardamine bulbosa</i>	Cleisticerae	Bulbous cress	6	Occasional	Mashes, sedge meadows, bogs (Tall Shrub and Tamarack Zones)	2, 4
<i>Cardamine pensylvanica</i>	Cleisticerae	Pennsylvanian bitter cress	4	Occasional	Marsh old fields, moist woods edges	4
<i>Carduus nutans</i>	Compositae	Nodding thistle	-	Common	Old field, ruderal	throughout
<i>Carex aquatilis</i> var. <i>altiflor</i>	Cyperaceae	Long-bracted tufted sedge	5	Infrequent	Sedge meadows S and E of B Bog	4
<i>Carex atrichodes</i>	Cyperaceae	Hairy-leaved lake sedge	5	Infrequent	Sedge meadow	6 (North Wilson tract)
<i>Carex belli</i>	Cyperaceae	Bobb's oval sedge	6	Occasional	Mashes, sedge meadows	2, 4, 6, 15
<i>Carex bicolor</i>	Cyperaceae	Copper-shouldered oval sedge	10	Infrequent	Native mesic prairie	6 (North Wilson tract)
<i>Carex blanda</i>	Cyperaceae	Common wood sedge	1	Occasional	Mesic woodlands, woods edge	1, 9, 12, 16, 20
<i>Carex conocephala</i>	Cyperaceae	Gray bog sedge	10	Occasional	Bog (Volo only) - Tall Shrub, Tamarack, and Low Shrub Zones	15 (bog)
<i>Carex oophyllophora</i>	Cyperaceae	Short-headed bracted sedge	3	Infrequent	Mesic woodland	9, 12, 16, 20
<i>Carex chordorrhiza</i>	Cyperaceae	Condor sedge	10	Rare	Low Shrub Zone - Volo Bog only	15 (bog)
<i>Carex comosa</i>	Cyperaceae	Bristly sedge	5	Common	Marsh, sedge meadows, shrub-carr	2, 5, 15
<i>Carex cristatella</i>	Cyperaceae	Crested oval sedge	4	Common	Marsh, sedge meadows, moist fields	2, 4, 6, 8, 13, 15
<i>Carex distans</i>	Cyperaceae	Two-seeded sedge	10	Infrequent	Tamarack Zones - bog	2, 4, 15 - bogs
<i>Carex glauana</i>	Cyperaceae	Pale sedge	4	Occasional	Moist old field, mesic prairie, moist woods edges	2, 4, 6, 8, 15
<i>Carex hystericina</i>	Cyperaceae	Potcupine sedge	5	Occasional	Marsh, sedge meadow, shrub-carr	2, 4, 15
<i>Carex interior</i>	Cyperaceae	Prairie star sedge	10	Infrequent	Tall Shrub and tamarack zones B and P bogs; Low Shrub Zone - Volo	2, 4, 15
<i>Carex lacustris</i>	Cyperaceae	Common lake sedge	6	Occasional	Marsh, sedge meadow, shrub-carr	2, 4, 15
<i>Carex lasiocarpa</i> var. <i>americana</i>	Cyperaceae	Narrow-leaved woolly sedge	10	Infrequent	Tamarack and Low Shrub Zones - bogs, sedge meadows	2, 4, 15
<i>Carex leptalea</i>	Cyperaceae	Slender sedge	10	Occasional	Tall Shrub, Tamarack, and Low Shrub Zones - bogs	2, 4, 15
<i>Carex normalis</i>	Cyperaceae	Spreading oval sedge	5	Infrequent	Woods edges	9, 12, 16, 20
<i>Carex pellita</i>	Cyperaceae	Broad-leaved woolly sedge	4	Occasional	Mashes, sedge meadows, moist old fields	2, 4, 6, 9, 13, 15
<i>Carex pensylvanica</i>	Cyperaceae	Common oak sedge	5	Occasional	Mesic woods, woods edges	9, 11, 12, 16, 20
<i>Carex radicans</i>	Cyperaceae	Straight-styled wood sedge	6	Infrequent	Mesic woodland	12, 16, 20
<i>Carex rosea</i>	Cyperaceae	Curly-styled wood sedge	4	Infrequent	Mesic woodland	12, 16, 20
<i>Carex stans</i>	Cyperaceae	Running marsh sedge	6	Occasional	Sedge meadows, wet prairie	6 (North Wilson tract)
<i>Carex scopa</i>	Cyperaceae	Lance-fruited oval sedge	7	Rare	Floating mat - Volo Bog	15
<i>Carex strigosa</i>	Cyperaceae	Loose-heated bracted sedge	3	Infrequent	Mesic woods N of Volo Bog	12, 15
<i>Carex sterilis</i>	Cyperaceae	Fen star sedge	10	Rare	Floating Mat - Volo Bog	15
<i>Carex stipata</i>	Cyperaceae	Common fox sedge	3	Common	All wetlands, including bogs	throughout
<i>Carex stricta</i>	Cyperaceae	Common tufted sedge	5	Occasional	Mashes, sedge meadows	2, 4, 6, 15
<i>Carex trisperma</i>	Cyperaceae	Three-seeded bog sedge	10	Infrequent	Tall Shrub, Tamarack, and Low Shrub Zones - bogs	2, 4, 15
<i>Carex vulpinoidea</i>	Cyperaceae	Brown fox sedge	2	Occasional	Disturbed moist areas, roadside ditches	throughout
<i>Carya ovata</i>	Juglandaceae	Juglans hickory	5	Occasional	Mesic and dry woods	1, 4, 9, 12, 16, 20
<i>Catalpa speciosa</i>	Bignoniaceae	Hardy catalpa	-	Infrequent	Woods edges	4, 7
<i>Celastrus orbiculatus</i>	Celastraceae	Oriental bittersweet	-	Common	Woods and woods edges	throughout
<i>Celtis occidentalis</i>	Ulmaceae	Hackberry	3	Occasional	Moist woods edges	2, 4, 15
<i>Ceratostigma villosum</i>	Caryophyllaceae	Mouse-eared chickweed	-	Occasional	Ruderal areas, dry pastures	1, 2 (Bog Barn), 10
<i>Ceratopteris demersum</i>	Ceratopteridaceae	Coontail, hornwort	5	Occasional	Marsh moat around Volo Bog	15
<i>Chamaedaphne calyculata</i>	Ericaceae	Leatherleaf	10	Occasional	Low Shrub Zone - Volo Bog only	15
<i>Chelone glabra</i>	Scrophulariaceae	Turtlehead	8	Infrequent	Marshes, sedge meadows, shrub-carr	2, 4
<i>Chenopodium album</i>	Chenopodiaceae	Chenopodium	-	Occasional	Ruderal areas, dry old fields	1, 2 (Bog Barn), 15
<i>Cichorium intybus</i>	Compositae	Chicory	-	Common	Ruderal	throughout

## Volo Species List

<i>Circuta bulbifera</i>	Umbelliferae	Bulblet-bearing water hemlock	8	Occasional	Mashes, sedge meadows	2, 4, 15
<i>Circuta maculata</i>	Umbelliferae	Spotted water hemlock	6	Occasional	Sedge meadows, wet prairie, moist old field	2, 4, 6, 7, 8, 15
<i>Cimia arundinacea</i>	Gramineae	Common wood reed grass	5	Occasional	Mesic woodlands, woods edge	4, 9, 15, 16
<i>Circaea lutetiana</i> var. <i>canadensis</i>	Oncgraceae	Enchanter's nightshade	1	Common	Disturbed woodland and woods edges	throughout
<i>Cirsium arvense</i>	Compositae	Field thistle, Canada thistle	-	Common	Ruderal areas, dry old fields	throughout
<i>Cirsium muticum</i>	Compositae	Swamp thistle	10	Occasional	Mashes, sedge meadows, shrub-carr	2, 4, 6, 15
<i>Cirsium vulgare</i>	Compositae	Bull thistle	-	Occasional	Ruderal, dry old fields	throughout
<i>Comandra umbellata</i>	Santalaceae	Bastard toadflax	7	Infrequent	Native mesic prairie	6 (North Wilson tract)
<i>Convallaria majalis</i>	Liliaceae	European lily-of-the-valley	-	Occasional	Disturbed woodland (W of P Bog), P and B Bogs	1, 2, 4, 6
<i>Convolvulus arvensis</i>	Convolvulaceae	Field bindweed	-	Common	Ruderal areas, dry old fields	throughout
<i>Convolvulus sepium</i>	Convolvulaceae	Hedge bindweed	1	Common	Disturbed moist areas, marsh edges, sedge meadows	2, 4, 6, 15
<i>Corinus obliqua</i>	Cornaceae	Blue-fruited dogwood	6	Common	Shrub-carr, marsh edges, and Tall Shrub Zone in bogs	2, 4, 6, 15
<i>Corinus racemosa</i>	Cornaceae	Gray dogwood	1	Common	Disturbed woodland and woods edges	throughout
<i>Cornus stolonifera</i>	Cornaceae	Red-osier dogwood	6	Common	Shrub-carr, marsh edges, and Tall Shrub Zone in bogs	2, 4, 5, 15
<i>Coronilla varia</i>	Leguminosae	Crown vetch	-	Occasional	Ruderal areas, dry old fields	throughout
<i>Corylus americana</i>	Betulaceae	American hazelnut	5	Occasional	Dry woods, woods edges, also Tall Shrub Zone in B Bog	4, 11, 12
<i>Cryptotaenia canadensis</i>	Umbelliferae	Hornwort	2	Infrequent	Disturbed woods S of Bat Barn	1
<i>Cuscuta gronovii</i>	Convolvulaceae	Common dodder	4	Common	Mashes, seep meadows	2, 4, 6, 15
<i>Cyperus ferrugineus</i>	Cyperaceae	Rusty nut sedge	2	Infrequent	Marsh meat - Volo Bog, floating mat - Volo Pond Center, dist. moist areas	15
<i>Cyperus rivularis</i>	Cyperaceae	Brook nut sedge	4	Infrequent	Floating mat - Volo pond center	15
<i>Cyperus strigosus</i>	Cyperaceae	Long-scaled nut sedge	1	Occasional	Marsh edges; floating mat - Volo Bog	2, 4, 15
<i>Cypripedium parviflorum</i> var. <i>makei</i>	Orchidaceae	Small yellow lady's slipper	10	Infrequent	Tamarack and Tall Shrub Zones - B Bog	4
<i>Cypripedium reginae</i>	Orchidaceae	Showy lady's slipper	10	Infrequent	Tamarack and Tall Shrub Zones - B and P Bogs	2, 4
<i>Dactylis glomerata</i>	Gramineae	Orchard grass	-	Occasional	Ruderal	throughout
<i>Daucus carota</i>	Umbelliferae	Queen Anne's lace	-	Common	Ruderal, dry old fields	throughout
<i>Decodon verticillatus</i>	Littoralaceae	Shemp lobelia	8	Infrequent	Marsh meat NW of Volo Bog; floating mat - Brandenburg Lake	4, 15
<i>Desmodium glabellum</i>	Leguminosae	Pointed tick trefoil	5	Occasional	Dry woods, woods edges	1, 9, 12, 16
<i>Dianthus barbatus</i>	Caryophyllaceae	Deptford pink	-	Occasional	Ruderal, dry old fields	throughout
<i>Digitaria ischaemum</i>	Gramineae	Smooth crab grass	-	Occasional	Ruderal	throughout
<i>Digitaria sanguinalis</i>	Gramineae	Hairy crab grass	-	Occasional	Ruderal	throughout
<i>Dioscorea villosa</i>	Dioscoreaceae	Wild yam	7	Infrequent	Woods S of Brandenburg Lake	4
<i>Dodecatheon meadia</i>	Pitrilacaceae	Shooting star	6	Occasional	Mesic open wood, edges	4, 9, 12
<i>Dryopteris cristata</i>	Polypodiaceae	Crested wood fern	10	Infrequent	Tamarack and Tall Shrub Zones - all three bogs	2, 4, 15
<i>Dryopteris spinulosa</i>	Polypodiaceae	Spinulose shield fern	8	Infrequent	Tamarack and Tall Shrub Zones - all three bogs, low woods	2, 4, 15
<i>Dryopteris thelypteris</i> var. <i>pubescent</i>	Polypodiaceae	Marsh shield fern	6	Common	Mashes, sedge meadows, Shrub-carr, all Bog Zones	2, 6, 15
<i>Duchesnea indica</i>	Rosaceae	Indian strawberry	-	Occasional	Ruderal, dry old fields	throughout
<i>Dulichium arundinaceum</i>	Oryaceae	Three-way sedge	9	Infrequent	Low Shrub Zone and Floating Mat - Volo Bog; 2nd Sedge Meadow' P Bog	2, 15
<i>Echinocloa crusgalli</i>	Gramineae	Barnyard grass	0	Infrequent	Low shrub zone, Volo pond and moist edges	15
<i>Echinocystis lobata</i>	Occoneechee	Wild cucumber	5	Occasional	Marsh and moist edges	2, 4, 15
<i>Elaeagnus umbellata</i>	Elaeagnaceae	Autumn olive	-	Occasional	Ruderal, dry old fields	throughout
<i>Eleocharis acicularis</i>	Operaceae	Needle spike rush	2	Occasional	Mashes, Floating mats (Volo and B bogs), Tamarack Zone (P Bog)	2, 4, 15
<i>Eleocharis elliptica</i>	Operaceae	Golden-seeded spike rush	8	Infrequent	Native mesic prairie	6 (North Wilson tract)
<i>Eleocharis erythropoda</i>	Operaceae	Red-rooted spike rush	2	Common	Common in all wetlands	2, 4, 6, 15
<i>Eleocharis intermedia</i>	Operaceae	Matted spike rush	8	Infrequent	Floating mat - Volo pond center, SW corner - B Lake	4, 15
<i>Eleocharis smallii</i>	Operaceae	Downy spike rush	5	Infrequent	Marsh Zone - Volo Bog	15
<i>Elymus villosus</i>	Gramineae	Silky wild rye	5	Occasional	Mesic and dry woods	1, 20
<i>Epilobium coloratum</i>	Orobanchaceae	Cinnamon willow herb	3	Common	Common in all wetlands	2, 4, 6, 15
<i>Epilobium leptophyllum</i>	Orobanchaceae	Fen willow herb	10	Occasional	Mashes, sedge meadows, shrub-carr, Low Shrub Zone of Volo Bog	2, 4, 6, 15
<i>Epilobium strictum</i>	Orobanchaceae	Downy willow herb	10	Rare	Sedge meadow S of stables; Low Shrub Zone of Volo Bog	2, 15
<i>Equisetum arvense</i>	Equisetaceae	Field horsetail	0	Occasional	Ruderal areas, dry old fields, dry woods edges	throughout
<i>Equisetum x ferissii</i>	Equisetaceae	Joliet horsetail	2	Occasional	Ruderal	8, 15
<i>Equisetum fluviatile</i>	Equisetaceae	Pipes, water horsetail	7	Common	Mashes, all Volo Bog Zones	2, 4, 15
<i>Equisetum laevigatum</i>	Equisetaceae	Smooth scouring rush	2	Infrequent	Native mesic prairie	6 (North Wilson tract)
<i>Eragrostis pectinacea</i>	Gramineae	Small love grass	0	Infrequent	Ruderal	throughout
<i>Erechtites hieracifolia</i>	Compositae	Fileweed	2	Occasional	Sedge meadows, marshes W and SW of P Bog	2, 6
<i>Erigeron annuus</i>	Compositae	Annual fleabane	0	Common	Ruderal, dry old fields	throughout
<i>Erigeron canadensis</i>	Compositae	Horseweed	0	Occasional	Ruderal, dry old fields (noted old fields near Bat Barn)	1, 2
<i>Eriogonum philadelphicum</i>	Compositae	Philadelphia fleabane, marsh fl	4	Occasional	Marsh edges, sedge meadows, lower areas in mesic woodlands	throughout

## Volo Species List

<i>Eriogonum stigmosus</i>	Compositae	Daisy fleabane	5	Inrequent	Old field S of Bat Barn	1
<i>Erythronium virginicum</i>	Oleaceae	Rusty cotton grass	10	Inrequent	Low Shrub and Tamarack Zones - Volo Bog	15
<i>Erysimum cheiranthoides</i>	Cruciferae	Wormseed mustard	-	Inrequent	Ruderal, old field, woods edges	15
<i>Euonymus alatus</i>	Celastraceae	Winged euonymus	-	Occasional	Disturbed woodlands	4, 12, 16
<i>Euonymus europaeus</i>	Celastraceae	European spindle tree	-	Inrequent	Ruderal, woods edges	4, 15
<i>Euonymus fortunei</i>	Celastraceae	Winter creeper	-	Inrequent	Disturbed woodlands	12, 16
<i>Eupatorium allissimum</i>	Compositae	Tall boneset	0	Inrequent	Ruderal, dry old fields	throughout
<i>Eupatorium maculatum</i>	Compositae	Spotted Joe Pye weed	4	Common	Marsches, sedge meadows, shrub-carr, floating mats (Volo and B Bogs)	2, 4, 6, 15
<i>Eupatorium perfoliatum</i>	Compositae	Common boneset	4	Occasional	Marsches, floating mats (Volo and B bogs)	2, 4, 15
<i>Eupatorium rugosum</i>	Compositae	White snakeroot	4	Common	Dry woods	9, 12, 16, 20
<i>Eupatorium serotinum</i>	Compositae	Late boneset	0	Inrequent	Lower slope of woods near Volo marsh meadow; Oak Island	14, 15, 20
<i>Euphorbia corollata</i>	Euphorbiaceae	Flowering spurge	2	Inrequent	Old field	1
<i>Euphorbia esula</i>	Euphorbiaceae	Leaty spurge	-	Occasional	Ruderal, old field	20, 21, 22
<i>Euphorbia supina</i>	Euphorbiaceae	Spotted creeping spurge	0	Occasional	Ruderal areas	15
<i>Festuca elatior</i>	Gramineae	Tall fescue	-	Occasional	Ruderal, dry old fields	throughout
<i>Festuca obtusa</i>	Gramineae	Nodding fescue	5	Inrequent	Woods S of B Lake	4
<i>Fraxinus virginiana</i>	Rosaceae	Wild strawberry	1	Occasional	Moist woods edges, moist fields	throughout
<i>Fraxinus pennsylvanica</i> var. <i>subin</i>	Oleaceae	Green ash	1	Occasional	Disturbed mesic woodlands, marsh edges	throughout
<i>Gaultheria shallon</i>	Rubiaceae	Annual bedstraw, cleavers	1	Common	Disturbed mesic woodlands, marsh edges	throughout
<i>Gaulum boreale</i>	Rubiaceae	Northern bedstraw	7	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Gaulum constrictum</i>	Rubiaceae	Shining bedstraw	5	Occasional	Dry woods	9, 11, 12, 20
<i>Gaulum labradoricum</i>	Rubiaceae	Bog bedstraw	10	Inrequent	Sedge meadow	6 (North Wilson tract)
<i>Gaulum obtusum</i>	Rubiaceae	Wild madder	5	Occasional	Marsches, sedge meadows	2, 4, 6, 15
<i>Gaulum thiotrichum</i>	Rubiaceae	Stiff bedstraw	8	Common	Marsches, sedge meadows	2, 4, 15
<i>Gaulum trifidum</i>	Rubiaceae	Small bedstraw	10	Inrequent	Marsches, sedge meadows	2, 4, 15
<i>Gaulum trifolium</i>	Rubiaceae	Sweet-scented bedstraw	5	Common	Moist woodlands, Tamarack and Tall Shrub Zones - all Bogs	2, 4, 15
<i>Gentiana andrewsii</i>	Gentianaceae	Closed bottle gentian	8	Inrequent	Moist meadow - E end of long plastic boardwalk - Tamarack View trail	18, 20
<i>Gentianopsis maculatum</i>	Gentianaceae	Wild helianthus	4	Occasional	Dry woods	9, 11, 12, 20
<i>Geum aleppicum</i> var. <i>strictum</i>	Rosaceae	Yellow avens	7	Occasional	Marsches, sedge meadows, Tamarack Zones - P and B bogs	2, 4, 6
<i>Geum canadense</i>	Rosaceae	White avens, wood avens	1	Common	Mesic and dry woods	1, 4, 9, 11, 12, 14, 20
<i>Glechoma hederacea</i>	Labiatae	Creeching Charlie	-	Inrequent	Ruderal	15
<i>Glechis triacanthos</i>	Leguminosae	Honey locust	2	Occasional	Woods and woods edges	1, 4, 9, 11, 12, 14, 20
<i>Glycine striata</i>	Gramineae	Fowl meadow grass	4	Common	Marsches, sedge meadows, lower wooded slopes	throughout
<i>Glycine max</i>	Leguminosae	Soybean	-	Inrequent	Ruderal, old ag fields	7
<i>Gnaphalium obtusifolium</i>	Compositae	Old-field basilam	2	Inrequent	Woods edges	14
<i>Habenaria hyperborea</i> var. <i>humilis</i>	Orchidaceae	Northern bog orchid	10	Inrequent	Tall Shrub and Tamarack Zones - B Bog	4
<i>Habenaria lacera</i>	Orchidaceae	Reaped fringed orchid	10	Rare	Tamarack Zone - Volo Bog	15
<i>Hackelia virginiana</i>	Boraginaceae	Stockseed	0	Occasional	Disturbed woodlands	1, 4, 9, 11, 12, 14, 20
<i>Hedysma puliegoides</i>	Labiatae	American pennyroyal	3	Occasional	Dry woods, Oak Island	1, 9, 15
<i>Helianthus grosseserratus</i>	Compositae	Sawtooth sunflower	2	Common	Marsches, sedge meadows, disturbed wetlands	2, 4, 6, 15
<i>Helianthus hispilosus</i>	Compositae	Hairy sunflower	5	Occasional	Dry woods edges	4, 8
<i>Hermonia lutea</i>	Liliaceae	Orange day lily	-	Inrequent	Ruderal	4 (N) 15
<i>Hepatica americana</i>	Ranunculaceae	Round-lobed hepatica	9	Rare	Upper wooded slopes S of B Bog	4
<i>Hesperiis matronalis</i>	Cruciferae	Dame's rocket	-	Common	Ruderal, disturbed woodlands	throughout
<i>Heuchera richardsonii</i>	Saxifragaceae	Prairie alum root	8	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Hibiscus trionum</i>	Mallowaceae	Flower-of-an-hour	-	Inrequent	Ruderal	15
<i>Hieracium caespitosum</i>	Compositae	Field hawkweed	-	Occasional	Ruderal, old field	15, 6
<i>Hordium leibnitzii</i>	Gramineae	Squirrel-tail grass	-	Occasional	Ruderal	15
<i>Hypericum majus</i>	Hypericaceae	Large St. Johnswort	6	Inrequent	Marsh moat NW of Volo Bog	15
<i>Hypericum perforatum</i>	Hypericaceae	Common St. John's wort	-	Occasional	Ruderal, old field	1, 6, 11, 12, 16
<i>Hypericum virginicum</i> var. <i>fraseri</i>	Hypericaceae	Marsh St. John's wort	8	Occasional	Low Shrub and Floating Mat zones - Volo Bog, NW floating mat - B Lake, Sedge Meadow, 2, 4, 15 (long plastic boardwalk)	1, 6, 11, 12, 16
<i>Hypoxis hirsuta</i>	Amarantaceae	Yellow star grass	9	Inrequent	Moist meadow S of Volo Bog	15 (long plastic boardwalk)
<i>Hystrix patula</i>	Gramineae	Bottlebrush grass	5	Occasional	Mesic woodlands	1, 4, 20
<i>Ilex verticillata</i>	Aquifoliaceae	Michigan holly, winterberry	9	Common	Tall Shrub Zones - all three bogs	2, 4, 15
<i>Imatiella copensis</i>	Bassiniaceae	Orange jewelweed, spotted tou	3	Common	Marsches, sedge meadows, mesic woodlands, all bog zones	throughout
<i>Iris virginica</i> var. <i>shrevei</i>	Iridaceae	Blue flag	5	Occasional	Marsches	2, 4, 15
<i>Juglans nigra</i>	Juglandaceae	Black walnut	5	Occasional	Dry woods edges	1, 3, 12, 14
<i>Juncus acuminatus</i>	Juncaceae	Sharp-fruited rush	6	Inrequent	Floating mat - Volo pond center	15

## Volo Species List

<i>Juncus dudleyi</i>	Juncaceae	Dudley's rush	4	Common	Sedge meadows, native mesic prairie, moist old fields	throughout
<i>Juncus nodosus</i>	Juncaceae	Joint rush	6	Inrequent	SW B Lake, moist meadow by long plastic boardwalk E of Volo Bog	4, 15
<i>Juncus tenuis</i>	Juncaceae	Torrey's rush	0	Common	Disturbed mesic woodlands, rudereral areas	throughout
<i>Juncus torreyi</i>	Juncaceae	Torrey's rush	4	Occasional	Mashes, disturbed wetlands	2, 4, 15
<i>Luniperis virginiana</i> var. <i>crebra</i>	Pinaceae	Red cedar	2	Occasional	Rudereral, dry old fields	1, 6, 11, 12, 14
<i>Lactuca biennis</i>	Compositae	Tall blue lettuce	4	Inrequent	Moist woods edges	4, 14
<i>Lactuca canadensis</i>	Compositae	Wild lettuce	2	Inrequent	Moist woods edges	4
<i>Lactuca serriola</i>	Compositae	Prickly lettuce	-	Occasional	Rudereral	15
<i>Lamium amplexicaule</i>	Labiatae	Dead nettle, henbit	-	Inrequent	Rudereral	
<i>Larix laricina</i>	Pinaceae	Tamarack American larch	10	Common	Tamarack Zones - all three bogs	2, 4, 15
<i>Leonturus cardicea</i>	Leguminosae	Whited marsh vetchling	8	Occasional	Mashes, sedge meadows	2, 4, 6
<i>Lathyrus palustris</i>	Leguminosae	Marsh vetchling	6	Occasional	Mashes, sedge meadows	2, 4, 6
<i>Leersia oryzoides</i>	Gramineae	Rice cut grass	4	Common	Mashes	2, 4, 6
<i>Lemma minor</i>	Lamiaceae	Small duckweed	5	Abundant	Present in all wetland habitats	2, 4, 13, 15
<i>Lemma tristis</i>	Lamiaceae	Forked duckweed	7	Inrequent	Marsh meat - Volo Bog	15
<i>Lilium michiganense</i>	Liliaceae	Michigan lily, Turk's cap lily	6	Rare	Native mesic prairie	
<i>Lilium vulgare</i>	Liliaceae	Butter-and-eggs, toad-lily	-	Occasional	Rudereral	
<i>Liparis loeselii</i>	Orobanchaceae	Greenwayblade	7	Inrequent	Tall Shrub Zones - all three bogs, sedge meadows	2, 4, 6, 15
<i>Lithospermum canescens</i>	Boraginaceae	Hoary匹蓬	8	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Lobelia siphilitica</i>	Lobeliaceae	Great blue lobelia	7	Occasional	Mash edges, shrub-carr, Tall Shrub Zone - all three bogs	2, 4, 6, 15
<i>Lobelia spicata</i>	Lobeliaceae	Pale spiked lobelia	6	Inrequent	Native mesic prairie, moist meadows	6 (North Wilson tract), 14
<i>Lonicera x bella</i>	Caprifoliaceae	Showy fly honeysuckle	-	Common	Disturbed woodlands	throughout
<i>Lonicera maackii</i>	Caprifoliaceae	Amur honeysuckle	-	Occasional	Disturbed woodlands, Woods edges	12, 16
<i>Lotus corniculatus</i>	Leguminosae	Birds foot trefoil	-	Inrequent	Rudereral	16
<i>Lycium alba</i>	Caryophyllaceae	White campion	-	Common	Rudereral	throughout
<i>Lycopodium americanum</i>	Lycopodiaceae	Common water horehound	5	Common	Mashes, sedge meadows	2, 4, 6, 15
<i>Lycopodium uniforme</i>	Lycopodiaceae	Northern bugle weed	7	Common	Mashes, sedge meadows, all Bog Zones	2, 4, 6, 15
<i>Lysemachia quadriflora</i>	Primulaceae	Narrow-leaved loosestrife	9	Inrequent	Native mesic prairie; moist meadow by long plastic boardwalk E of Volo	6 (North Wilson tract), 15
<i>Lysemachia teresiflora</i>	Primulaceae	Swamp candles	8	Common	Floating mat - Volo Bog pond center	15
<i>Lysemachia thymifolia</i>	Primulaceae	Tufted loosestrife	9	Common	Mashes, all Volo, P., and B. Bog Zones	2, 4, 15
<i>Lyttrum alatum</i>	Littoraceae	Winged loosestrife	7	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Lyttrum salicaria</i>	Littoraceae	Purple loosestrife	-	Common	All wetlands, including bogs	throughout
<i>Malus baccata</i>	Rosaceae	Siberian crab	9	Inrequent	Woods edges	4, 10
<i>Matus pumila</i>	Rosaceae	Apple	-	Occasional	Rudereral	throughout
<i>Mava neglecta</i>	Malvaceae	Common mallow	-	Inrequent	Rudereral	15
<i>Mentha aristata</i>	Compositae	Pineapple weed	-	Inrequent	Rudereral	throughout
<i>Medicago lupulina</i>	Leguminosae	Black medick	-	Common	Rudereral, old field	throughout
<i>Medicago sativa</i>	Leguminosae	Alfalfa	-	Occasional	Rudereral, old field	throughout
<i>Melilotus alba</i>	Leguminosae	White sweet clover	-	Abundant	Rudereral, old field	throughout
<i>Melilotus officinalis</i>	Leguminosae	Yellow sweet clover	-	Abundant	Rudereral, old field	throughout
<i>Mentha aquatica</i> var. <i>villosa</i>	Labiatae	Wild mint	5	Common	Mashes, sedge meadows	2, 4, 6, 15
<i>Mentha spicata</i>	Labiate	Indian pipe	10	Inrequent	Tamarack Zone - Volo Bog	15
<i>Mentha stricta</i>	Labiate	White mulberry	-	Occasional	Disturbed woodlands	throughout
<i>Mimulus ringens</i>	Scrophulariaceae	Monkey flower	6	Occasional	Mashes, sedge meadows	2, 4, 15
<i>Mirabilis nyctaginea</i>	Nyctaginaceae	Wild four o'clock	-	Inrequent	Rudereral	15
<i>Mirabilis</i>	Labiatae	Wild bergamot	4	Inrequent	Native mesic prairie	(North Wilson tract)
<i>Mitella divaricata</i>	Polygalaceae	-	-	Occasional	Tamarack Zone - Volo Bog	15
<i>Morus alba</i>	Moraceae	-	-	Occasional	Disturbed woodlands	throughout
<i>Muhlenbergia mexicana</i>	Gramineae	Leafy satin grass	5	Common	Mashes, sedge meadows, lower wooded slopes	2, 4, 6, 15
<i>Muhlenbergia schreberi</i>	Gramineae	Nimblewill	0	Occasional	Rudereral, disturbed woodlands	throughout
<i>Muhlenbergia sylvatica</i>	Gramineae	Woodland satin grass	10	Inrequent	Moist woodland	15 (long plastic boardwalk)
<i>Mutellina spicatum</i>	Halloriaceae	European water milfoil	-	Occasional	Aquatic	15 (Brandenburg Lake)
<i>Neopeltis cataria</i>	Labiatae	Catnip	-	Common	Rudereral, old field	throughout
<i>Nuphar variegatum</i>	Nymphaeaceae	Bullhead lily	8	Inrequent	Aquatic - Brandenburg Lake	

## Volo Species List

<i>Nymphaea tuberosa</i>	Nymphaeaceae	White water lily	7	Inrequent	Aquatic - Volo pond center, Brandenburg Lake	4, 15
<i>Oenothera biennis</i>	Oenotheraceae	Common evening primrose	0	Common	Ruderal, old field	throughout
<i>Oenothera serrulata</i>	Polygalaceae	Sensitive fern	8	Common	Marses, sedge meadows, all Bog Zones	2, 4, 6, 15
<i>Osmorhiza claytonii</i>	Umbelliferae	Hairy sweet cicely	3	Occasional	Dry woodlands, woods edges	1, 4, 9, 20
<i>Osmorhiza longistylis</i>	Umbelliferae	Smooth sweet cicely	3	Inrequent	Dry woodlands, woods edges - S of Bat Barn	1
<i>Osmunda cinnamomea</i>	Osmundaceae	Cinnamon fern	7	Inrequent	Tall Shrub and Tamarack Zones - Volo and P Bog	2, 15
<i>Osmunda regalis</i> var. <i>spectabilis</i>	Osmundaceae	Royal fern	8	Inrequent	Tall Shrub and Tamarack zones - Volo Bog and P Bog	2, 15
<i>Oxalis europaea</i>	Oxalidaceae	Tall wood sorrel	0	Occasional	Disturbed mesic woodlands, ruderal areas	throughout
<i>Oxalis stricta</i>	Oxalidaceae	Common wood sorrel	0	Inrequent	Ruderal	15
<i>Oxybaphus rigidior</i>	Umbelliferae	Cowbane	7	Common	Marses, sedge meadows, all Bog Zones	2, 4, 6, 15
<i>Panicum capillare</i>	Gramineae	Old witch grass	1	Common	Ruderal, old field	throughout
<i>Panicum dichotomiflorum</i>	Gramineae	Knee grass	0	Common	Ruderal	throughout
<i>Panicum implicatum</i>	Gramineae	Old-field panic grass	2	Occasional	Ruderal, moist old field, native mesic prairie	throughout
<i>Panicum virgatum</i>	Gramineae	Switch grass	5	Common	Ruderal, old field	throughout
<i>Parthenocissus inserta</i>	Vitaceae	Thicket creeper	1	Occasional	Ruderal, old field	2 (N of Bat Barn)
<i>Parthenocissus quinquefolia</i>	Vitaceae	Virginia creeper	2	Common	Woodlands, wood edges	throughout
<i>Pastinaca sativa</i>	Umbelliferae	Wild parsnip	-	Common	Ruderal, old field	throughout
<i>Pedicularis lanceolata</i>	Scrophulariaceae	Fen betony	9	Inrequent	Marsh	2, 4
<i>Penthorum sedoides</i>	Saxifragaceae	Ditch stonecrop	5	Occasional	Marses	2, 4, 15
<i>Phalaris arundinacea</i>	Gramineae	Reed canary grass	-	Abundant	All wetlands, including bogs, and all moist open areas	throughout
<i>Phleum pratense</i>	Gramineae	Timothy	-	Occasional	Ruderal, old field	throughout
<i>Phlox pilosa</i> var. <i>fuliginea</i>	Polemoniaceae	Prairie phlox	7	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Phragmites australis</i>	Gramineae	Common reed	1	Inrequent	Low Shrub and Floating Mat Zones - Volo Bog	15
<i>Prunella leptostachya</i>	Plantaginaceae	Lopseed	4	Occasional	Disturbed woodlands	1, 20
<i>Physallis subglabrata</i>	Solanaceae	Tall ground cherry	0	Occasional	Ruderal, old field	throughout
<i>Picea mariana</i>	Pinaceae	Black spruce	-	Inrequent	Low Shrub and Tamarack Zones - Volo Bog	15
<i>Pilea fontana</i>	Urticaceae	Bog cleavers	7	Occasional	Marses surrounding bogs	2, 4, 6, 15
<i>Pilea pumilla</i>	Urticaceae	Cleaved	5	Inrequent	Mesic woodlands	throughout
<i>Plantago lanceolata</i>	Plantaginaceae	English plantain	-	Occasional	Ruderal	throughout
<i>Plantago major</i>	Plantaginaceae	Common plantain	-	Occasional	Ruderal, disturbed moist areas, disturbed woodlands	throughout
<i>Plantago rugelii</i>	Plantaginaceae	Red-stalked plantain	0	Occasional	Ruderal, disturbed moist areas, disturbed woodlands	throughout
<i>Poa annua</i>	Gramineae	Annual bluegrass	-	Occasional	Ruderal	throughout
<i>Poa compressa</i>	Gramineae	Canada bluegrass	-	Common	Ruderal	throughout
<i>Poa pratensis</i>	Gramineae	Kentucky bluegrass	-	Common	Ruderal	throughout
<i>Podophyllum peltatum</i>	Berberidaceae	May apple	4	Occasional	Mesic woodlands	4, 9, 20
<i>Polygonia ciliolata</i>	Orobanchaceae	Stake-mouth orchid	10	Inrequent	Low Shrub and Floating Mat Zones - Volo Bog	15
<i>Polygonatum canaliculatum</i>	Liliaceae	Smooth Solomon's seal	3	Inrequent	Woodlands, wood edges	9, 20
<i>Polygonatum multiflorum</i>	Polygonaceae	Water knotweed	4	Common	Marses	2, 4, 15
<i>Polygonatum arenastrum</i>	Polygonaceae	Sidewalk knotweed	-	Occasional	Ruderal	throughout
<i>Polygonatum cocineum</i>	Polygonaceae	Water heartsease	4	Inrequent	Marses	2, 4, 15
<i>Polygonatum hydropiper</i>	Polygonaceae	Water pepper	2	Inrequent	Floating mat - Volo Bog	15
<i>Polygonatum hydropiperoides</i>	Polygonaceae	Mild water pepper	7	Inrequent	Marses, disturbed wetlands	2, 4, 15
<i>Polygonatum latifolium</i>	Polygonaceae	Heartsease	0	Occasional	Marses, disturbed wetlands	2, 4, 15
<i>Polygonatum persicaria</i>	Polygonaceae	Lady's thumb	-	Common	Disturbed wetlands	2, 4, 15
<i>Polygonatum sagittatum</i>	Polygonaceae	Arrow-leaved tearthumb	8	Occasional	Marses, sedge meadows	2
<i>Polygonatum scandens</i>	Polygonaceae	Climbing false buckwheat	1	Occasional	Marsh edges	2, 4, 15
<i>Polygonatum virginianum</i>	Polygonaceae	Woodland knotweed	2	Occasional	Dry woodlands, wood edges	throughout
<i>Populus deltoides</i>	Salicaceae	Eastern cottonwood	2	Occasional	Marsh edges, lower wooded slopes	2, 4, 15
<i>Populus tremuloides</i>	Salicaceae	Quaking aspen	4	Occasional	Marsh edges, shrub-carr	2, 4, 15
<i>Potentilla crispus</i>	Rosaceae	Beginner's pondweed	-	Occasional	Aquatic - Brandenburg Lake, moat - Volo Bog	4, 15
<i>Potentilla pectinatus</i>	Rosaceae	Camp pondweed, sago pondwe	5	Common	Aquatic - Volo moat, Volo pond center, Brandenburg lake	4, 15
<i>Potentilla norvegica</i>	Rosaceae	Rough cinquefoil	0	Inrequent	Moist meadows	6 (North Wilson tract)
<i>Potentilla palustris</i>	Rosaceae	Marsh cinquefoil	10	Inrequent	Floating mat and Low Shrub zones - Volo pond center	15
<i>Potentilla recta</i>	Rosaceae	-	-	Inrequent	Ruderal, old field	1
<i>Potentilla simplex</i>	Rosaceae	Common cinquefoil	4	Occasional	Disturbed woodlands	9, 20
<i>Prunella vulgaris</i> var. <i>lanceolata</i>	Labiatae	Self-heal	0	Occasional	Ruderal, disturbed woodlands	throughout
<i>Prunus americana</i>	Rosaceae	Wild plum	5	Occasional	Marsh edges	2, 4, 15
<i>Prunus angustifolia</i>	Rosaceae	Chickasaw plum	-	Inrequent	Ruderal, old field	12

<i>Prunus serotina</i>	Rosaceae	Wild black cherry	1	Common	Woodlands, wood edges	throughout
<i>Prunus virginiana</i>	Rosaceae	Choke cherry	3	In frequent	Woods edges	1
<i>Ptelea trifolia</i>	Rutaceae	Water ash, hop tree	7	In frequent	Old field edges	8, 10
<i>Psicotria distans</i>	Gramineae	-	-	In frequent	Ruderal (roadsides)	8, 9, 10, 13, 15
<i>Pycnanthemum virginianum</i>	Labiatae	Common mountain mint	5	Occasional	Sedge meadows, native mesic prairie	2, 4, 6, 15
<i>Quercus alba</i>	Fagaceae	White oak	5	Common	Dry and mesic woodlands	1, 4, 9, 20
<i>Quercus x hebbiana</i>	Fagaceae	Hybrid white x bur oak	5	Occasional	Dry and mesic woodlands	1, 6
<i>Quercus cocinea</i>	Fagaceae	Scarlet oak (Hills Oak)	4	Occasional	Dry woods	1, 9
<i>Quercus macrocarpa</i>	Fagaceae	Bur oak	5	Common	Mesic woodlands, marsh edges	throughout
<i>Quercus rubra</i>	Fagaceae	Red oak	7	Occasional	Mesic woods	20
<i>Ranunculus abortivus</i>	Ranunculaceae	Small-flowered buttercup	0	Occasional	Mesic woods	4, 10
<i>Ranunculus fascicularis</i>	Ranunculaceae	Early buttercup	6	In frequent	Dry woods	1
<i>Ranunculus pensylvanicus</i>	Ranunculaceae	Bristly buttercup	6	In frequent	Mashes	2, 4
<i>Ranunculus recurvatus</i>	Ranunculaceae	Hooked buttercup	5	Occasional	Mesic woods	4, 9, 20
<i>Ranunculus sceleratus</i>	Ranunculaceae	Cursed buttercup	6	Common	Mashes, Tall Shrub Zone - all three bogs	2, 4, 15
<i>Regnans caphaniifolium</i>	Cucurbitaceae	Wild radish	-	In frequent	Old ag fields	7
<i>Rhamnus cathartica</i>	Rhamnaceae	Common buckthorn	-	Abundant	Disturbed woodlands, occ. In bogs (all zones)	throughout
<i>Rhamnus frangula</i>	Rhamnaceae	Glossy buckthorn	-	Abundant	Disturbed wetlands, frequent in bogs (all zones)	throughout
<i>Rhus glabra</i>	Anacardiaceae	Smooth sumac	1	Common	Ruderal, old field	throughout
<i>Rhus radicans</i>	Anacardiaceae	Poison ivy	2	Common	Disturbed woodlands, woods edges	1, 4, 9, 14, 20
<i>Rhus typhina</i>	Anacardiaceae	Staghorn sumac	1	Common	Ruderal, old field	throughout
<i>Rhus vernix</i>	Anacardiaceae	Poison sumac	10	Occasional	Tall Shrub and Tamarack Zones - all three bogs; shrub-carr	2, 4, 15
<i>Ribes americanum</i>	Saxifragaceae	Wild black currant	7	Occasional	Tall Shrub Zone - all three bogs; lower slope mesic woods by mashes	2, 4, 15
<i>Ribes missouriense</i>	Saxifragaceae	Wild gooseberry	5	In frequent	Disturbed dry woods	1, 4, 10
<i>Robinia pseudoacacia</i>	Leguminosae	Black locust	-	Occasional	Disturbed dry woods, woods edges, ruderal	throughout
<i>Rombouria ballistris</i> var. <i>feminaliana</i>	Crotonaceae	Marsh dress	4	In frequent	Marsh Zone - Volo Bog; seep meadow S of P Bog	6, 15
<i>Rosa arkansana</i> var. <i>suffulta</i>	Rosaceae	Sunshine rose	5	In frequent	Ruderal, old field, also in N area Tall Shrub Zone - B Bog	3, 4, 21
<i>Rosa carolina</i>	Rosaceae	Pasture rose	5	In frequent	Native mesic prairie	6 (North Wilson tract)
<i>Rosa multiflora</i>	Rosaceae	Multiflora rose	-	Abundant	Disturbed woodland, lower wooded slopes, ruderal	throughout
<i>Rubus allegheniensis</i>	Rosaceae	Common blackberry	3	Occasional	Ruderal, woods edges	throughout
<i>Rubus flagellaria</i>	Rosaceae	Common dewberry	3	In frequent	Disturbed woods	1
<i>Rubus idaeus</i> var. <i>strigosus</i>	Rosaceae	Red raspberry	3	Common	Marsh edges, Tall Shrub and Tamarack Zones - P and B Bogs	2, 4, 6, 15
<i>Rubus occidentalis</i>	Rosaceae	Black raspberry	2	Common	Ruderal, woods edges	throughout
<i>Rubus pensylvanicus</i>	Rosaceae	Yankee blaberry	3	Occasional	Ruderal, woods edges	throughout
<i>Rubus hispida</i>	Rosaceae	Black-eyed Susan	1	Common	Ruderal, old field, native mesic prairie	throughout
<i>Rumex acetosella</i>	Polygonaceae	Field sorrel	-	Occasional	Ruderal	throughout
<i>Rumex crispus</i>	Polygonaceae	Curly dock	-	Common	Ruderal	throughout
<i>Rumex obtusifolius</i>	Polygonaceae	Great water dock	8	Occasional	Marshes, shrub-carr, outer edge of tall Shrub Zone - all three bogs	2, 4, 6, 15
<i>Sagittaria latifolia</i>	Aitaceae	Common arrowhead	4	Common	Marshes, all bog zones in all three bogs	2, 4, 6, 15
<i>Sax x alba</i>	Saxicaceae	Weeping Willow	-	In frequent	Ruderal areas, near water	4
<i>Saxi amygdaloides</i>	Saxicaceae	Peach-leaved willow	5	Occasional	Marsh edges	2, 4, 15
<i>Saxi babiana</i>	Saxicaceae	Beaked willow	8	Common	Marsh edges, shrub-carr, Tall Shrub Zone - all three bogs	2, 4, 6, 15
<i>Saxi canadensis</i>	Saxicaceae	Hoary willow	10	In frequent	Tamarack Zone - Volo and P Bog	2, 15
<i>Saxi discolor</i>	Saxicaceae	Pussy willow	2	Abundant	All bog zones, shrub-carr, marsh edges	2, 4, 6, 15
<i>Saxi eriocephala</i>	Saxicaceae	Heart-leaved willow	5	Occasional	Marsh edges, shrub-carr	2, 4, 15
<i>Saxi interior</i>	Saxicaceae	Sandbar willow	1	Abundant	Marsh borders, shrub-carr, disturbed wetlands	2, 4, 6, 15
<i>Saxi lucida</i>	Saxicaceae	Shining willow	10	Rare	Marsh S of Brandenburg Bog	4
<i>Saxi nigra</i>	Saxicaceae	Black willow	4	In frequent	Marsh edges	2, 4, 15
<i>Saxi pedicellata</i> var. <i>hypoleuca</i>	Saxicaceae	Little bog willow	10	In frequent	Tamarack Zone - Volo Bog	15
<i>Saxi petiolata</i>	Saxicaceae	Meadow willow	7	Occasional	Marsh edges, Tamarack Zone - Volo Bog, shrub-carr	2, 4, 15
<i>Saxi purpurea</i>	Saxicaceae	Purple willow	-	Occasional	"1st sedge meadow" edge NW of Pistakee Bog	2
<i>Saxi x rubens</i>	Saxicaceae	Hybrid crack willow	-	Occasional	Disturbed wetland edges	2, 4, 15
<i>Sambucus canadensis</i>	Cannabaceae	Elderberry	1	Common	Lower slope mesic woods, shrub-carr, Tall Shrub Zones	2, 4, 16
<i>Sanicula canadensis</i>	Umbelliferae	Canada black snakeroot	7	Occasional	Mesic woodlands	1, 4
<i>Saponaria officinalis</i>	Caryophyllaceae	Bouncing bet, Soapwort	-	In frequent	Ruderal	15
<i>Sarcococca purpurea</i>	Sarcococcaeae	Pitcher plant	10	Rare	Tamarack Zone - Volo Bog	15
<i>Saxifrage pensylvanica</i>	Saxifragaceae	Shrubby saxifrage	10	Occasional	Mashes, shrub-carr, outer edge of Tall Shrub Zone - all three bogs	2, 4, 15
<i>Scirpus acutus</i>	Cyperaceae	Hard-stemmed bulrush	6	Occasional	Floating Mat and Low Shrub Zones - Volo Bog	15
<i>Scirpus atrocinctus</i>	Cyperaceae	Dark green rush	4	Occasional	Mashes, low woods	2, 4, 15

## Volo Species List

<i>Scirpus cyperinus</i>	Cyperaceae	Wool grass	6	Common	Marshes, sedge meadows, shrub-carr, all Bog Zones - all three bogs	2, 4, 6, 15
<i>Scirpus fluviatilis</i>	Cyperaceae	River bulrush	4	Occasional	Volo Bog marsh moist; marsh at N end of Wilson tract	6 (N Wilson tract); 15
<i>Scirpus smithii</i>	Cyperaceae	Smith's tufted bulrush	10	Inrequent	Floating mat - Volo pond center	15
<i>Scirpus validus</i> var. <i>creter</i>	Cyperaceae	Great bulrush	5	Occasional	Marsches, sedge meadows, pond edges	2, 4, 13, 15
<i>Scutellaria epilobifolia</i>	Labiatae	Marsh skullcap	5	Occasional	Marsches, sedge meadows, shrub-carr	2, 4, 6, 15
<i>Scutellaria lateriflora</i>	Labiatae	Mad-dog skullcap	5	Occasional	Marsches, sedge meadows, all bog zones, shrub-carr	2, 4, 6, 15
<i>Selaginella apoda</i>	Selaginellaceae	Marsh clubmoss	10	Inrequent	Marsches (long plastic boardwalk), floating mat - Brandenburg Bog	4, 15
<i>Senecio aureus</i>	Compositae	Golden ragwort	7	Inrequent	Sedge meadow (SE of Volo Bog)	15
<i>Senecio latifolius</i>	Compositae	Prairie ragwort	6	Inrequent	Old field near <i>Prunus angustifolia</i> - Tamarack View trail	12
<i>Seneca-leuca</i>	Gramineae	Yellow foxtail	-	Occasional	Ruderal	throughout
<i>Seneca-viridis</i>	Gramineae	Green foxtail	-	Occasional	Ruderal	throughout
<i>Sibium integrifolium</i> var. <i>deamii</i>	Compositae	Deam's rosinweed	5	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Sisyrinchium albidum</i>	Iridaceae	Common blue-eyed grass	-	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Sium suave</i>	Umbelliferae	Tall water parsnip	7	Occasional	Marsches, Tall Shrub Zone - all three bogs	2, 4, 15
<i>Smilacina racemosa</i>	Liliaceae	Feathery false Solomon's seal	3	Occasional	Dry and mesic woodlands, wood edges	1, 4, 9, 20
<i>Smilacina stellata</i>	Liliaceae	Starry false Solomon's seal	5	Inrequent	Marsh edges; Tall Shrub and Tamarack Zones - P and B Bogs; native mesic prairie	1, 4, 9, 20
<i>Smilax ecirrhata</i>	Liliaceae	Upright carton flower	5	Occasional	Mesic woodlands	1, 4, 9, 20
<i>Smilax lasioneura</i>	Liliaceae	Common carton flower	5	Occasional	Woodlands, wood edges	1, 4, 9, 20
<i>Smilax tamnoides</i> var. <i>hippida</i>	Liliaceae	Brightly green brier	5	Occasional	Mesic woodlands	1, 4, 9, 20
<i>Solanum americanum</i>	Solanaceae	Black nightshade	0	Inrequent	Ruderal	1
<i>Solanum carolinense</i>	Solanaceae	Horse nettle	-	Inrequent	Ruderal, old field	1
<i>Solanum dulcamara</i>	Solanaceae	Bittersweet nightshade	-	Common	Ruderal; all Bog zones, marsh edges	throughout
<i>Solidago canadensis</i>	Compositae	Canada goldenrod	1	Common	Ruderal, old field	throughout
<i>Solidago gigantea</i>	Compositae	Late goldenrod	4	Common	Marsches, sedge meadows, disturbed wetlands, low woods	throughout
<i>Solidago ptarmicifolia</i> var. <i>nuttallii</i>	Compositae	Hairy grass-leaved goldenrod	3	Common	Disturbed moist areas, marsh edges, sedge meadows	throughout
<i>Solidago ridellii</i>	Compositae	Ridell's goldenrod	7	Inrequent	Sedge meadow - long plastic boardwalk E of Volo Bog	15
<i>Sonchus uliginosus</i>	Compositae	Common sow thistle	-	Common	Sedge meadow - long plastic boardwalk E of Volo Bog	throughout
<i>Sorbus aucuparia</i>	Rosaceae	European mountain ash	-	Inrequent	Tall Shrub Zone - all three bogs	2, 4, 15
<i>Sorbus nutans</i>	Rosaceae	Indian grass	5	Inrequent	Native mesic prairie	6 (North Wilson tract)
<i>Spirananthus eucyneum</i>	Spirananthaceae	Common bur reed	6	Inrequent	Marsh S of Bog, floating mat - Volo Bog	4, 15
<i>Spiraea pectinata</i>	Rosaceae	Pellie cord grass	4	Occasional	Sedge meadow and wet prairie	6 (N Wilson tract), 15 (long plast.
<i>Spiraea prunifolia</i> intermedia	Rosaceae	Slender wedge grass	4	Occasional	Sedge meadows, native mesic prairie, Tall Shrub Zone - all three bogs	2, 4, 6 (N Wilson tract), 15
<i>Spiraea alba</i>	Rosaceae	Meadowsweet	7	Occasional	Marsh Zone - Volo Bog	15
<i>Spirostachys polyrhiza</i>	Lamiaceae	Great duckweed	7	Inrequent	Aquatic, Volo Bog pond	15
<i>Sporobolus vaginiflorus</i>	Gramineae	Sheathed rush grass	0	Inrequent	Ruderal	15
<i>Stachys palustris</i> var. <i>hirsutica</i>	Labiatae	Woundwort	5	Inrequent	Marsches, sedge meadows	4
<i>Stachys tenellifolia</i> var. <i>hispida</i>	Labiatae	Marsh hedge nettle	5	Inrequent	Low woods edges	4
<i>Stellaria media</i>	Caryophyllaceae	Common chickweed	-	Inrequent	Ruderal	15
<i>Syringa vulgaris</i>	Oleaceae	Lilac	-	Rate	Ruderal	11
<i>Taraxacum officinale</i>	Compositae	Common dandelion	-	Common	All habitats	throughout
<i>Taraxacum dasycarpum</i>	Ranunculaceae	Purple meadow rue	5	Inrequent	Marsches	4
<i>Thlaspi dasycarpum</i> var. <i>hypoc</i>	Ranunculaceae	Smooth meadow rue	5	Occasional	Marsches, shrub-carr	2, 4, 15
<i>Thlaspi diococcum</i>	Ranunculaceae	Early meadow rue	7	Occasional	Low moist woods, marsh edges	4, 6 (N Wilson tract)
<i>Thlaspi avense</i>	Cruciferae	Penny cress	-	Occasional	Ruderal, old field	throughout
<i>Tilia americana</i>	Tiliaceae	American basswood	5	Inrequent	Mesic woods	20
<i>Tradescantia ohrensii</i>	Commelinaceae	Common spiderwort	2	Inrequent	Old field edge (not planted)	1
<i>Tragopogon dubius</i>	Compositae	Sand goat's beard	-	Inrequent	Dry old field	21, 22
<i>Tragopogon pratensis</i>	Compositae	Common goat's beard	-	Common	Ruderal, old field	throughout
<i>Trifolium boreale</i>	Fabaceae	Starflower	10	Inrequent	Tamarack Zone - Volo Bog	15
<i>Trifolium hybridum</i>	Leguminosae	Aleiske clover	-	Occasional	Ruderal, old field	throughout
<i>Trifolium pratense</i>	Leguminosae	Red clover	-	Occasional	Ruderal, old field	throughout
<i>Trifolium repens</i>	Leguminosae	White clover	-	Occasional	Ruderal, old field	throughout
<i>Trillium recurvatum</i>	Liliaceae	Red trillium	5	Inrequent	Woods S of Brandenburg Lake	4 (NE)
<i>Triosteum aurantiacum</i>	Caprifoliaceae	Early horse gentian	5	Rare	Woods S of Bat Barn	1
<i>Typha angustifolia</i>	Typhaceae	Narrow-leaved cattail	1	Occasional	Floating Mat - Volo Bog and NW Brandenburg Lake (close to lake)	4, 15
<i>Typha x glauca</i>	Typhaceae	Hybrid cattail	1	Occasional	Disturbed marshes (mostly near roads), B Lake mat (away from lake)	4, 22
<i>Typha latifolia</i>	Typhaceae	Broad-leaved cattail	1	Abundant	Marsches	2, 4, 15
<i>Ulmus pumila</i>	Ulmaceae	Siberian elm	-	Occasional	Ruderal, old field	10

<i>Ulmus rubra</i>	Ulmaceae	Slippery elm	4	Common	Mesic woods; low woods, disturbed woods edges; Tall Shrub and Tamarack zones - b throughout
<i>Urtica procera</i>	Urticaceae	Stinging nettle, Tall nettle	2	Common	Low woods edges, marsh edges, shrub-carr
<i>Urticularia intermedia</i>	Lentibulariaceae	Flat-leaved bladderwort	10	Inrequent	Floating Mat - NW Brandenburg Lake
<i>Urticularia vulgaris</i>	Lentibulariaceae	Great bladderwort	9	Inrequent	Marsh - Volo Bog, SW Brandenburg Lake
<i>Uvularia grandiflora</i>	Uvulariaceae	Bellwort	7	Inrequent	Sloping woods S of Brandenburg Lake
<i>Vaccinium corymbosum</i>	Ericaceae	Highbush blueberry	8	Inrequent	Tall Shrub and Tamarack zones - all three bogs
<i>Vaccinium oxycoccos</i>	Ericaceae	Small cranberry	10	Inrequent	Tamarack Zone - Volo Bog (N of platform)
<i>Verbascum thapsus</i>	Scrophulariaceae	Common mullein	-	Occasional	Ruderal, old field
<i>Verbena stricta</i>	Verbenaceae	Creeping verbain	0	Inrequent	Ruderal (roadsides)
<i>Verbena hastata</i>	Verbenaceae	Blue verbain	4	Occasional	Marsches, sedge meadows
<i>Verbena stricta</i>	Verbenaceae	Hairy verbain	4	Occasional	Ruderal, old field
<i>Verbena urticifolia</i>	Verbenaceae	Hairy white verbain	5	Occasional	Dry woods, woods edges
<i>Veronica anseris</i>	Scrophulariaceae	Corn speedwell	-	Occasional	Ruderal
<i>Veronica petraea</i>	Scrophulariaceae	Purple speedwell	0	Occasional	Moist fields
<i>Veronica serpyllifolia</i>	Scrophulariaceae	Thyme-leaved speedwell	-	Occasional	Ruderal
<i>Veronicastrum virginicum</i>	Scrophulariaceae	Culver's root	7	Inrequent	Native mesic prairie
<i>Viburnum lentago</i>	Caprifoliaceae	Nannyberry	5	Occasional	Low woods, shrub-carr, marsh edges, Tall Shrub Zone - P and B Bogs
<i>Viburnum opulus</i>	Caprifoliaceae	European highbush cranberry	-	Common	Disturbed woods, Tall Shrub and Tamarack Zones - bogs
<i>Viburnum recognitum</i>	Caprifoliaceae	Smooth arrowwood	-	Occasional	Disturbed woods, Tall Shrub and Tamarack Zones - all bogs
<i>Viburnum trilobum</i>	Caprifoliaceae	Highbush cranberry	10	Rare	Tall Shrub Zone - B Bog
<i>Viola americana</i>	Violaceae	American violet	7	Inrequent	Low woods
<i>Viola villosa</i>	Violaceae	Hairy violet	-	Inrequent	Ruderal, old field
<i>Viola striata</i>	Violaceae	LeConte's violet	4	Inrequent	Sedge meadows
<i>Viola nephrophylla</i>	Violaceae	Northern bog violet	9	Inrequent	Sedge meadows
<i>Viola palustris</i>	Violaceae	Smooth white violet	10	Occasional	Tall Shrub and Tamarack Zones - all three bogs
<i>Viola pedatifida</i>	Violaceae	Prairie violet	9	Inrequent	Native mesic prairie
<i>Viola pustulans</i>	Violaceae	Yellow violet	5	Occasional	Mesic and dry woods
<i>Viola sororia</i>	Violaceae	Common blue violet	3	Common	Moist open area, ruderal
<i>Vitis riparia</i>	Vitaceae	Riverbank grape	2	Common	Disturbed woods and woods edges
<i>Volffia columbiana</i>	Lemnaceae	American watermeal	7	Common	Marsches, ponds
<i>Zizia aurea</i>	Umbelliferae	Golden Alexander	7	Inrequent	Moist field, native mesic prairie
<b>PRARIE RESTORATIONS</b>					
<i>Amorpha canescens</i>	Leguminosae	Lead plant	9	Inrequent	Prairie restorations
<i>Andropogon gerardii</i>	Gramineae	Big bluestem grass	5	Common	Prairie restorations
<i>Andropogon scoparius</i>	Gramineae	Little bluestem grass	5	Occasional	Prairie restorations
<i>Aster laevis</i>	Compositae	Smooth blue aster	9	Inrequent	Prairie restorations
<i>Boehmeria curtipendula</i>	Gramineae	Side-oats gramma	8	Inrequent	Prairie restorations
<i>Coreopsis palmata</i>	Compositae	Prairie coreopsis	6	Inrequent	Prairie restorations
<i>Coreopsis tripteris</i>	Compositae	Tall coreopsis	5	Occasional	Prairie restorations
<i>Desmodium canadense</i>	Leguminosae	Showy tick-trefoil	4	Inrequent	Prairie restorations
<i>Erythronium nudifolium</i>	Umbelliferae	Rattlestake master	9	Occasional	Prairie restorations
<i>Helopsalis bellanthoides</i>	Compositae	False sunflower	5	Common	Prairie restorations
<i>Lespedeza capitata</i>	Leguminosae	Round-headed bush clover	4	Inrequent	Prairie restorations
<i>Parthenium integrifolium</i>	Compositae	Wing flume	8	Occasional	Prairie restorations
<i>Physostegia virginiana</i>	Labiatae	False dragonhead, obedient pl.	6	Inrequent	Prairie restorations
<i>Ratibida pinnata</i>	Compositae	Yellow coneflower	4	Occasional	Prairie restorations
<i>Silphium integrifolium</i> var. <i>deamii</i>	Compositae	Deam's rosinweed	5	Occasional	Prairie restorations
<i>Silphium laciniatum</i>	Compositae	Compass plant	5	Occasional	Prairie restorations
<i>Silphium terebinthinaceum</i>	Compositae	Prairie dock	5	Occasional	Prairie restorations
<i>Solidago rigida</i>	Compositae	Stiff goldenrod	4	Occasional	Prairie restorations
<i>Sonchus asper</i>	Asteraceae	Indian grass	5	Occasional	Prairie restorations
<i>Veronicastrum virginicum</i>	Scrophulariaceae	Culver's root	7	Inrequent	Prairie restorations
<b>INTRODUCED/ESTABLISHED:</b>					
<i>Aquilegia canadensis</i>	Ranunculaceae	Wild columbine	6	Inrequent	TV trail near VC (not there in 1994)
<i>Pinus nigra</i>	Pinaceae	Austrian pine	-	Occasional	Reproducing from old pine plantations
<i>Pinus strobus</i>	Pinaceae	Scotch Pine	-	Occasional	Reproducing from old pine plantations

NOTE: Nomenclature used is same as that contained in the 1994 Edition of Plants of the Chicago Region by Dr. Gerould Wilhelm and Floyd Swink, except for the following listed species exceptions, where the name  
*Chamaedaphne calyculata*  
*Cypripedium parviflorum* var. *makesin*  
*Menyanthes trifoliata*

TABLE KEY

Natives are shown in Regular type on the table.  
Non-natives are shown in *Italics* on the table.

C Value = Coefficient of Conservatism (Swink&Wilhelm 1994)

Population Estimate:

Rare (fewer than 12 plants sighted)

Inrequent (occasional in limited habitats)

Occasional (moderate populations in limited habitats, or scattered throughout the entire site)

Frequent (large populations in several habitats, or frequently found throughout the entire site)

Abundant (common over large portions of the site)

## VOLO BOG

### Plants on the 1994 list and not on the 2004 list

Abutilon theophrasti  
Ailanthus altissima  
Althea rosea  
Amelanchier interior  
Antennaria neglecta  
Apios americana  
Apocynum cannabinum  
Arctium lappa  
Arenaria lateriflora  
Atriplex patula  
Avena sativa  
Bidens aristosa  
Brassica nigra  
Calamagrostis inexpansa brevior  
Carex buxbaumii  
Carex molesta  
Carex utriculata  
Cuscuta campestris  
Cynoglossum officinale  
Cyperus erythrorhizos  
Diplotaxis muralis  
Echinochloa crusgallii  
Eleocharis compressa  
Eleocharis obtusa  
Epipactis helleborine  
Eragrostic ciliaris  
Erigeron canadensis  
Euphorbia maculata  
Festuca obtusa  
Galium lanceolatum  
Galium mollugo  
Helianthus strumosus  
Hierochloe odorata  
Impatiens pallida  
Ludwigia palustris americana  
Lysimachia ciliata  
Mianthemum canadense interius  
Malus ioensis  
Muhlenbergia frondosa  
Najas flexiles  
Osmunda claytoniana

### Plants on the 2004 but not 1994 list

Agrostis alba palustris  
Alisma triviale  
Anemonella thalictroides  
Arisaema triphyllum  
Athyrium filix-femina var. michauxii  
Betula alleghaniensis  
Calla palustris  
Cardamine pensylvanica  
Carduus nutans  
Carex sparganioides  
Carex sterilis  
Ceratophyllum demersum  
Cuscuta gronovii  
Cyperus ferruginescens  
Cyperus strigosus  
Daucus carota  
Duchesnea indica  
Eleocharis intermedia  
Equisetum x ferrissii  
Erysimum cheiranthoides  
Euphorbia esula  
Geum canadense  
Glechoma hederacea  
Gnaphalium obtusifolium  
Hedeoma pulegioides  
Hordeum jubatum  
Hypericum majus  
Hypericum perforatum  
Juncus torreyi  
Lactuca canadensis  
Lactuca serriola  
Lamium amplexicaule  
Lepidium campestre  
Ligustrum vulgare  
Lilium michiganense  
Lonicera maackii  
Lotus corniculatus  
Lysimachia terrestris  
Malus baccata  
Malva neglecta  
Mirabilis nyctaginea

<i>Parnassia glauca</i>	<i>Myriophyllum spicatum</i>
<i>Poa palustris</i>	<i>Osmorhiza claytonii</i>
<i>Polygonum punctatum</i>	<i>Polygonum hydropiper</i>
<i>Polygonum pensylvanicum</i>	<i>Potamogeton crispus</i>
<i>Pontederia cordata</i>	<i>Potamogeton pectinatus</i>
<i>Potentilla norvegica</i>	<i>Prunus angustifolia</i>
<i>Quercus bicolor</i>	<i>Ptelea trifoliata</i>
<i>Quercus velutina</i>	<i>Puccinella distans</i>
<i>Ranunculus cymbalaria</i>	<i>Quercus x bebbiana</i>
<i>Ranunculus flabellaris</i>	<i>Ranunculus fascicularis</i>
<i>Ranunculus septentrionalis</i>	<i>Rhus typhina</i>
<i>Rosa blanda</i>	<i>Robinia pseudoacacia</i>
<i>Salix fragilis</i>	<i>Rosa arkansana</i> var. <i>suffulta</i>
<i>Salix glaucocephala</i>	<i>Rosa carolina</i>
<i>Sanicula gregaria</i>	<i>Rubus flagellaris</i>
<i>Scirpus hattorianus</i>	<i>Rumex acetosella</i>
<i>Scrophularia marilandica</i>	<i>Salix purpurea</i>
<i>Scutellaria parvula leonardii</i>	<i>Salix x alba</i>
<i>Solidago altissima</i>	<i>Saponaria officinalis</i>
<i>Solidago ohioensis</i>	<i>Scirpus smithii</i>
<i>Solidago uliginosa</i>	<i>Senecio aureus</i>
<i>Teucrium canadense</i>	<i>Senecio plattensis</i>
<i>Tilia americana</i>	<i>Silphium integrifolium</i> var. <i>deamii</i>
<i>Ulmus americana</i>	<i>Smilax ecirrhata</i>
<i>Ulmus pumila</i>	<i>Smilax tamnoides</i> var. <i>hispida</i>
<i>Utricularia gibba</i> (?2004?)	<i>Solanum carolinense</i>
<i>Vaccinium macrocarpon</i>	<i>Solidago Canadensis</i>
<i>Verbebe bracteata</i>	<i>Syringa vulgaris</i>
<i>Xanthoxylem americanum</i>	<i>Thalictrum dasycarpum</i> var. <i>hypoglaucum</i>
	<i>Tradescantia ohioensis</i>
	<i>Trillium recurvatum</i>
	<i>Typha x glauca</i>
	<i>Triosteum aurantiacum</i>
	<i>Uvularia grandiflora</i>
	<i>Vaccinium oxycoccus</i>

Compiled by Margo Milde for WPF Grant 04-L34W