7/20/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

carol freeman



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Marilyn Freese



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Aletha Frei



IIII 2 8 2017

7/14/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Aletha Frei



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Lisa Fremont



1111 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Judith French



JUL 28 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Staci Frens



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Elaine Frick





JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Louise Friedenson



Dept. of Natural Resources

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Hannah Frisch



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Carol Frischman



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Meaghan Fritz



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

G Frost



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Erin Fry



JUL 2 8 2017

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Antonio Fuller



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

S Fuller



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Michael Fumarolo



1111 2.8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jane Furrh



JUL 2 8 2017

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Carolene Gabrail



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Mary Ann Gajda



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Wendy Galczak



JUL 2 8 2017

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Gail Galivan



6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Heidi Garbe



6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Bob Garcia



Dept. of Natural Resources

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Elizabeth Gardham



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Ezra Garfield



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Kathleen Garibaldi



JUL 2 8 2017

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Karen Garrett



JUL 28 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Lauree Garvin



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Ellen Garza



6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Elizabeth Glass



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jacqueline Glass



JUL 28 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Danelle Glassburg



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Adele Gleason



JUL 2 8 2017

6/30/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Debra Gleason



JUL 28 2017

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Janet Glidden



JUL 2 8 2017

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Brian Glienke



JUL 2 8 2017

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Stephen Gliva



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Carol Gloor



JUL 2 8 201/

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Barbara Glowacki



1111 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Lawrence Glowacki



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jessica Gockley



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Daniel Goldberg



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Glenn Golden



JUL 28 ZUI1

7/13/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Meghan Golden



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Kelly Golding



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Kelly Good



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Raney Good



JUL 2 8 2017


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

David Gordon



6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Deanna Gordon



6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

George Gordon



1111 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Melissa Gordon



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Susan Gosdick



JUL 28 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Michael Gotmer



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Beth Graham



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Geoff Graham



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Macaire Grambauer



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Michael Granger



JUL 28 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Ben Granito



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Rose Greco



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jennifer Green



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Kevin Green



1111 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jean Greenberg



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Miriam Greenblatt



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Stuart Greenspan



JUL 2 8 2017

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Becca Greenstein



JUL 2 8 2017

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Cindy Greer



JUL 2 8 2017

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Geoffrey Greer



JUL 2 8 2017

6/28/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Jeff Greer



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Kimberly Grein



JUL 2 8 2017

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

S Grenzow



JUL 2 8 2017

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Sherrie Klima



To DNR.HFPublicComments

1 Follow up. Start by Thursday, July 27, 2017. Due by Thursday, July 27, 2017.

If there are problems with how this message is displayed, click here to view it in a web browser.

Click here to download pictures. To help protect your privacy, Outlook prevented automatic download of some pictures in this message.

We should be investing in renewable energy, not trying to wrench every last drop of non-renewable resources out of this poor planet.

Plus fracking causes immediate harm in all kinds of ways. You people know it better than any of us do, I don't know what kind of deal you made with the devil to be doing this fracking business.

Julia Kline
Author of the Amazon bestseller
"The Entrepreneur's Guide to Sleaze-Free Selling"



As Seen on NBC News

Tel: 773-850-1398 julia@juliakline.com | http://IntuitiveBusinessWoman.com

1 1 1 1 1 1 1



Get a signature like this: Click here!

