

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Audrey Aabey



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Scott Aaseng



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Olga Abella



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Laura Anderson



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Pat Anderson



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Stephen Anderson



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. There is plenty of evidence to the harm the fracking industry does in the contamination of water tables in states where fracking has been implemented. To allow fracking in our Great State of Illinois would be an EXTREMELY STUPID MISTAKE !!

Kirk Andreas



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sharron Andresrn



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. It is essential that the Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sheila Ary



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

No fracking in ILI. We should only be investing in clean, sustainable energy and only approving projects that support this. Allowing more fossil fuel production will just increase pollution and Climate change. Fracking has a bad Environmental and safety record. If you read the studies you know the problems of water consumption, water pollution, air pollution, health risks, and earthquakes. We are submitting these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001 to deny the permit. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Diane and Mr. Jerry Balin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Fracking undermines the structure of the surrounding ground and will likely cause sinkholes and other ground structure damage!

Don Barclay



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

NO FRACKING IN ILLINOIS, NOT NOW NOT EVER. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. NO FRACKING IN ILLINOIS. NOT NOW, NOT EVER. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cara Bates



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

No fracking in Illinois... period! Fracking has a number of unwanted "side effects." It's like taking a medicine for an illness, but the side-effects are worse than the illness! I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Floyd A. Bednarz



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

What we really need is more solar and wind production of energy. I have had several earthquakes my area--not an earthquake zone. Making more fracking sites is great--if one owns fracking equipment. CHEAPE ENRGY IS NICE--but the longterm costs are huge. In fact, I own interests in these activities like these in Illinois and wish that they do not expand. If anything, I'd like to see them close. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners? property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Brewner



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karen Budelier Brown



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bradley Budnik



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sara Buehler



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Debra Bullock



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Doug Burke



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/30/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Diane Burkett



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Paula Burns



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mary Catherine Burtch



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/1/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Brian Burwell



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

No frackig, totally unecessry with the current glut of oil. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Carl Busch



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marc Buschnyj



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mike Butche



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sharon Butler



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Charles Byrne



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Byrne



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Richard Byrne



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

V Caban



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jacqueline Cady



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Cahill



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/14/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Cahill



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Philip Calcagno



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Matt Callaghan



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mary Camardo



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Laura Campbell



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lee Canel



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Judith Cape



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

R. Peter Carey



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

R. Peter Carey



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Pauline Carlesen



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Carroll



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/15/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sharon Carroll



Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bonnie Casper



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

K Castelluccio



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lynn Castro



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cisley Celmer



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ryan Chaglasian



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Claudia Chalden



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kathryn Chamberlain



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Chamness



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dawn Champley



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sonja Chan



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Wallace Chan



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Philip Chapman



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

William Cheatham



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

William Cheatham



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/28/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

William Cheatham



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Deborah Cheek



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

THESE ARE MY PERSONAL COMMENTS: I AM DEEPLY CONCERNED AND OUTRAGED THAT FRACKING IS ALLOWED AT ALL...ANYWHERE! Those chemicals DO NOT come out of the ground... It contaminates water tables for sometimes hundreds of miles away from the site and is RUINING PEOPLE'S PROPERTY VALUES BECAUSE THEY HAVE NO CLEAN WATER NOW. This is INSANE.... IT'S OUR FRESH WATER SUPPLY!!!!!!!!!!!!!! ARE YOU DAFT? We have OTHER ways to have energy...it does not have to be THIS. We need to be investing in our infrastructure and updating these OBSOLETE methods of having a power supply. WHY would you let them continue to do this?! They need to stop trying to EXPAND.... the fracking needs to STOP IMMEDIATELY. EVERYWHERE. AND WHY AREN'T THEY BEING HELD TO CLEAN WATER REGULATIONS????!!! I AM MORE THAN UPSET...I AM PISSED OFF! YOU are the one that can make a difference. Tell them to stop and start re-tooling for CLEAN ENERGY. Do the right thing for the people of this state... not for big business profits. And on another note.... WE NEED PROGRAMS TO PUT SOLAR PANELS ON ROOFING FOR THE POOREST OF US...THEN YOU WOULDN'T NEED LIHEAP! RE-DIRECT THE MONEY FOR THAT INTO A NEW PROGRAM TO GIVE PEOPLE A WAY TO HAVE FREE POWER. LYNDIA CHIAVARIO [REDACTED] I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lynda Chiavario
[REDACTED]

RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marsha Chomko



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Fossil fuels is not the answer but rather the destruction of a viable planet Earth for mankind.

Cathie Christ



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cathie Christ



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Paul Christel



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bruce Christopher



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mary Christopher



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Robert Chrupka



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Edward Chubin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Grace Chun



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

George Ciconte



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Todd Cisna



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Angela Clark



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. These mis-representations are part of a long history of causing harm to citizens of Illinois. Most notably the manganese levels Bell corp is currently polluting our city with and the former petcoke piles. Without a strong commitment from the EPA to enforce regulations, including the court-determined monitorings and actions, any additional fracking is unwise and unsafe. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. This hurts citizens in inequitable ways, putting the harm on those living close to the wells and the Bernadette for those who consume the most energy. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. This destruction of the biosphere is one element that puts our planet at risk of dramatic changes. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ginevra Clark



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Krista Clarke-Brownstein



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karen Clausen



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Glenn Clayton



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Angela Clement



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mark Coats



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Barbara Cochrane



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Carrie Codell



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Neil Codell



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/30/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jane Cogie



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bob Cohen



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mara Cohen



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ava Cohn



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dawn Colbert



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Don Cote



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dori Cole



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Robert Coles



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Becky Connors



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marc Conrad



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Julie Contro



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Carol Conway



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Caroline Coolidge



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

James Coon



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Peggy Coon



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Leah Cooper



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Edward Cornwell



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/28/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dino Costa



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sandra Couch



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/17/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marsha Cowen Hosfeld



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Helen Cox



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elizabeth Crabtree



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Linda Cramer



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

David Crawford



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Creely



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/1/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kevin Creely



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elizabeth Crowley



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Susan Crowley



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Leuse Crumble



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Christina Crusius



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Agnes Cruz



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Martin Cuellar



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Linda Cueva



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

This is not the time for adding more harm to the environment of our state. This is the time for jobs in the environmental field that will support clean air and water. Say no to fracking and look to wind turbines, hybrid cars for government employees and promote industry that will help not hurt our state and planet. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nancy Cullerton



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Culver



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

David Cunniff



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elda Cunningham



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jennifer Cunningham



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sandra Cuprisin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marilyn Curren



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/28/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nancy Cusack



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sandra Cuza



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jeff Czach



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Czapkowicz



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elizabeth Czechanski



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Laurie Czizik



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Zygmunt Czykieta



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

W D



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Byron Dale



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Colleen Daly



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Eamon Daly



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

James Damle



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Patricia Damron



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Debra Dandeleis



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Aleda D'Anza



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karima Daoudi



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Beverly Dattilo



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Clayton Daughenbaugh



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ann Davidson



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Annie Davidson



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

George Davis



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/13/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Homer Davis



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL