

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. . The earth is our mother, take care of her and she will continue to take care of us!

Craig Kirby



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. There is a laundry list of problems with this request that have been spelled out. Instead of fracking we should upgrade our nuclear plants and encourage more solar and wind systems. Geothermal, wind, solar and nuclear are all preferable to fracking and will provide more jobs, less carbon and better use of our energy dollars.

Eileen Klees



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. I love and wish to protect my state - if comes before profits.

Patricia Knol



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. This is the first attempt to frack our state. You Must Say NO! The proposed well (Woodrow #1H-310408-193) in White County, Illinois threatens public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. 7. Fracking is morally wrong and economically disastrous. Careful analysis shows the real costs are being ignored and carry morally reprehensible consequences. Illinois DNR must reject the company's inadequate permit application that fails to protect our health and environment. You must reject it on moral and economic grounds.

Leonardo Legorreta



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Woolsey Operating Company, LLC has applied for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. I oppose this permit, and I ask you to decline the application for this proposed well (Woodrow #1H-310408-193, in White County). It would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. The problems include: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Kristin Lems



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Do not allow fracking in Illinois!!! I may consider leaving the state if you allow it. It is too dangerous to the environment. We don't need earthquakes and methane in our environment, not to mention the horrible chemicals that are drilled into the land for the process and the mess left behind.

Anita Lendway



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

No fracking...please reject this permit... I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Laurel Lewis



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Betty Lorenzen



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jeanette Louis



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jeanette Louis



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mary Lovelock



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Deborah Lubbert



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karin Lucas



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Shari Ludwig



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Miranda Lukatch



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Edmondo Lupieri



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

J Lynn



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/29/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Barbara Lyons



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Steve Lyons



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Rauner; you are a failed governor and ought to resign or don't run for a second term. We do not need fracking in this state or anywhere in this nation. There is already a glut on the oil/gas market already. Trump is alleging that he may generate solar energy in the building/isolationist tactics he intends to use on the so-called wall where he says energy will be generated along with residual money from solar activities at the border. He is so stupid, however, that he has just justified solar and obviously no need to invest in oil or gas moving forward. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nj M



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Joyce Macias



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lachlan Macintyre



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Linda & FRANK Mackert



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karen MacLeod



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Michael Magliane



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Laura Majeski



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. To allow horizontal fracking is a quick ride to destroying the State of Illinois. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marvin Makinen



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Thank you for your time.

Jennifer Malik



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Christopher Malin



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lisa Malmquist



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Patrick Maloney



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Leslie Malz



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jan Mangers



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Craig Mankowski



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Renee Mann



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Daniel Manobianco



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Amy Mans



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I write in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Martin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I write in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Rose Martin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. We cannot afford to experience the effects that other states have had - increased water pollution, earthquakes or ground contamination. I am vehemently opposed to fracking anywhere, but especially in our home state of Illinois. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Susan Masaracchia-Roberts



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

No! No! No! Absolutely not! Do not risk our health and pollute our air and water by fracking! I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nadine Mattes



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I write in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application lacks data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Mc



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Colleen Mcabee



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Vickie Mcalister



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elizabeth Mcauliffe



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/12/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Vanette McConahey


RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

James McConkey



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cindy McCormick



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Michelle Mccoy



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Christy McCreary



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ryan McCulloch



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Ryan McCulloch



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sam McCulloch



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Juliet McDaniel



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Janet McDonnell



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Janet McDonnell



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Maryanne Mcewen



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Brian McFarland



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lynne McGarry



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Christi McGinness



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Donald McGovern



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Linda Mcguire



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Maggie McGuire



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sheila Mcguire



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Amy McIntosh



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety. We have more opportunities for wind and solar energy than our neighbors and we need to use those opportunities instead of fracking.

Mary Mckee



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

There is an oversupply of oil on the market, gas prices are at all time low.....SO WE NEED TO BE DRILLING FRACKING AND MINING BECAUSE.....?????? BECAUSE DUMB AND DUMBER ARE RUNNING THIS COUNTRY!!!!!! I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dagmar McLaughlin



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety. I'm particularly concerned in light of the many issues (gas leaks, explosions) that friends of mine have witnessed in suburban Colorado after fracking took place. This specific permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Barron Medenwald



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. This plan for fracking would use up vital resources, contaminate the air an wayer table and destabilize the bed rock. Just say NO. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Norma Miller



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. I am a Chicago resident, but have family all over the state. The lack of transparency and the lack of data around fracking is worrisome at best and deadly at worst. Please do not approve!

Melanie Molnar



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Furthermore, since I am very concerned about climate change, I do not approve of any new attempts to produce fossil fuels which will only add to that problem. The last thing we need right now in Illinois is a new fracking operation!

Alice Mulberry



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act) in White County, Illinois. The well would threaten public health and safety through water contamination, earthquakes and air pollution. Thank you for your attention to my comments. Illinois DNR should reject the company?s inadequate permit application that fails to protect our health and environment.

Tracy Nicholson



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL