

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Read the Time Magazine article about what fracking has done to Oklahoma!! Please, not in Illinois, we have enough problems.

Mark Oles



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Just stop this madness. Isn't our environment, our very planet, fvcked up enough from human greed and abuse? I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jud Parker



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jill Paulus



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Carol Pawlak



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bernadette Payne



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Meredith Payne



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Tracy Pease



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Marlene Peaslee



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

John Peeters



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Angela Pennisi



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Christian Pepera



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jody Perrecone



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Rhonda Perry



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Anita Perteete



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Russell Pesko



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sarah Peters



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karen Peterson



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lydie Mae Peterson


RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Neal Peterson



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Richard Peterson


RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Josephine Petralia



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Rob Petras



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Sometimes I do not understand why there is not agreement from all parties at the onset. We are still suffering from BP's catastrophe as a mismanaged, poorly regulated company whose only concern is making the most money possible. You ask yourself, "Well isn't that the purpose of owning a company?" Well that is where there are some divisions in perspective. I believe a company should make money and serve a role to the community. If it's harming the company, then it should lose the right to earn the money of a community. PERIOD. In the case of the BP oil spill, why more of the executives are not behind bars, I do not know. So at the very least, LET'S LEARN FROM OUR MISTAKES!!!!!!!!!!!!!!!!!!!!!! Please see these links with lessons that can help those who are only focused on the financial gains of fracking and adding a pipeline to see that yes, the potential economic disaster outweighs the benefits (by a LOT).
<http://neworleans.legalexaminer.com/toxic-substances/bps-oil-spill-a-gulf-coast-economic-tsunami/>
<http://www.npr.org/2015/04/20/400374744/5-years-after-bp-oil-spill-effects-linger-and-recovery-is-slow>
This pipeline needs to be stopped! I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nicole Petrich



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Olivia Petrides



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Charles Petrof



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Amy Phillips



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Joan Phillips



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Steven Pickett



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Clara Piecuch



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Leonard Piersialla



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. We must show care with how we change the structure of our planet. In some areas where oil is being drilled and fracking there are more disturbances underground in the form of earthquakes. We must be mindful of the contamination of our water tables which may be the only water source for a community. We must be aware of any damage to our public lands that will affect our wildlife. New York State has banned fracking and Illinois could join with New York and other states to ban this destructive fracking. Is it necessary to drain every bit of exploitable resource from our planet. Let Illinois join New York and the few other states that have banned fracking. Our land, our air and our water should be more important than the money these companies will get exploiting our state.

Darlene Pietrzak



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Clean air water and soil are natural rights!!! It's your job to protect these rights!!!!

Robin Pinsof



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Keep our land and water ways free of poison! I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jennifer Ramazinski Miller



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

One of my biggest concerns over ALL fracking is that, today, here in Decatur Illinois, a gallon of gas was under \$2.00. That is telling me there is an abundance of gas/oil etc. So I ask the question: If energy is 'cheap', why take the risk on a new potentially dangerous process? I also note that some states, like New York, has banned all fracking. I think Illinois should also consider this for all new proposals. One more thing, I have a well that supplies my water for drinking, bathing etc. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Alan Rider



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

S -



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. Additionally the fracking process has been scientifically proven to inflict serious damage to the environment and be the source of earthquakes in Texas, Oklahoma, and other states in the Union. Stop the danger from occurring deny this and all future permit requests.

C. M. Sabathne



RECEIVED

JUL 28 2017

DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

It is the job and responsibility of the governor to do what is best for Illinoisans. By saying NO to this permit you will let the citizens of our great prairie state that you stand with them. You are opposed to the ruin of our prairies and to the contamination of our air and water. Please do the right thing for us. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cecelia Samp



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Please don't allow fracking. The potential environmental and health dangers far outweigh the supposed economic benefits from this practice. Your legacy can be one of protection or one of destruction. Please choose protection. Thank you. I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Nancy Saviers



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment. The cost of oil and gas have both come down as many other communities and states have allowed fracking. The low cost indicates we do not need additional production capacity. I believe more fossil fuels extracted from the ground only extend the life of old modalities of energy when we should be promoting clean energy. I believe the marginal increase in gas and oil are less valuable than clean air and clean water. Please say NO to the request for permission to frack under the HFRA.

David Schaefer



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

Please reject the application from Woolsey Operating Company, LLC, which is lacking in data and information, for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. Public safety is too important to play with. The permit application does not give the exact location of the two disposal wells. We want to know exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your reading my comments. Let's make protecting our health and environment a priority.

Cynthia Sloan



RECEIVED

JUL 28 2017

**DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I urge you to reject Woolsey Operating Company's horizontal well permit application under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

R Slone



RECEIVED
JUL 28 2017
DEPT. OF NATURAL RESOURCES
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Fran Smith



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Katherine Smith



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lloyd Smith



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Michael Smith



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Michael Smith



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Peggy Smith



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Rona Smith



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Tom Smith



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mark Snawadzki



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Elin Soderquist



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mariana Soares



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Cheryl Solper



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Phillip Solzan



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/28/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Steven Sondheim



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/27/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Lisa Sons



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Joan Sophie



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/26/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Audra Soulias



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Karen Spatz



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Susan Spengler



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Valerie Sprague



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sara Staben



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

David Stanley



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Leslie Stapleton



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

7/16/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Mary Starck



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702


6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Sanford Stark



RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Linda Staszak


RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Burton Steck



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/25/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Trisha Steele



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Jay Steffen



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/24/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Bruce Stegman



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Dale Steichen



RECEIVED

JUL 28 2017

**Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL**

Illinois Department of Natural Resources
Attention: Oil and Gas Regulatory Staff
One Natural Resources Way
Springfield, IL 62702

6/23/2017

RE: Review #HVHHF-000001 for Woodrow #1H-310408-193

Dear Oil and Gas Regulatory Staff,

I am writing these comments in regards to the application from Woolsey Operating Company, LLC for a permit under the Hydraulic Fracturing Regulatory Act (HFRA), assigned to Review Number HVHHF-000001. The proposed well (Woodrow #1H-310408-193) in White County, Illinois would threaten public health and safety and the permit application contains a number of issues highlighted below. The application is woefully lacking in data and information required by the Illinois legislature and Illinois DNR under the rules and regulations of the HFRA that are designed to protect public health and the environment, and so cannot be approved as submitted. For example, the permit application does not give the exact location of the two disposal wells. The locations should be given with GPS coordinates so that the public knows exactly where these wells are located. From the information that is provided, a number of concerns arise, including but not limited to: 1. The application requests exceptionally large water withdrawals from groundwater resources that are very susceptible to depletion, and fails to include plans to recycle water or otherwise minimize water consumption. 2. The application significantly underestimates flowback volumes, and plans for inadequate containment facilities for even that amount of flowback and other chemicals/wastes that the application does estimate. 3. The application conceals information on hazardous fracking chemicals without attempting to demonstrate entitlement to trade secret protection. 4. The application includes inadequate insurance for the well, with insurance that excludes the very types of damages to private landowners' property that should be protected. 5. The operations as described in the application would fail to preserve topsoil, and the stormwater management plan is inadequate. 6. The application plans for deficient surface and groundwater sampling. Adequate sampling must be required to protect important water sources. Thank you for your attention to my comments. Illinois DNR should reject the company's inadequate permit application that fails to protect our health and environment.

Michael Stephen


RECEIVED

JUL 28 2017

Dept. of Natural Resources
OFFICE OF LEGAL COUNSEL